



Sample Reports:

Clinician Report

Longitudinal Report

Parent Report

CLINICIAN REPORT FOR NEPSY-II



EXAMINEE: John Sample
AGE: 13 years, 8 months
DATE OF BIRTH: 10/24/1993
EXAMINEE ID: Not Specified
GENDER: Male

REPORT DATE: 7/18/2007
GRADE: Not Specified
ETHNICITY: <Not Specified>
EXAMINER: Lisa Drozdick

HOME LANGUAGE: <Not Specified>
IS THIS A RETEST? N
DURATION OF TESTING: 1 hr(s) 45 min(s)

HANDEDNESS: Right
AGE AT TESTING: 12 years 5 months

COMMENTS:

CLINICIAN REPORT FOR NEPSY-II

| Attention and Executive Functioning | | | | | |
|---|-------------------|----------------------|-----------------------------|-----------------------------------|---------------------------|
| Score Name | Raw Scores | Scaled Scores | Percentile Ranks (%) | Cumulative Percentages (%) | Classification |
| Animal Sorting Total Correct Sorts | 4 | 6 | 9 | -- | Borderline |
| Animal Sorting Total Errors | 0 | -- | >75 | -- | Above Expected Level |
| Animal Sorting Total Repeated Sort Errors | 0 | -- | >75 | -- | Above Expected Level |
| Animal Sorting Total Novel Sort Errors | 0 | -- | 51–75 | -- | At Expected Level |
| Animal Sorting Combined Scaled Score | -- | 7 | 16 | -- | Borderline |
| Auditory Attention Total Correct | 30 | 12 | 75 | -- | At Expected Level |
| Auditory Attention Combined Scaled Score | -- | 12 | 75 | -- | At Expected Level |
| Auditory Attention Total Omission Errors | 0 | -- | 51–75 | -- | At Expected Level |
| Auditory Attention Total Commission Errors | 0 | -- | 26–50 | -- | At Expected Level |
| Auditory Attention Total Inhibitory Errors | 0 | -- | 26–50 | -- | At Expected Level |
| Response Set Total Correct | 35 | 12 | 75 | -- | At Expected Level |
| Response Set Combined Scaled Score | -- | 13 | 84 | -- | Above Expected Level |
| Response Set Total Omission Errors | 1 | -- | >75 | -- | Above Expected Level |
| Response Set Total Commission Errors | 0 | -- | >75 | -- | Above Expected Level |
| Response Set Total Inhibitory Errors | 1 | -- | 51–75 | -- | At Expected Level |
| AA vs. RS Contrast Scaled Score | -- | 12 | 75 | -- | At Expected Level |
| Clocks Total Score | 70 | 10 | 50 | -- | At Expected Level |
| Inhibition–Naming Completion Time Total | 59 | 6 | 9 | -- | Borderline |
| Inhibition–Naming Combined Scaled Score | -- | 3 | 1 | -- | Well Below Expected Level |
| Inhibition–Naming Total Errors | 3 | -- | < 2 | -- | Well Below Expected Level |
| Inhibition–Naming Total Self-Corrected Errors | 3 | -- | < 2 | -- | Well Below Expected Level |
| Inhibition–Naming Total Uncorrected Errors | 0 | -- | 51–75 | -- | At Expected Level |
| Inhibition–Inhibition Completion Time Total | 85 | 6 | 9 | -- | Borderline |
| Inhibition–Inhibition Combined Scaled Score | -- | 9 | 37 | -- | At Expected Level |
| Inhibition–Inhibition Total Errors | 2 | -- | 51–75 | -- | At Expected Level |
| Inhibition–Inhibition Total Self-Corrected Errors | 2 | -- | 26–50 | -- | At Expected Level |
| Inhibition–Inhibition Total Uncorrected Errors | 0 | -- | 51–75 | -- | At Expected Level |
| Inhibition–Switching Completion Time Total | 119 | 6 | 9 | -- | Borderline |
| Inhibition–Switching Combined Scaled Score | -- | 7 | 16 | -- | Borderline |
| Inhibition–Switching Total Errors | 6 | -- | 26–50 | -- | At Expected Level |
| Inhibition–Switching Total Self-Corrected Errors | 4 | -- | 26–50 | -- | At Expected Level |

CLINICIAN REPORT FOR NEPSY-II

| | | | | | |
|---|----|----|-------|----|----------------------|
| Inhibition–Switching Total Uncorrected Errors | 2 | -- | 51–75 | -- | At Expected Level |
| IN–Naming vs. Inhibition Contrast Scaled Score | -- | 13 | 84 | -- | Above Expected Level |
| IN–Inhibition vs. Switching Contrast Scaled Score | -- | 7 | 16 | -- | Borderline |
| Inhibition Total Errors | 11 | 8 | 25 | -- | At Expected Level |

Scaled Scores

| Score Name | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|
| Animal Sorting Total Correct Sorts | | | | | | + | | | | | | | | | | | | | |
| Animal Sorting Combined Scaled Score | | | | | | | + | | | | | | | | | | | | |
| Auditory Attention Total Correct | | | | | | | | | | | | + | | | | | | | |
| Auditory Attention Combined Scaled Score | | | | | | | | | | | | + | | | | | | | |
| Response Set Total Correct | | | | | | | | | | | | + | | | | | | | |
| Response Set Combined Scaled Score | | | | | | | | | | | | | + | | | | | | |
| Clocks Total Score | | | | | | | | | | + | | | | | | | | | |
| Inhibition–Naming Completion Time Total | | | | | | + | | | | | | | | | | | | | |
| Inhibition–Naming Combined Scaled Score | | | + | | | | | | | | | | | | | | | | |
| Inhibition–Inhibition Completion Time Total | | | | | | + | | | | | | | | | | | | | |
| Inhibition–Inhibition Combined Scaled Score | | | | | | | | + | | | | | | | | | | | |
| Inhibition–Switching Completion Time Total | | | | | | + | | | | | | | | | | | | | |
| Inhibition–Switching Combined Scaled Score | | | | | | | + | | | | | | | | | | | | |
| Inhibition Total Errors | | | | | | | | + | | | | | | | | | | | |

Percentile Ranks

| Score Name | <2 | 2-10 | 11-25 | 26-75 | >75 |
|---|----|------|-------|-------|-----|
| Animal Sorting Total Errors | | | | | + |
| Animal Sorting Total Repeated Sort Errors | | | | | + |
| Animal Sorting Total Novel Sort Errors | | | | + | |
| Auditory Attention Total Omission Errors | | | | + | |
| Auditory Attention Total Commission Errors | | | | + | |
| Auditory Attention Total Inhibitory Errors | | | | + | |
| Response Set Total Omission Errors | | | | | + |
| Response Set Total Commission Errors | | | | | + |
| Response Set Total Inhibitory Errors | | | | + | |
| Inhibition–Naming Total Errors | + | | | | |
| Inhibition–Naming Total Self-Corrected Errors | + | | | | |
| Inhibition–Naming Total Uncorrected Errors | | | | + | |
| Inhibition–Inhibition Total Errors | | | | + | |

CLINICIAN REPORT FOR NEPSY-II

| | | | | | |
|---|--|--|--|---|--|
| Inhibition–Inhibition Total Self-Corrected Errors | | | | + | |
| Inhibition–Inhibition Total Uncorrected Errors | | | | + | |
| Inhibition–Switching Total Errors | | | | + | |
| Inhibition–Switching Total Self-Corrected Errors | | | | + | |
| Inhibition–Switching Total Uncorrected Errors | | | | + | |

CLINICIAN REPORT FOR NEPSY-II

| Language | | | | |
|--|-------------------|----------------------|-----------------------------|-----------------------|
| Score Name | Raw Scores | Scaled Scores | Percentile Ranks (%) | Classification |
| Comprehension of Instructions Total Score | 21 | 5 | 5 | Below Expected Level |
| Phonological Processing Total Score | 38 | 10 | 50 | At Expected Level |
| Speeded Naming Total Completion Time | 51 | 7 | 16 | Borderline |
| Speeded Naming Total Correct | 74 | -- | 26-50 | At Expected Level |
| Speeded Naming Combined Scaled Score | -- | 7 | 16 | Borderline |
| Speeded Naming Total Self-Corrected Errors | 0 | -- | 51-75 | At Expected Level |

Scaled Scores

| Score Name | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | |
|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|--|
| Comprehension of Instructions Total Score | | | | | + | | | | | | | | | | | | | | | |
| Phonological Processing Total Score | | | | | | | | | | + | | | | | | | | | | |
| Speeded Naming Total Completion Time | | | | | | | + | | | | | | | | | | | | | |
| Speeded Naming Combined Scaled Score | | | | | | | + | | | | | | | | | | | | | |

Percentile Ranks

| Score Name | <2 | 2-10 | 11-25 | 26-75 | >75 |
|--|--------------|-------------|--------------|--------------|---------------|
| Speeded Naming Total Correct | | | | + | |
| Speeded Naming Total Self-Corrected Errors | | | | + | |

CLINICIAN REPORT FOR NEPSY-II

| Memory and Learning | | | | | |
|---|-------------------|----------------------|-----------------------------|-----------------------------------|-----------------------|
| Score Name | Raw Scores | Scaled Scores | Percentile Ranks (%) | Cumulative Percentages (%) | Classification |
| Memory for Faces Total Score | 14 | 12 | 75 | -- | At Expected Level |
| Memory for Faces Delayed Total Score | 15 | 13 | 84 | -- | Above Expected Level |
| MF vs. MFD Contrast Scaled Score | -- | 12 | 75 | -- | At Expected Level |
| Narrative Memory Free and Cued Recall Total Score | 4 | 5 | 5 | -- | Below Expected Level |
| Narrative Memory Free Recall Total Score | 2 | 6 | 9 | -- | Borderline |
| Word List Interference-Repetition Total Score | 16 | 10 | 50 | -- | At Expected Level |
| Word List Interference-Recall Total Score | 16 | 8 | 25 | -- | At Expected Level |
| WI Repetition vs. Recall Contrast Scaled Score | -- | 7 | 16 | -- | Borderline |

Scaled Scores

| Score Name | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Memory for Faces Total Score | | | | | | | | | | | | | | | | | | | |
| Memory for Faces Delayed Total Score | | | | | | | | | | | | | | | | | | | |
| Narrative Memory Free and Cued Recall Total Score | | | | | | | | | | | | | | | | | | | |
| Narrative Memory Free Recall Total Score | | | | | | | | | | | | | | | | | | | |
| Word List Interference-Repetition Total Score | | | | | | | | | | | | | | | | | | | |
| Word List Interference-Recall Total Score | | | | | | | | | | | | | | | | | | | |

CLINICIAN REPORT FOR NEPSY-II

| Sensorimotor | | | | | |
|--|-------------------|----------------------|-----------------------------|-----------------------------------|-----------------------|
| Score Name | Raw Scores | Scaled Scores | Percentile Ranks (%) | Cumulative Percentages (%) | Classification |
| Fingertip Tapping–Dominant Hand Repetitions Completion Time | 7 | -- | 26–50 | -- | At Expected Level |
| Fingertip Tapping–Dominant Hand Sequences Completion Time | 9 | -- | 26–50 | -- | At Expected Level |
| Fingertip Tapping–Nondominant Hand Repetitions Completion Time | 7 | -- | 51–75 | -- | At Expected Level |
| Fingertip Tapping–Nondominant Hand Sequences Completion Time | 9 | -- | 26–50 | -- | At Expected Level |
| Fingertip Tapping–Dominant Hand Combined Scaled Score | -- | 9 | 37 | -- | At Expected Level |
| Fingertip Tapping–Nondominant Hand Combined Scaled Score | -- | 10 | 50 | -- | At Expected Level |
| Fingertip Tapping–Repetitions Combined Scaled Score | -- | 10 | 50 | -- | At Expected Level |
| Fingertip Tapping–Sequences Combined Scaled Score | -- | 9 | 37 | -- | At Expected Level |
| FT Dominant Hand vs. Nondominant Hand Contrast Scaled Score | -- | 12 | 75 | -- | At Expected Level |
| FT Repetitions vs. Sequences Contrast Scaled Score | -- | 8 | 25 | -- | At Expected Level |
| Visuomotor Precision Total Completion Time | 105 | 9 | 37 | -- | At Expected Level |
| Visuomotor Precision Total Errors | 5 | -- | 26–50 | -- | At Expected Level |
| Visuomotor Precision Combined Scaled Score | -- | 8 | 25 | -- | At Expected Level |
| Visuomotor Precision Pencil Lift Total | 6 | -- | 11–25 | -- | Borderline |

Scaled Scores

| Score Name | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
|--|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Fingertip Tapping–Dominant Hand Combined Scaled Score | | | | | | | | | + | | | | | | | | | | |
| Fingertip Tapping–Nondominant Hand Combined Scaled Score | | | | | | | | | | + | | | | | | | | | |
| Fingertip Tapping–Repetitions Combined Scaled Score | | | | | | | | | | + | | | | | | | | | |
| Fingertip Tapping–Sequences Combined Scaled Score | | | | | | | | | + | | | | | | | | | | |
| Visuomotor Precision Total Completion Time | | | | | | | | | + | | | | | | | | | | |
| Visuomotor Precision Combined Scaled Score | | | | | | | | + | | | | | | | | | | | |

CLINICIAN REPORT FOR NEPSY-II

Percentile Ranks

| Score Name | <2 | 2-10 | 11-25 | 26-75 | >75 |
|--|--------------|-------------|--------------|--------------|---------------|
| Fingertip Tapping–Dominant Hand Repetitions Completion Time | | | | + | |
| Fingertip Tapping–Dominant Hand Sequences Completion Time | | | | + | |
| Fingertip Tapping–Nondominant Hand Repetitions Completion Time | | | | + | |
| Fingertip Tapping–Nondominant Hand Sequences Completion Time | | | | + | |
| Visuomotor Precision Total Errors | | | | + | |
| Visuomotor Precision Pencil Lift Total | | | + | | |

CLINICIAN REPORT FOR NEPSY-II

| Social Perception | | | | |
|---|-------------------|----------------------|-----------------------------|-----------------------|
| Score Name | Raw Scores | Scaled Scores | Percentile Ranks (%) | Classification |
| Affect Recognition Total Score | 29 | 11 | 63 | At Expected Level |
| Affect Recognition Total Happy (H) Errors | 0 | -- | 26–50 | At Expected Level |
| Affect Recognition Total Sad (S) Errors | 2 | -- | 51–75 | At Expected Level |
| Affect Recognition Total Neutral (N) Errors | 1 | -- | 26–50 | At Expected Level |
| Affect Recognition Total Fear (F) Errors | 1 | -- | 26–50 | At Expected Level |
| Affect Recognition Total Angry (A) Errors | 0 | -- | >75 | Above Expected Level |
| Affect Recognition Total Disgust (D) Errors | 3 | -- | 6–10 | Below Expected Level |
| Theory of Mind Total Score | 25 | -- | 26–50 | At Expected Level |
| Theory of Mind–Verbal Score | 19 | -- | 26–50 | At Expected Level |

Scaled Scores

| Score Name | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
|--------------------------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|
| Affect Recognition Total Score | | | | | | | | | | | | | | | | | | | |

Percentile Ranks

| Score Name | <2 | 2-10 | 11-25 | 26-75 | >75 |
|---|----|------|-------|-------|-----|
| Affect Recognition Total Happy (H) Errors | | | | + | |
| Affect Recognition Total Sad (S) Errors | | | | + | |
| Affect Recognition Total Neutral (N) Errors | | | | + | |
| Affect Recognition Total Fear (F) Errors | | | | + | |
| Affect Recognition Total Angry (A) Errors | | | | | + |
| Affect Recognition Total Disgust (D) Errors | | + | | | |
| Theory of Mind Total Score | | | | + | |
| Theory of Mind–Verbal Score | | | | + | |

CLINICIAN REPORT FOR NEPSY-II

| Visuospatial Processing | | | | |
|--|-------------------|----------------------|-----------------------------|-----------------------|
| Score Name | Raw Scores | Scaled Scores | Percentile Ranks (%) | Classification |
| Arrows Total Score | 25 | 6 | 9 | Borderline |
| Block Construction Total Score | 16 | 9 | 37 | At Expected Level |
| Design Copying Process Total Score | 85 | 9 | 37 | At Expected Level |
| Design Copying Process Motor Score | 34 | 9 | 37 | At Expected Level |
| Design Copying Process Global Score | 31 | 9 | 37 | At Expected Level |
| Design Copying Process Local Score | 20 | 9 | 37 | At Expected Level |
| DCP Global vs. Local Contrast Scaled Score | -- | 10 | 50 | At Expected Level |
| Design Copying General Total Score | 11 | -- | 51-75 | At Expected Level |
| Geometric Puzzles Total Score | 28 | 8 | 25 | At Expected Level |
| Picture Puzzles Total Score | 15 | 10 | 50 | At Expected Level |

Scaled Scores

| Score Name | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|--|
| Arrows Total Score | | | | | | + | | | | | | | | | | | | | | |
| Block Construction Total Score | | | | | | | | | + | | | | | | | | | | | |
| Design Copying Process Total Score | | | | | | | | | + | | | | | | | | | | | |
| Design Copying Process Motor Score | | | | | | | | | + | | | | | | | | | | | |
| Design Copying Process Global Score | | | | | | | | | + | | | | | | | | | | | |
| Design Copying Process Local Score | | | | | | | | | + | | | | | | | | | | | |
| Geometric Puzzles Total Score | | | | | | | | + | | | | | | | | | | | | |
| Picture Puzzles Total Score | | | | | | | | | | + | | | | | | | | | | |

Percentile Ranks

| Score Name | <2 | 2-10 | 11-25 | 26-75 | >75 |
|------------------------------------|--------------|-------------|--------------|--------------|---------------|
| Design Copying General Total Score | | | | + | |

CLINICIAN REPORT FOR NEPSY-II

Behavioral Observations

Attention and Executive Functioning

| | Raw Score | Cumulative Percentages (%) | Percent of Normative Sample (%) |
|--|-----------|----------------------------|---------------------------------|
| Auditory Attention & Response Set | | | |
| Inattentive/Distracted–Off Task Behaviors Total | 0 | 26–75 | -- |
| Out of Seat/Physical Movement in Seat–Off Task Behaviors Total | 0 | 26–75 | -- |
| Inhibition | | | |
| INN Points to Stimuli Total | 0 | 26–75 | -- |
| INI Points to Stimuli Total | 2 | 11–25 | -- |
| INS Points to Stimuli Total | 2 | 26–75 | -- |

Language

| | Raw Score | Cumulative Percentages (%) | Percent of Normative Sample (%) |
|-------------------------------|-----------|----------------------------|---------------------------------|
| Comprehension of Instructions | | | |
| Asks for Repetition Total | 0 | 26–75 | -- |
| Phonological Processing | | | |
| Asks for Repetition Total | 0 | 26–75 | -- |

Memory and Learning

| | Raw Score | Cumulative Percentages (%) | Percent of Normative Sample (%) |
|---------------------------|-----------|----------------------------|---------------------------------|
| Word List Interference | | | |
| Asks for Repetition Total | 0 | 26–75 | -- |

Sensorimotor

| | Raw Score | Cumulative Percentages (%) | Percent of Normative Sample (%) |
|----------------------|-----------|----------------------------|---------------------------------|
| Fingertip Tapping | | | |
| Visual Guidance | Y | -- | 55 |
| Incorrect Position | N | -- | 82 |
| Posturing | N | -- | 92 |
| Mirroring | N | -- | 96 |
| Overflow | N | -- | 91 |
| Rate Change | 0 | 26–75 | -- |
| Visuomotor Precision | | | |
| Pencil Grip - Mature | Y | -- | 87 |

Social Perception

| | Raw Score | Cumulative Percentages (%) | Percent of Normative Sample (%) |
|----------------------------|-----------|----------------------------|---------------------------------|
| Affect Recognition | | | |
| Spontaneous Comments Total | 0 | 26–75 | -- |

LONGITUDINAL REPORT FOR NEPSY-II



EXAMINEE: John Sample
 AGE: 13 years, 8 months
 DATE OF BIRTH: 10/24/1993
 EXAMINEE ID: Not Specified
 GENDER: Male

REPORT DATE: 7/18/2007
 GRADE: Not Specified
 ETHNICITY: <Not Specified>
 EXAMINER: Lisa Drozdick

HOME LANGUAGE: <Not Specified>

HANDEDNESS: Right

| | | |
|---------------------------------|-------------------------------|---|
| NEPSY-II Administrations | Date of Testing: 6/25/2007 | Date of Testing: 3/26/2006 |
| | Age at Testing: 13.08 | Age at Testing: 12.05 |
| | Duration of Testing: | Duration of Testing: 1 hr(s) 45 min(s) |

| Attention and Executive Functioning | | | | |
|---|----------------------|-----------------------------|----------------------|-----------------------------|
| | Scaled Scores | Percentile Ranks (%) | Scaled Scores | Percentile Ranks (%) |
| Animal Sorting Total Correct Sorts | 8 | 25 | 6 | 9 |
| Animal Sorting Total Errors | | 26-50 | | >75 |
| Animal Sorting Combined Scaled Score | 8 | 25 | 7 | 16 |
| Auditory Attention Total Correct | | 6-10 | 12 | 75 |
| Auditory Attention Combined Scaled Score | 2 | 0.4 | 12 | 75 |
| Response Set Total Correct | | 11-25 | 12 | 75 |
| Response Set Combined Scaled Score | 8 | 25 | 13 | 84 |
| Clocks Total Score | 3 | 1 | 10 | 50 |
| Design Fluency Total Score | | | | |
| Inhibition-Naming Completion Time Total | 9 | 37 | 6 | 9 |
| Inhibition-Naming Total Errors | | 2-5 | | < 2 |
| Inhibition-Naming Combined Scaled Score | 5 | 5 | 3 | 1 |
| Inhibition-Inhibition Completion Time Total | 7 | 16 | 6 | 9 |
| Inhibition-Inhibition Total Errors | | 2-5 | | 51-75 |
| Inhibition-Inhibition Combined Scaled Score | 4 | 2 | 9 | 37 |
| Inhibition-Switching Completion Time Total | 11 | 63 | 6 | 9 |
| Inhibition-Switching Total Errors | | 11-25 | | 26-50 |
| Inhibition-Switching Combined Scaled Score | 8 | 25 | 7 | 16 |
| Inhibition Total Errors | 6 | 9 | 8 | 25 |
| Statue Total Score | | | | |

LONGITUDINAL REPORT FOR NEPSY-II

| | | |
|---------------------------------|-------------------------------|---|
| NEPSY-II Administrations | Date of Testing: 6/25/2007 | Date of Testing: 3/26/2006 |
| | Age at Testing: 13.08 | Age at Testing: 12.05 |
| | Duration of Testing: | Duration of Testing: 1 hr(s) 45 min(s) |

| Language | | | | |
|--|---------------|----------------------|---------------|----------------------|
| | Scaled Scores | Percentile Ranks (%) | Scaled Scores | Percentile Ranks (%) |
| Body Part Naming Total Score | | | | |
| Body Part Identification Total Score | | | | |
| Comprehension of Instructions Total Score | 4 | 2 | 5 | 5 |
| Oromotor Sequences Total Score | | | | |
| Phonological Processing Total Score | 1 | 0.1 | 10 | 50 |
| Repetition of Nonsense Words Total Score | | | | |
| Speeded Naming Total Completion Time | 1 | 0.1 | 7 | 16 |
| Speeded Naming Total Correct | | 6-10 | | 26-50 |
| Speeded Naming Combined Scaled Score | 3 | 1 | 7 | 16 |
| Word Generation-Semantic Total Score | 1 | 0.1 | | |
| Word Generation-Initial Letter Total Score | 3 | 1 | | |

| Memory and Learning | | | | |
|---|---------------|----------------------|---------------|----------------------|
| | Scaled Scores | Percentile Ranks (%) | Scaled Scores | Percentile Ranks (%) |
| List Memory and List Memory Delayed Total Score | | | | |
| Memory for Designs Total Score | | | | |
| Memory for Designs Delayed Total Score | | | | |
| Memory for Faces Total Score | 9 | 37 | 12 | 75 |
| Memory for Faces Delayed Total Score | 7 | 16 | 13 | 84 |
| Memory for Names Total Score | | | | |
| Memory for Names Delayed Total Score | | | | |
| Memory for Names and Memory for Names Delayed Total Score | | | | |
| Narrative Memory Free and Cued Recall Total Score | 12 | 75 | 5 | 5 |
| Sentence Repetition Total Score | | | | |
| Word List Interference-Repetition Total Score | 4 | 2 | 10 | 50 |
| Word List Interference-Recall Total Score | 10 | 50 | 8 | 25 |

LONGITUDINAL REPORT FOR NEPSY-II

| | | |
|---------------------------------|-------------------------------|---|
| NEPSY-II Administrations | Date of Testing: 6/25/2007 | Date of Testing: 3/26/2006 |
| | Age at Testing: 13.08 | Age at Testing: 12.05 |
| | Duration of Testing: | Duration of Testing: 1 hr(s) 45 min(s) |

| Sensorimotor | | | | |
|--|---------------|----------------------|---------------|----------------------|
| | Scaled Scores | Percentile Ranks (%) | Scaled Scores | Percentile Ranks (%) |
| Fingertip Tapping–Dominant Hand Repetitions Completion Time | | 6–10 | | 26–50 |
| Fingertip Tapping–Dominant Hand Sequences Completion Time | | 2–5 | | 26–50 |
| Fingertip Tapping–Nondominant Hand Repetitions Completion Time | | 2–5 | | 51–75 |
| Fingertip Tapping–Nondominant Hand Sequences Completion Time | | 2–5 | | 26–50 |
| Fingertip Tapping–Dominant Hand Combined Scaled Score | 3 | 1 | 9 | 37 |
| Fingertip Tapping–Nondominant Hand Combined Scaled Score | 2 | 0.4 | 10 | 50 |
| Fingertip Tapping–Repetitions Combined Scaled Score | 4 | 2 | 10 | 50 |
| Fingertip Tapping–Sequences Combined Scaled Score | 3 | 1 | 9 | 37 |
| Imitating Hand Position Total Score | | | | |
| Manual Motor Sequences Total Score | | | | |
| Visuomotor Precision Total Completion Time | | | 9 | 37 |
| Visuomotor Precision Total Errors | | | | 26–50 |
| Visuomotor Precision Combined Scaled Score | | | 8 | 25 |

| Social Perception | | | | |
|--------------------------------|---------------|----------------------|---------------|----------------------|
| | Scaled Scores | Percentile Ranks (%) | Scaled Scores | Percentile Ranks (%) |
| Affect Recognition Total Score | 6 | 9 | 11 | 63 |
| Theory of Mind Total Score | | 2–5 | | 26–50 |

| Visuospatial Processing | | | | |
|------------------------------------|---------------|----------------------|---------------|----------------------|
| | Scaled Scores | Percentile Ranks (%) | Scaled Scores | Percentile Ranks (%) |
| Arrows Total Score | 3 | 1 | 6 | 9 |
| Block Construction Total Score | 9 | 37 | 9 | 37 |
| Design Copying Process Total Score | 8 | 25 | 9 | 37 |
| Design Copying General Total Score | | 26–50 | | 51–75 |
| Geometric Puzzles Total Score | 3 | 1 | 8 | 25 |
| Picture Puzzles Total Score | 8 | 25 | 10 | 50 |
| Route Finding Total Score | | | | |

PARENT / TEACHER REPORT FOR NEPSY-II




| | | | |
|----------------|--------------------|--------------|-----------------|
| EXAMINEE: | John Sample | REPORT DATE: | 7/18/2007 |
| AGE: | 13 years, 8 months | GRADE: | Not Specified |
| DATE OF BIRTH: | 10/24/1993 | ETHNICITY: | <Not Specified> |
| EXAMINEE ID: | Not Specified | EXAMINER: | Lisa Drozdick |
| GENDER: | Male | | |
| HOME LANGUAGE: | <Not Specified> | HANDEDNESS: | Right |

John was administered the NEPSY-II as part of an evaluation. The NEPSY-II helps assess academic, social, and behavioral difficulties in children and adolescents. Results obtained from a NEPSY-II assessment can be used to diagnose and aid in intervention planning for a variety of childhood disorders. In particular, a comprehensive understanding of a child's cognitive limitations can facilitate the development of appropriate Individual Education Plans (IEPs) and guide placement and intervention decisions.

To evaluate John's performance on the NEPSY-II, review both the Classification Description Table, and the Normal Curve Graph below. These tools will serve as a guide to help you obtain a general understanding of TBI's performance on the assessment. Below the Classification Description Table is a description of each domain TBI was evaluated on. Next to this is a summary of how John performed on the domains that were assessed. Please refer specific questions or concerns about performance to the clinician who administered the assessment.

PARENT / TEACHER REPORT FOR NEPSY-II



| <i>Classification Description Table</i> | |
|---|---|
| Classification | Description |
| Above Expected Level | Children whose scores fall within this range have skills that are more developed than 75% of their peers. |
| At Expected Level | Children whose scores fall within this range have skills that are equal to 50% of their peers. |
| Borderline | Children whose scores fall within this range have skills that are not as developed as 75% of their peers. |
| Below Expected Level | Children whose scores fall within this range have skills that are not as developed as 90% of their peers. |
| Well Below Expected Level | Children whose scores fall within this range have skills that are not as developed as 98% of their peers. |

PARENT / TEACHER REPORT FOR NEPSY-II

| <i>Summary of Results</i> | | |
|--|---|--|
| Domain | Description | Result |
| Attention and Executive Functioning | These tests measure how well a child can plan, organize, change, and control behavior. | John's performance in this domain fell between the Well Below Expected Level and Above Expected Level. |
| Language | These tests measure how well a child understands and uses words and sentences to communicate with others. | John's performance in this domain fell between the Below Expected Level and At Expected Level. |
| Memory and Learning | These tests measure how a child takes in, stores, and remembers information. | John's performance in this domain fell between the Below Expected Level and Above Expected Level. |
| Sensorimotor | These tests measure how well a child can control hand movements. | John's performance in this domain fell at the At Expected Level. |
| Social Perception | These tests measure how well a child understands other people's feelings and thoughts. | John's performance in this domain fell at the At Expected Level. |
| Visuospatial Processing | These tests measure how well a child sees and arranges visual information. | John's performance in this domain fell between the Borderline range and At Expected Level. |