

Sound Testing Using GFTA-3 and KLPA-3

Assess speech sound disorders using the new GFTA-3 & KLPA-3

The new Goldman-Fristoe Test of Articulation—Third Edition (GFTA[™]-3), and Khan-Lewis Phonological Analysis—Third Edition (KLPA[™]-3) offer comprehensive articulation and phonology assessment. Both tests are designed to help you diagnose speech sound disorders and plan effective intervention for your diverse client population.

Features at a glance:

- Flexible digital or paper administration and scoring options
- New! Error analyses
- Dialect-sensitive scoring to reduce over-identification of students ideal for a diverse client population
- Score articulation of each consonant to examine emergence and mastery of the sounds in the examinee's repertoire
- Standard scores for Sounds-in-Sentences
- Easy-to-calculate Intelligibility measure
- For English speaking children with impaired intelligibility, pair GFTA-3 with KLPA-3 for a robust analysis of speech sound patterns—available at the press of a button!



Goldman-Fristoe Test of Articulation 3



<u>(GFTA-3)</u>

Obtain accurate diagnostic information about an English-speaking individual's ability to articulate consonant sounds in single words and connected speech.

New intelligibility measure!

Age range: 2:0 – 21:11

Completion Time: 5 to 15 minutes for Sounds-in-Words Section, varied for Sounds-In-Words, Intelligibility, and Stimulability sections



Khan-Lewis Phonological Analysis | Third Edition

(KLPA-3)

Based on an individual's responses on GFTA-3 test items, KLPA-3 provides a comprehensive analysis of speech sound patterns so you can determine if use of phonological processes is contributing to an individual's speech sound disorder.

Age range: 2:0 – 21:11

Completion Time: 10-30 minutes

More about Goldman-Fristoe Test of Articulation 3 (GFTA-3)

Sounds-in-Words

The Sounds-in-Words test uses picture stimuli to elicit production of consonant sounds in the initial, medial, and final position of single consonants. Consonant clusters (blends) are also assessed, most in the initial position of words.

New features:

- 1. Score every consonant to evaluate how the child produces the sounds in different contexts, enabling you to evaluate the examinee's emerging ability to produce sounds and identify facilitating contexts for treatment planning.
- 2. New error analyses for vowels and R productions.
- 3. Dialect-sensitive scoring for a wide range of American English dialects and English influenced by other languages, reducing over-identification of individuals for treatment.
- 4. New, age-appropriate picture sets—charming, preschool-friendly art for young children and more realistic art for older students with articulation and/or intelligibility concerns.

Sounds-in-Sentences

Sounds-in-Sentences test is a structured task for eliciting sound productions in a sentence context, updated so that you read a short story to the examinee, then ask the examinee to repeat each sentence as you read the story back to him or her.

New features:

- 1. Easy-to-elicit connected speech measure with a new sentence imitation task
- 2. Standard scores for speech sound productions in connected speech
- 3. New intelligibility rating: Assign a rating of 1–4 (for good, fair, poor, or no response) to each of the examinee's responses from the Sounds-in-Sentences test.

Stimulability

The GFTA-3 stimulability section includes space to record an examinee's ability to repeat the target sounds in syllables, words, and sentences. This information can be useful for intervention planning.







Comprehensive analysis of phonological process usage with the KLPA™-3.

No additional test administration needed—transfer the examinee's GFTA-3* responses to the KLPA-3 Analysis Form to examine:

- 12 core processes, which occur frequently in the speech of young children and are considered developmental processes
- Supplemental processes, which occur less frequently and are atypical patterns
- With digital scoring, obtain a full phonological analysis based on GFTA-3 item responses!

KLPA-3 Core Processes*

Manner Processes	Place Processes	Reduction Processes	Voicing Processes
Deaffrication	Palatal fronting	Cluster simplification	Final devoicing
Gliding of liquids	Velar fronting	Deletion of final consonants	Initial voicing
Stopping of fricatives and affricates		Syllable reduction	
Stridency deletion			
Vocalization			

*Obtain standard scores and percentile ranks by age and sex *Available only for the English edition.

Use KLPA-3 to help you determine if an individual has a speech sound disorder in the area of phonology and is eligible for special services. Using KLPA-3, you can identify phonological processes that:

- Are frequently occurring developmental errors
- Are infrequently observed, atypical errors observed in clinical populations
- May interfere with intelligibility of speech
- May be most amenable to treatment

With KLPA-3, you can also:

- Obtain an inventory of phonemes
- Determine if an individual produces vowel alterations

Explore your digital choices!

Introducing Q-interactive

Q-interactive is an easy-to-use iPad application that allows clinicians to choose, administer and score assessments via two tablets that connect to each other. The system is ideal for educational and clinical psychologists, SLTs, and SENCO's.

With Q-interactive, you can create personalized batteries at both the instrument and subtest levels that are proven to:

- Better serve your clients and evolve your practice.
- Minimize time spent on administering tests.
- Streamline workflow and reduce manual data entry.



Benefits of Q-interactive

- **Travel Light** Your assessment tools are now contained within two lightweight digital tablets, that will allow you to conduct assessments even when you are offline. No more lugging around heavy kits, a timer, stacks of record forms and stimulus booklets.
- **Easy** The content and administration procedures of many assessments will be recognizable. Combine that with an intuitive user interface and you will benefit from more time to focus on your clients and interpreting their results.
- Save Time Automatic, real-time scoring improves accuracy and cuts down scoring time. Anecdotal evidence suggests that once you are proficient, Q-interactive can reduce the overall time spent on your assessment including scoring and reporting by 30%.
- Reduce Costs With Q-interactive you only pay for what you use and are not required to invest in a complete test kit. Your test library is also automatically updated with new editions of assessments as soon as they are released, saving your initial outlay on new assessments. Access to test manuals is also included as standard.
- **Customise** Tailor your battery to fit the specific need of your client. Control the administration time and depth of assessment by administering the full test, or only the subtests that you need.



Q-global is our secure and affordable web-based administration, scoring and reporting system that allows you to input results from paper-and-pencil assessments to generate scores, and produce accurate comprehensive reports. It can also be used to administer questionnaire type assessments either on your screen or via a secure link emailed to the examinee or caregiver.

Benefits of Q-global

On Screen administration (OSA)

- Conduct assessments on screen using your own device or set up a video proctoring session 'in platform' using <u>Q-global VP</u>.

Remote On-Screen administration

(ROSA) - Send assessment via email to examinee, parent or caregiver to complete.

Manual Entry - Enter assessment data from a paper record form.

Via Telepractice - Deliver certain assessments via remote screensharing technology before entering data into the platform to score.



| Contact us



Assessment Consultants

Our Assessment Consultants are here to support you when considering purchasing from our range of assessments. For consultative assessment support including identifying assessment solutions and/or specific assessment questions you can now book an online appointment directly with the team.

Stay Connected



<u>Facebook</u>



<u>Linkedin</u>



<u>Twitter</u>



PEUK C0518 | Version 1.0 | August 2022 | Clinical | DCL1: Public | © Shutterstock/ fizkes