



Minnesota Multiphasic  
Personality Inventory-2  
Restructured Form®

## SAMPLE REPORT

### Case Description: Mr. F — Personnel Screening, Law Enforcement Score Report

Mr. F is a 22-year-old single male who was evaluated as a candidate for an entry-level law enforcement officer position with a medium-size urban police department. He had earned a two-year Associate of Arts degree in criminology, and this was the first position for which he had applied. After passing the department's initial screening process, he was given a conditional offer of employment and referred for medical and psychological evaluations.

Mr. F reported that he was raised in an intact family and denied any history of abuse. He described a good relationship with his parents and siblings, and reported that he was not very active socially although he did have one friend with whom he engaged in age-appropriate activities while growing up. He indicated that he had never been involved in a romantic relationship. Because of some early developmental delays, Mr. F repeated kindergarten and as a result did not graduate from high school until the age of 19. He did not have any academic difficulties or disciplinary problems but was not involved in any extracurricular activities. Mr. F worked at a number of part-time positions during his last two years of high school and in college. He initially denied having any conflicts with supervisors or co-workers or having ever been dismissed for cause from any of these positions. Mr. F also denied any history of alcohol or drug use, or ever requiring or receiving mental health services. In addition, he denied ever having been arrested or cited for any traffic violations.

---

Case descriptions do not accompany MMPI-2-RF reports, but are provided here as background information. The following report was generated from Q-global™, Pearson's web-based scoring and reporting application, using Mr. F's responses to the MMPI-2-RF. Additional MMPI-2-RF sample reports, product offerings, training opportunities, and resources can be found at [PearsonClinical.com/mmpi2rf](https://www.pearsonclinical.com/mmpi2rf).

Copyright © 2014 Pearson Education, Inc. or its affiliate(s). All rights reserved. Q-global, Always Learning, Pearson, design for Psi, and PsychCorp are trademarks, in the U.S. and/or other countries, of Pearson Education, Inc. or its affiliate(s). Minnesota Multiphasic Personality Inventory-2 Restructured Form and MMPI-2-RF are registered trademarks of the University of Minnesota, Minneapolis, MN. 8795-A 01/14



Minnesota Multiphasic  
Personality Inventory-2  
Restructured Form®

## Score Report

MMPI-2-RF®

Minnesota Multiphasic Personality Inventory-2-Restructured Form®

*Yossef S. Ben-Porath, PhD, & Auke Tellegen, PhD*

|                     |              |
|---------------------|--------------|
| ID Number:          | Mr. F        |
| Age:                | 22           |
| Gender:             | Male         |
| Marital Status:     | Not reported |
| Years of Education: | Not reported |
| Date Assessed:      | 1/13/14      |



Copyright © 2008, 2011, 2012 by the Regents of the University of Minnesota. All rights reserved.  
Distributed exclusively under license from the University of Minnesota by NCS Pearson, Inc. Portions reproduced from the MMPI-2-RF test booklet. Copyright © 2008 by the Regents of the University of Minnesota. All rights reserved. Portions excerpted from the *MMPI-2-RF Manual for Administration, Scoring, and Interpretation*. Copyright © 2008, 2011 by the Regents of the University of Minnesota. All rights reserved.  
Used by permission of the University of Minnesota Press.


**MMPI-2-RF**, the **MMPI-2-RF logo**, and **Minnesota Multiphasic Personality Inventory-2-Restructured Form** are registered trademarks of the University of Minnesota. **Pearson**, the **PSI logo**, and **PsychCorp** are trademarks in the U.S. and/or other countries of Pearson Education, Inc., or its affiliate(s).

### TRADE SECRET INFORMATION

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

[ 2.2 / 1 / QG ]

## MMPI-2-RF Validity Scales



|                   |     |     |     |     |     |     |     |                                   |     |
|-------------------|-----|-----|-----|-----|-----|-----|-----|-----------------------------------|-----|
| Raw Score:        | 2   | 11  | 1   | 0   | 1   | 6   | 3   | 3                                 | 8   |
| T Score:          | 43  | 50  | 47  | 42  | 50  | 45  | 42  | 52                                | 52  |
| Response %:       | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100                               | 100 |
| Cannot Say (Raw): | 0   |     |     |     |     |     |     |                                   |     |
|                   |     |     |     |     |     |     |     | Percent True (of items answered): | 39% |


Comparison Group Data: Personnel Screening, Law Enforcement Officer (Men and Women), N = 674

|   |    |      |    |    |    |    |    |    |    |
|---|----|------|----|----|----|----|----|----|----|
| Mean Score (◇--◇):                      | 41 | 52 F | 44 | 44 | 45 | 46 | 45 | 59 | 63 |
| Standard Dev ( $\pm 1$ SD):             | 7  | 6    | 3  | 4  | 6  | 6  | 7  | 13 | 8  |
| Percent scoring at or below test taker: | 81 | 64   | 94 | 81 | 92 | 50 | 45 | 40 | 12 |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

|        |                                      |       |                              |     |                     |
|--------|--------------------------------------|-------|------------------------------|-----|---------------------|
| VRIN-r | Variable Response Inconsistency      | Fs    | Infrequent Somatic Responses | L-r | Uncommon Virtues    |
| TRIN-r | True Response Inconsistency          | FBS-r | Symptom Validity             | K-r | Adjustment Validity |
| F-r    | Infrequent Responses                 | RBS   | Response Bias Scale          |     |                     |
| Fp-r   | Infrequent Psychopathology Responses |       |                              |     |                     |

## MMPI-2-RF Higher-Order (H-O) and Restructured Clinical (RC) Scales



|             | EID | THD | BXD | RCd | RC1 | RC2 | RC3 | RC4 | RC6 | RC7 | RC8 | RC9 |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Raw Score:  | 5   | 1   | 3   | 2   | 1   | 2   | 9   | 5   | 1   | 4   | 1   | 13  |
| T Score:    | 43  | 48  | 43  | 46  | 42  | 42  | 57  | 52  | 56  | 46  | 47  | 51  |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |


Comparison Group Data: Personnel Screening, Law Enforcement Officer (Men and Women), N = 674

|   | EID | THD | BXD | RCd | RC1 | RC2 | RC3 | RC4 | RC6 | RC7 | RC8 | RC9 |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Mean Score (◇--◇):                      | 36  | 44  | 46  | 40  | 42  | 41  | 44  | 45  | 46  | 38  | 44  | 43  |
| Standard Dev (±1 SD):                   | 6   | 6   | 7   | 5   | 6   | 6   | 8   | 7   | 6   | 6   | 7   | 8   |
| Percent scoring at or below test taker: | 88  | 85  | 39  | 92  | 69  | 74  | 96  | 86  | 96  | 92  | 82  | 90  |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

|     |                                      |     |                       |     |                                 |
|-----|--------------------------------------|-----|-----------------------|-----|---------------------------------|
| EID | Emotional/Internalizing Dysfunction  | RCd | Demoralization        | RC6 | Ideas of Persecution            |
| THD | Thought Dysfunction                  | RC1 | Somatic Complaints    | RC7 | Dysfunctional Negative Emotions |
| BXD | Behavioral/Externalizing Dysfunction | RC2 | Low Positive Emotions | RC8 | Aberrant Experiences            |
|     |                                      | RC3 | Cynicism              | RC9 | Hypomanic Activation            |
|     |                                      | RC4 | Antisocial Behavior   |     |                                 |

## MMPI-2-RF Somatic/Cognitive and Internalizing Scales



|             |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Raw Score:  | 0   | 0   | 0   | 0   | 1   | 0   | 1   | 0   | 3   | 3   | 0   | 2   | 0   | 5   |
| T Score:    | 38  | 46  | 42  | 41  | 50  | 45  | 52  | 42  | 51  | 52  | 44  | 51  | 43  | 54  |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |


Comparison Group Data: Personnel Screening, Law Enforcement Officer (Men and Women), N = 674

|   |    |    |    |    |    |      |    |    |    |    |    |    |    |    |
|---|----|----|----|----|----|------|----|----|----|----|----|----|----|----|
| Mean Score (◇--◇):                      | 43 | 47 | 44 | 45 | 43 | 45   | 42 | 43 | 41 | 42 | 45 | 41 | 44 | 44 |
| Standard Dev (±1 SD):                   | 6  | 5  | 5  | 7  | 5  | 1    | 4  | 4  | 6  | 7  | 3  | 5  | 4  | 7  |
| Percent scoring at or below test taker: | 58 | 95 | 84 | 68 | 94 | 99.6 | 99 | 89 | 97 | 96 | 95 | 97 | 91 | 95 |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

|     |                             |     |                           |     |                            |
|-----|-----------------------------|-----|---------------------------|-----|----------------------------|
| MLS | Malaise                     | SUI | Suicidal/Death Ideation   | AXY | Anxiety                    |
| GIC | Gastrointestinal Complaints | HLP | Helplessness/Hopelessness | ANP | Anger Proneness            |
| HPC | Head Pain Complaints        | SFD | Self-Doubt                | BRF | Behavior-Restricting Fears |
| NUC | Neurological Complaints     | NFC | Inefficacy                | MSF | Multiple Specific Fears    |
| COG | Cognitive Complaints        | STW | Stress/Worry              |     |                            |

## MMPI-2-RF Externalizing, Interpersonal, and Interest Scales



|             |     |     |     |     |     |     |     |     |     |     |     |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Raw Score:  | 2   | 0   | 0   | 6   | 3   | 0   | 1   | 0   | 2   | 1   | 0   |
| T Score:    | 57  | 41  | 37  | 67  | 53  | 34  | 43  | 37  | 68  | 39  | 38  |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |


Comparison Group Data: Personnel Screening, Law Enforcement Officer (Men and Women), N = 674

|   |    |    |    |      |    |    |    |    |     |    |    |
|---|----|----|----|------|----|----|----|----|-----|----|----|
| Mean Score (◇---◇):                     | 49 | 45 | 42 | 44   | 43 | 46 | 46 | 42 | 45  | 41 | 57 |
| Standard Dev (±1 SD):                   | 9  | 6  | 6  | 9    | 6  | 6  | 7  | 6  | 4   | 8  | 11 |
| Percent scoring at or below test taker: | 89 | 64 | 57 | 99.6 | 96 | 5  | 43 | 53 | 100 | 61 | 5  |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

|     |                           |     |                         |     |                               |
|-----|---------------------------|-----|-------------------------|-----|-------------------------------|
| JCP | Juvenile Conduct Problems | FML | Family Problems         | AES | Aesthetic-Literary Interests  |
| SUB | Substance Abuse           | IPP | Interpersonal Passivity | MEC | Mechanical-Physical Interests |
| AGG | Aggression                | SAV | Social Avoidance        |     |                               |
| ACT | Activation                | SHY | Shyness                 |     |                               |
|     |                           | DSF | Disaffiliativeness      |     |                               |

### MMPI-2-RF PSY-5 Scales



|             |     |     |     |     |     |
|-------------|-----|-----|-----|-----|-----|
| Raw Score:  | 13  | 2   | 3   | 7   | 3   |
| T Score:    | 65  | 52  | 41  | 51  | 42  |
| Response %: | 100 | 100 | 100 | 100 | 100 |

Comparison Group Data: Personnel Screening, Law Enforcement Officer (Men and Women), N = 674

|   |    |    |    |    |    |
|---|----|----|----|----|----|
| Mean Score (◇--◇):                      | 50 | 43 | 51 | 39 | 47 |
| Standard Dev (±1 SD):                   | 6  | 6  | 7  | 6  | 7  |
| Percent scoring at or below test taker: | 99 | 92 | 13 | 96 | 33 |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

|        |   |
|--------|---|
| AGGR-r | Aggressiveness-Revised                          |
| PSYC-r | Psychoticism-Revised                            |
| DISC-r | Disconstraint-Revised                           |
| NEGE-r | Negative Emotionality/Neuroticism-Revised       |
| INTR-r | Introversiion/Low Positive Emotionality-Revised |

## MMPI-2-RF T SCORES (BY DOMAIN)

### PROTOCOL VALIDITY

|                            |     |        |        |    |       |     |
|----------------------------|-----|--------|--------|----|-------|-----|
| Content Non-Responsiveness | 0   | 43     | 50     |    |       |     |
|                            | CNS | VRIN-r | TRIN-r |    |       |     |
| Over-Reporting             | 47  | 42     |        | 50 | 45    | 42  |
|                            | F-r | Fp-r   |        | Fs | FBS-r | RBS |
| Under-Reporting            | 52  | 52     |        |    |       |     |
|                            | L-r | K-r    |        |    |       |     |

### SUBSTANTIVE SCALES

|                               |     |        |        |     |        |        |
|-------------------------------|-----|--------|--------|-----|--------|--------|
| Somatic/Cognitive Dysfunction | 42  | 38     | 46     | 42  | 41     | 50     |
|                               | RC1 | MLS    | GIC    | HPC | NUC    | COG    |
| Emotional Dysfunction         | 43  | 46     | 45     | 52  | 42     | 51     |
|                               | EID | RCd    | SUI    | HLP | SFD    | NFC    |
|                               |     | 42     | 42     |     |        |        |
|                               |     | RC2    | INTR-r |     |        |        |
|                               |     | 46     | 52     | 44  | 51     | 43     |
|                               |     | RC7    | STW    | AXY | ANP    | BRF    |
|                               |     |        |        |     |        | 54     |
|                               |     |        |        |     |        | NEGE-r |
| Thought Dysfunction           | 48  | 56     |        |     |        |        |
|                               | THD | RC6    |        |     |        |        |
|                               |     | 47     |        |     |        |        |
|                               |     | RC8    |        |     |        |        |
|                               |     | 52     |        |     |        |        |
|                               |     | PSYC-r |        |     |        |        |
| Behavioral Dysfunction        | 43  | 52     | 57     | 41  |        |        |
|                               | BXD | RC4    | JCP    | SUB |        |        |
|                               |     | 51     | 37     | 67  | 65     | 41     |
|                               |     | RC9    | AGG    | ACT | AGGR-r | DISC-r |
| Interpersonal Functioning     | 53  | 57     | 34     | 43  | 37     | 68     |
|                               |     | FML    | RC3    | IPP | SAV    | SHY    |
|                               |     |        |        |     |        | DSF    |
| Interests                     | 39  | 38     |        |     |        |        |
|                               |     | AES    | MEC    |     |        |        |

**Note.** This information is provided to facilitate interpretation following the recommended structure for MMPI-2-RF interpretation in Chapter 5 of the *MMPI-2-RF Manual for Administration, Scoring, and Interpretation*, which provides details in the text and an outline in Table 5-1.



## ITEM-LEVEL INFORMATION

### Unscorable Responses

The test taker produced scorable responses to all the MMPI-2-RF items.

### Critical Responses

*Seven MMPI-2-RF scales--Suicidal/Death Ideation (SUI), Helplessness/Hopelessness (HLP), Anxiety (AXY), Ideas of Persecution (RC6), Aberrant Experiences (RC8), Substance Abuse (SUB), and Aggression (AGG)--have been designated by the test authors as having critical item content that may require immediate attention and follow-up. Items answered by the individual in the keyed direction (True or False) on a critical scale are listed below if his T score on that scale is 65 or higher.*

The test taker has not produced an elevated T score ( $\geq 65$ ) on any of these scales.

### User-Designated Item-Level Information

*The following item-level information is based on the report user's selection of additional scales, and/or of lower cutoffs for the critical scales from the previous section. Items answered by the test taker in the keyed direction (True or False) on a selected scale are listed below if his T score on that scale is at the user-designated cutoff score or higher. The percentage of the MMPI-2-RF normative sample (NS) and of the Personnel Screening, Law Enforcement Officer (Men and Women) comparison group (CG) that answered each item in the keyed direction are provided in parentheses following the item content.*

#### Cynicism (RC3, T Score = 57)

- 10. Item Content Omitted. (True; NS 35.9%, CG 20.5%)
- 36. Item Content Omitted. (True; NS 58.3%, CG 45.0%)
- 55. Item Content Omitted. (True; NS 47.7%, CG 35.6%)
- 87. Item Content Omitted. (True; NS 39.7%, CG 29.8%)
- 99. Item Content Omitted. (True; NS 53.6%, CG 35.3%)
- 171. Item Content Omitted. (True; NS 51.5%, CG 31.0%)
- 213. Item Content Omitted. (True; NS 71.4%, CG 57.0%)
- 260. Item Content Omitted. (True; NS 36.2%, CG 19.7%)
- 279. Item Content Omitted. (True; NS 39.1%, CG 13.8%)



#### Special Note:

The content of the test items is included in the actual reports. To protect the integrity of the test, the item content does not appear in this sample report.

#### Ideas of Persecution (RC6, T Score = 56)

- 34. Item Content Omitted. (True; NS 10.6%, CG 10.1%)

Activation (ACT, T Score = 67)

- 72. Item Content Omitted. (True; NS 81.5%, CG 56.8%)
- 81. Item Content Omitted. (True; NS 12.1%, CG 6.1%)
- 166. Item Content Omitted. (True; NS 38.9%, CG 22.4%)
- 207. Item Content Omitted. (True; NS 66.9%, CG 44.2%)
- 219. Item Content Omitted. (True; NS 51.5%, CG 37.1%)
- 285. Item Content Omitted. (True; NS 21.9%, CG 8.2%)



**Special Note:**

The content of the test items is included in the actual reports. To protect the integrity of the test, the item content does not appear in this sample report.

Disaffiliativeness (DSF, T Score = 68)

- 175. Item Content Omitted. (True; NS 8.1%, CG 1.3%)
- 291. Item Content Omitted. (True; NS 10.7%, CG 1.5%)

Aggressiveness-Revised (AGGR-r, T Score = 65)

- 24. Item Content Omitted. (False; NS 74.6%, CG 96.3%)
- 39. Item Content Omitted. (True; NS 51.0%, CG 39.5%)
- 104. Item Content Omitted. (True; NS 67.1%, CG 51.6%)
- 147. Item Content Omitted. (True; NS 75.2%, CG 87.8%)
- 182. Item Content Omitted. (True; NS 33.6%, CG 71.5%)
- 197. Item Content Omitted. (True; NS 62.5%, CG 79.8%)
- 239. Item Content Omitted. (True; NS 60.7%, CG 90.1%)
- 256. Item Content Omitted. (True; NS 65.7%, CG 31.2%)
- 276. Item Content Omitted. (True; NS 50.0%, CG 76.4%)
- 302. Item Content Omitted. (True; NS 67.9%, CG 87.8%)
- 319. Item Content Omitted. (False; NS 64.7%, CG 94.7%)
- 321. Item Content Omitted. (True; NS 31.3%, CG 26.1%)
- 327. Item Content Omitted. (True; NS 41.7%, CG 20.3%)

**End of Report**

---

This and previous pages of this report contain trade secrets and are not to be released in response to requests under HIPAA (or any other data disclosure law that exempts trade secret information from release). Further, release in response to litigation discovery demands should be made only in accordance with your profession's ethical guidelines and under an appropriate protective order.

---