



**MCMII-III™**  
Millon™ Clinical  
Multiaxial Inventory-III

---

MCMII-III™

Millon™ Clinical Multiaxial Inventory-III  
Profile Report with Grossman Facet Scales  
*Theodore Millon, PhD, DSc*

---

Name: Sample Profile Report  
ID Number: 12345  
Age: 34  
Gender: Female  
Setting: Outpatient Never Hospitalized  
Race: Hispanic  
Marital Status: First Marriage  
Date Assessed: 07/11/2002



Copyright © 1994, 2005 DICANDRIEN, Inc. All rights reserved.  
"MCMII-III" and "Millon" are trademarks of DICANDRIEN, Inc.

**TRADE SECRET INFORMATION**

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

## **INTERPRETIVE CONSIDERATIONS**

MCMI-III reports are normed on patients who were in the early phases of assessment or psychotherapy for emotional discomfort or social difficulties. Respondents who do not fit this normative population or who have inappropriately taken the MCMI-III for nonclinical purposes may have inaccurate reports. The MCMI-III report cannot be considered definitive. It should be evaluated in conjunction with additional clinical data. The report should be evaluated by a mental health clinician trained in the use of psychological tests. The report should not be shown to patients or their relatives.

The client is a 34-year-old married Hispanic female with 13 years of education. She is currently being seen as an outpatient, and she reports that she has recently experienced problems that involve illness or fatigue and low self-confidence. These self-reported difficulties, which have occurred in the last one to four weeks, may take the form of an Axis I disorder.

The BR scores reported for this individual have been modified to account for the psychic tension indicated by the elevation on Scale A (Anxiety).

SAMPLE

MILLON CLINICAL MULTIAXIAL INVENTORY - III  
CONFIDENTIAL INFORMATION FOR PROFESSIONAL USE ONLY

Valid Profile

PERSONALITY CODE: 3 \*\* 8B \* 7 2A 6A + 2B 4 1 " 5 6B 8A ' ' // - \*\* - \* //

SYNDROME CODE: A \*\* - \* // - \*\* - \* //

DEMOGRAPHIC: 12345/ON/F/34/H/F/13/IL/SC/30030/2/-----/

CATEGORY		SCORE		PROFILE OF BR SCORES					DIAGNOSTIC SCALES
		RAW	BR	0	60	75	85	115	
MODIFYING INDICES	X	87	55						DISCLOSURE
	Y	13	59						DESIRABILITY
	Z	13	67						DEBASEMENT
CLINICAL PERSONALITY PATTERNS	1	5	50						SCHIZOID
	2A	8	62						AVOIDANT
	2B	8	51						DEPRESSIVE
	3	15	86						DEPENDENT
	4	11	51						HISTRIONIC
	5	5	27						NARCISSISTIC
	6A	5	60						ANTISOCIAL
	6B	2	24						SADISTIC
	7	20	74						COMPULSIVE
	8B	7	76						MASOCHISTIC
SEVERE PERSONALITY PATHOLOGY	S	3	44						SCHIZOTYPAL
	C	3	20						BORDERLINE
	P	0	0						PARANOID
CLINICAL SYNDROMES	A	12	85						ANXIETY
	H	7	60						SOMATOFORM
	N	2	24						BIPOLAR: MANIC
	D	6	40						DYSTHYMIA
	B	3	61						ALCOHOL DEPENDENCE
	T	4	63						DRUG DEPENDENCE
	R	3	30						POST-TRAUMATIC STRESS
SEVERE CLINICAL SYNDROMES	SS	5	43						THOUGHT DISORDER
	CC	7	52						MAJOR DEPRESSION
	PP	0	0						DELUSIONAL DISORDER

MILLON CLINICAL MULTIAXIAL INVENTORY - III  
CONFIDENTIAL INFORMATION FOR PROFESSIONAL USE ONLY

FACET SCORES FOR HIGHEST PERSONALITY SCALES BR 65 OR HIGHER

HIGHEST PERSONALITY SCALE BR 65 OR HIGHER: SCALE 3 Dependent

SCALE	SCORE		PROFILE OF BR SCORES						FACET SCALES
	RAW	BR	0	60	70	80	90	100	
3.1	5	67							Inept Self-Image
3.2	6	83							Interpersonally Submissive
3.3	1	26							Immature Representations

SECOND HIGHEST PERSONALITY SCALE BR 65 OR HIGHER: SCALE 8B Masochistic (Self-Defeating)

SCALE	SCORE		PROFILE OF BR SCORES						FACET SCALES
	RAW	BR	0	60	70	80	90	100	
8B.1	1	21							Discredited Representations
8B.2	7	84							Cognitively Diffident
8B.3	3	50							Undeserving Self-Image

THIRD HIGHEST PERSONALITY SCALE BR 65 OR HIGHER: SCALE 7 Compulsive

SCALE	SCORE		PROFILE OF BR SCORES						FACET SCALES
	RAW	BR	0	60	70	80	90	100	
7.1	6	69							Cognitively Constricted
7.2	5	84							Interpersonally Respectful
7.3	4	52							Reliable Self-Image

MILLON CLINICAL MULTIAXIAL INVENTORY - III  
CONFIDENTIAL INFORMATION FOR PROFESSIONAL USE ONLY

COMPLETE LISTING OF MCMII-III GROSSMAN FACET SCALE SCORES

	RAW	BR		RAW	BR
<b>1 Schizoid</b>			<b>6B Sadistic</b>		
1.1 Temperamentally Apathetic	3	47	6B.1 Temperamentally Hostile	0	0
1.2 Interpersonally Unengaged	4	54	6B.2 Eruptive Organization	2	43
1.3 Expressively Impassive	4	72	6B.3 Pernicious Representations	0	0
<b>2A Avoidant</b>			<b>7 Compulsive</b>		
2A.1 Interpersonally Aversive	1	22	7.1 Cognitively Constricted	6	69
2A.2 Alienated Self-Image	5	62	7.2 Interpersonally Respectful	5	84
2A.3 Vexatious Representations	2	37	7.3 Reliable Self-Image	4	52
<b>2B Depressive</b>			<b>8A Negativistic</b>		
2B.1 Temperamentally Woeful	2	38	8A.1 Temperamentally Irritable	1	10
2B.2 Worthless Self-Image	4	63	8A.2 Expressively Resentful	1	37
2B.3 Cognitively Fatalistic	2	36	8A.3 Discontented Self-Image	4	70
<b>3 Dependent</b>			<b>8B Masochistic</b>		
3.1 Inept Self-Image	5	67	8B.1 Discredited Representations	1	21
3.2 Interpersonally Submissive	6	83	8B.2 Cognitively Diffident	7	84
3.3 Immature Representations	1	26	8B.3 Undeserving Self-Image	3	50
<b>4 Histrionic</b>			<b>S Schizotypal</b>		
4.1 Gregarious Self-Image	4	48	S.1 Estranged Self-Image	2	45
4.2 Interpersonally Attention-Seeking	4	40	S.2 Cognitively Autistic	1	27
4.3 Expressively Dramatic	4	49	S.3 Chaotic Representations	1	20
<b>5 Narcissistic</b>			<b>C Borderline</b>		
5.1 Admirable Self-Image	3	25	C.1 Temperamentally Labile	2	29
5.2 Cognitively Expansive	1	18	C.2 Interpersonally Paradoxical	1	18
5.3 Interpersonally Exploitive	0	0	C.3 Uncertain Self-Image	3	46
<b>6A Antisocial</b>			<b>P Paranoid</b>		
6A.1 Expressively Impulsive	1	8	P.1 Cognitively Mistrustful	0	0
6A.2 Acting-Out Mechanism	3	70	P.2 Expressively Defensive	0	0
6A.3 Interpersonally Irresponsible	0	0	P.3 Projection Mechanism	0	0

For each of the Clinical Personality Patterns and Severe Personality Pathology scales (the scale names shown in **bold**), scores on the three facet scales are shown beneath the scale name.

**End of Report**

---

NOTE: This and previous pages of this report contain trade secrets and are not to be released in response to requests under HIPAA (or any other data disclosure law that exempts trade secret information from release). Further, release in response to litigation discovery demands should be made only in accordance with your profession's ethical guidelines and under an appropriate protective order.

---

SAMPLE

ITEM RESPONSES

1: 1 2: 1 3: 2 4: 1 5: 2 6: 2 7: 2 8: 2 9: 2 10: 2  
11: 2 12: 2 13: 2 14: 2 15: 1 16: 1 17: 1 18: 2 19: 2 20: 2  
21: 1 22: 2 23: 2 24: 1 25: 1 26: 2 27: 1 28: 2 29: 1 30: 2  
31: 2 32: 2 33: 2 34: 1 35: 1 36: 2 37: 2 38: 2 39: 2 40: 1  
41: 1 42: 2 43: 2 44: 2 45: 1 46: 2 47: 1 48: 2 49: 2 50: 2  
51: 2 52: 2 53: 2 54: 2 55: 2 56: 2 57: 2 58: 2 59: 2 60: 2  
61: 1 62: 2 63: 2 64: 2 65: 2 66: 2 67: 2 68: 2 69: 2 70: 1  
71: 2 72: 2 73: 1 74: 1 75: 1 76: 1 77: 2 78: 2 79: 2 80: 1  
81: 2 82: 1 83: 2 84: 1 85: 2 86: 1 87: 2 88: 2 89: 2 90: 2  
91: 2 92: 2 93: 2 94: 2 95: 2 96: 2 97: 1 98: 2 99: 1 100: 2  
101: 2 102: 2 103: 2 104: 2 105: 2 106: 2 107: 1 108: 2 109: 2 110: 2  
111: 2 112: 2 113: 2 114: 1 115: 2 116: 2 117: 2 118: 2 119: 2 120: 2  
121: 2 122: 2 123: 2 124: 1 125: 2 126: 2 127: 2 128: 2 129: 2 130: 2  
131: 2 132: 2 133: 1 134: 2 135: 1 136: 1 137: 2 138: 2 139: 2 140: 2  
141: 2 142: 2 143: 2 144: 2 145: 2 146: 2 147: 1 148: 2 149: 2 150: 2  
151: 2 152: 2 153: 2 154: 2 155: 2 156: 2 157: 2 158: 2 159: 2 160: 2  
161: 2 162: 2 163: 2 164: 2 165: 2 166: 2 167: 2 168: 2 169: 1 170: 1  
171: 2 172: 1 173: 2 174: 2 175: 2