

## MMPI®-A Scales

### Validity Indicators

*(Extended Score Report and The Minnesota Report)*

? - Cannot Say (reported as a raw score)

VRIN - Variable Response Inconsistency

TRIN - True Response Inconsistency

F<sub>1</sub> - Infrequency 1

F<sub>2</sub> - Infrequency 2

F - Infrequency

L - Lie

K - Correction

### Clinical Scales

*(All Reports)*

1 (Hs) Hypochondriasis

2 (D) Depression

3 (Hy) Hysteria

4 (Pd) Psychopathic Deviate

5 (Mf) Masculinity-Femininity

6 (Pa) Paranoia

7 (Pt) Psychasthenia

8 (Sc) Schizophrenia

9 (Ma) Hypomania

0 (Si) Social Introversion

### Clinical Subscales — Harris-Lingoes and Social Introversion Subscales

*(Extended Score Report and The Minnesota Report)*

*Harris-Lingoes Subscales*

D1 - Subjective Depression

D2 - Psychomotor Retardation

D3 - Physical Malfunctioning

D4 - Mental Dullness  
D5 - Brooding  
Hy1 - Denial of Social Anxiety  
Hy2 - Need for Affection  
Hy3 - Lassitude–Malaise  
Hy4 - Somatic Complaints  
Hy5 - Inhibition of Aggression  
Pd1 - Familial Discord  
Pd2 - Authority Problems  
Pd3 - Social Imperturbability  
Pd4 - Social Alienation  
Pd5 - Self-Alienation  
Pa1 - Persecutory Ideas  
Pa2 - Poignancy  
Pa3 - Naiveté  
Sc1 - Social Alienation  
Sc2 - Emotional Alienation  
Sc3 - Lack of Ego Mastery, Cognitive  
Sc4 - Lack of Ego Mastery, Conative  
Sc5 - Lack of Ego Mastery, Defective Inhibition  
Sc6 - Bizarre Sensory Experiences  
Ma1 - Amoral  
Ma2 - Psychomotor Acceleration  
Ma3 - Imperturbability  
Ma4 - Ego Inflation

#### *Social Introversion SubScales*

Si1 - Shyness/Self-Consciousness  
Si2 - Social Avoidance  
Si3 - Alienation–Self and Others

#### **Content Scales**

*(Extended Score Report and The Minnesota Report)*

A-anx - Anxiety  
A-obs - Obsessiveness  
A-dep - Depression  
A-hea - Health Concerns  
A-aln - Alienation  
A-biz - Bizarre Mentation

A-ang - Anger  
A-cyn - Cynicism  
A-con - Conduct Problems  
A-lse - Low Self-Esteem  
A-las - Low Aspiration  
A-sod - Social Discomfort  
A-fam - Family Problems  
A-sch - School Problems  
A-trt - Negative Treatment Indicators

### **Content Component Scales**

*(Extended Score Report and The Minnesota Report)*

A-dep1 - Dysphoria  
A-dep2 - Self-Depreciation  
A-dep3 - Lack of Drive  
A-dep4 - Suicidal Ideation  
A-hea1 - Gastrointestinal Complaints  
A-hea2 - Neurological Symptoms  
A-hea3 - General Health Concerns  
A-aln1 - Misunderstood  
A-aln2 - Social Isolation  
A-aln3 - Interpersonal Skepticism  
A-biz1 - Psychotic Symptomatology  
A-biz2 - Paranoid Ideation  
A-ang1 - Explosive Behavior  
A-ang2 - Irritability  
A-cyn1 - Misanthropic Beliefs  
A-cyn2 - Interpersonal Suspiciousness  
A-con1 - Acting-Out Behaviors  
A-con2 - Antisocial Behaviors  
A-con3 - Negative Peer Group Influences  
A-lse1 - Self-Doubt  
A-lse2 - Interpersonal Submissiveness  
A-las1 - Low Achievement Orientation  
A-las2 - Lack of Initiative  
A-sod1 - Introversion  
A-sod2 - Shyness  
A-fam1 - Familial Discord

A-fam2 - Familial Alienation  
A-sch1 - School Conduct Problems  
A-sch2 - Negative Attitudes  
A-trt1 - Low Motivation  
A-trt2 - Inability to Disclose

### **Supplementary Scales**

*(Extended Score Report and The Minnesota Report)*

MAC-R - MacAndrew Alcoholism Scale-Revised  
ACK - Alcohol/Drug Problem Acknowledgment  
PRO - Alcohol/Drug Problem Proneness  
IMM - Immaturity  
A - Anxiety  
R - Repression

*PSY-5 (Personality Psychopathology Five) Scales*

AGGR - Aggressiveness  
PSYC - Psychoticism  
DISC - Disconstraint  
NEGE - Negative Emotionality/Neuroticism  
INTR - Introversion/Low Positive Emotionality

### **Special Indices**

*(All Reports)*

Welsh Code  
Percent True and False  
Response Percentages