

# MMPI-2-RF References\*

\*MMPI-2-RF research can be used as a guide for MMPI-3 interpretation. For additional information, refer to the MMPI-3 Technical Manual, Appendix E.

## Basic Sources

- Ben-Porath, Y. S., & Tellegen, A. (2008/2011). *Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF): Manual for administration, scoring, and interpretation*. University of Minnesota Press.
- Ben-Porath, Y. S., & Tellegen, A. (2011). *Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF): User's guide for reports* (2nd ed.). University of Minnesota Press.
- Block, A. R., & Ben-Porath, Y. S. (2018). *Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF): User's guide for the Spine Surgery and Spinal Cord Stimulator Candidate Interpretive reports*. University of Minnesota Press.
- Corey, D. M., & Ben-Porath, Y. S. (2014). *Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF): User's guide for the Police Candidate Interpretive Report*. University of Minnesota Press.
- Tellegen, A., & Ben-Porath, Y. S. (2008/2011). *Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF): Technical manual*. University of Minnesota Press.
- Tellegen, A., Ben-Porath, Y. S., McNulty, J. L., Arbisi, P. A., Graham, J. R., & Kaemmer, B. (2003). *MMPI-2 Restructured Clinical (RC) Scales: Development, validation, and interpretation*. University of Minnesota Press.

## Books

- Ben-Porath, Y. S. (2012). *Interpreting the MMPI-2-RF*. University of Minnesota Press.
- Corey, D. M., & Ben-Porath, Y. S. (2018). *Assessing police and other public safety personnel using the MMPI-2-RF*. University of Minnesota Press.
- Friedman, A. F., Bolinsky, P. K., Levak, R. W., & Nichols, D. S. (2015). *Psychological assessment with the MMPI-2/MMPI-2-RF*. Routledge.
- Graham, J. R. (2012). *MMPI-2: Assessing personality and psychopathology* (5th ed.). Oxford University Press.
- Greene, R. L. (2011). *MMPI-2/MMPI-2-RF: An interpretive manual* (3rd ed.). Allyn & Bacon.
- McCord, D. M. (2018). *Assessment using the MMPI-2-RF*. American Psychological Association.
- Sellbom, M., & Wygant, D. B. (2018). *Forensic applications of the MMPI-2-RF: A casebook*. University of Minnesota Press.

## Book Chapters

- Ben-Porath, Y. S. (2013). Forensic applications of the Minnesota Multiphasic Personality Inventory-2 Restructured Form. In R. P. Archer & E. M. A. Wheeler (Eds.), *Forensic uses of clinical assessment instruments* (pp. 63–107). Routledge.
- Ben-Porath, Y. S. (2013). The MMPI instruments. In S. Koffler, J. Morgan, I. S. Barron, & M. F. Greiffenstein (Eds.), *Neuropsychology: Science and practice, 1* (pp. 256–284). Oxford University Press.

- Ben-Porath, Y. S. (2013). Understanding and using the MMPI-2-RF. In G. P. Koocher, J. C. Norcross, & B. A. Greene (Eds.), *Psychologists' desk reference* (pp. 129–133). Oxford University Press.
- Ben-Porath, Y. S. (2020). The empirical paradigm and Madeline G. In C. J. Hopwood & M. H. Waugh (Eds.), *Personality assessment paradigms and methods: A collaborative reassessment of Madeline G. Taylor & Francis*.
- Ben-Porath, Y. S., & Archer, R. P. (2014). The MMPI instruments. In R. P. Archer & S. R. Smith (Eds.), *Personality assessment* (2nd ed., pp. 89–146). Routledge.
- Ben-Porath, Y. S., Corey, D. M., & Tarescavage, A. M. (2017). Using the MMPI-2-RF in preemployment evaluations of police officer candidates. In C. L. Mitchell & E. H. Dorian (Eds.), *Police psychology and its growing impact on modern law enforcement* (pp. 51–78). IGI Global. <https://doi.org/10.4018/978-1-5225-0813-7.ch003>
- Ben-Porath, Y. S., Sellbom, M., & Suhr, J. A. (2020). Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF). In M. Sellbom & J. A. Suhr (Eds.), *The Cambridge handbook of clinical assessment and diagnosis* (pp. 208–230). Cambridge University Press.
- Crighton, A. H., & Ben-Porath, Y. S. (2016). The MMPI-2-RF Substantive Scales. In V. Zeigler-Hill & T. K. Shackelford (Eds.), *Encyclopedia of personality and individual differences* (pp. 1–5). Springer International Publishing. [https://doi.org/10.1007/978-3-319-28099-8\\_88-1](https://doi.org/10.1007/978-3-319-28099-8_88-1)
- Gervais, R. O., Louw, D., & Gibson, K. (2017). Using the MMPI-2-RF in discriminating between malingering and somatoform disorder. In K. B. Boone (Ed.), *Neuropsychological evaluation of somatoform and other functional somatic conditions: Assessment primer*. Routledge.
- Marek, R. J., & Ben-Porath, Y. S. (2017). Using the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) in behavioral medicine settings. In M. E. Maruish (Ed.), *Handbook of psychological assessment in primary care settings* (2nd ed., pp. 631–662). Taylor and Francis.
- McCord, D. M. (2013). Minnesota Multiphasic Personality Inventory. In D. S. Dunn (Ed.), *Oxford bibliographies in psychology*. Oxford University Press. <https://doi.org/10.1093/OBO/9780199828340-0118>
- Sellbom, M., & Lee, T. T. C. (2013). Assessment of anxiety symptoms using the MMPI-2, MMPI-2-RF, and MMPI-A. In D. McKay & E. A. Storch (Eds.), *Handbook of assessing variants and complications in anxiety disorders* (pp. 139–162). Springer. [https://doi.org/10.1007/978-1-4614-6452-5\\_10](https://doi.org/10.1007/978-1-4614-6452-5_10)
- Tarescavage, A. M., & Ben-Porath, Y. S. (2014). Minnesota Multiphasic Personality Inventory (MMPI) instruments. In R. L. Cautin & S. O. Lilienfeld (Eds.), *The encyclopedia of clinical psychology*. Wiley-Blackwell. <https://doi.org/10.1002/9781118625392.wbcp265>
- Tylicki, J. L., Tarescavage, A. M., & Wygant, D. B. (2021). Assessment of malingering among head injury litigants with the MMPI-2, MMPI-2-RF, and MMPI-3. In A. M. Horton Jr. & C. R. Reynolds (Eds.), *Detection of malingering during head injury litigation* (3rd ed., pp. 289–307). Springer. [https://doi.org/10.1007/978-3-030-54656-4\\_8](https://doi.org/10.1007/978-3-030-54656-4_8)
- Wygant, D. B., Walls, B. D., Brothers, S. L., & Berry, D. T. R. (2018). Assessment of malingering and defensiveness on the MMPI-2 and MMPI-2-RF. In R. Rogers & S. Bender (Eds.), *Clinical assessment of malingering and deception* (4th ed., pp. 257–279). Guilford Press.

## Peer-Reviewed Publications

### General Issues

- Adhiatma, W., & Halim, M. S. (2019). Exploratory factor analysis of the MMPI-2-RF Restructured Clinical (RC) Scales. *Humanitas Indonesian Psychological Journal*, 16(1), 66–73. <https://doi.org/10.26555/humanitas.v16i1.9420>
- Anderson, J. L., Sellbom, M., Bagby, R. M., Quilty, L. C., Veltri, C. O. C., Markon, K. E., & Krueger, R. F. (2013). On the convergence between PSY-5 domains and PID-5 domains and facets: Implications for assessment of DSM-5 personality traits. *Assessment*, 20(3), 286–294. <https://doi.org/10.1177/1073191112471141>

- Arbisi, P. A. (2014). Introduction to the special section on the Personality Psychopathology Five (PSY-5) and *DSM-5* trait dimensional diagnostic system for personality disorders: Emerging convergence. *Journal of Personality Assessment*, *96*(2), 117–120. <https://doi.org/10.1080/00223891.2013.866571>
- Archer, R. P. (2006). A perspective on the Restructured Clinical (RC) Scale project. *Journal of Personality Assessment*, *87*(2), 179–185. [https://doi.org/10.1207/s15327752jpa8702\\_07](https://doi.org/10.1207/s15327752jpa8702_07)
- Ben-Porath, Y. S. (2017). An update to Williams and Lally's (2016) analysis of MMPI-2-RF acceptance. *Professional Psychology: Research and Practice*, *48*(4), 275–278. <https://doi.org/10.1037/pro0000115>
- Ben-Porath, Y. S., & Tellegen, A. (2008). Empirical correlates of the MMPI-2 Restructured Clinical (RC) Scales in mental health, forensic, and nonclinical settings: An introduction. *Journal of Personality Assessment*, *90*(2), 119–121. <https://doi.org/10.1080/00223890701845120>
- Benuto, L. T., Casas, J. B., Bennett, N. B., & Leany, B. D. (2020). The MMPI-2-RF: A pilot study of Latinx vs. non-Latinx Whites profiles. *Professional Psychology: Research and Practice*, *51*(5), 496–506. <https://doi.org/10.1037/pro0000359>
- Bolinger, E., Reese, C., Suhr, J., & Larrabee, G. J. (2014). Susceptibility of the MMPI-2-RF Neurological Complaints and Cognitive Complaints scales to over-reporting of simulated head injury. *Archives of Clinical Neuropsychology*, *29*(1), 7–15. <https://doi.org/10.1093/arclin/act082>
- Bolinsky, P. K., & Nichols, D. S. (2011). Construct drift in the MMPI-2 Restructured Clinical Scales: Further evidence and a possible historic example. *Journal of Clinical Psychology*, *67*(9), 907–917. <https://doi.org/10.1002/jclp.20814>
- Burchett, D. L., & Ben-Porath, Y. S. (2010). The impact of overreporting on MMPI-2-RF substantive scale score validity. *Assessment*, *17*(4), 497–516. <https://doi.org/10.1177/1073191110378972>
- Caldwell, A. B. (2006). Maximal measurement or meaningful measurement: The interpretive challenges of the MMPI-2 Restructured Clinical (RC) Scales. *Journal of Personality Assessment*, *87*(2), 193–201. [https://doi.org/10.1207/s15327752jpa8702\\_09](https://doi.org/10.1207/s15327752jpa8702_09)
- Chmielewski, M., Bagby, R. M., Markon, K., Ring, A. J., & Ryder, A. G. (2014). Openness to experience, intellect, schizotypal personality disorder, and psychoticism: Resolving the controversy. *Journal of Personality Disorders*, *28*(4), 483–499. [https://doi.org/10.1521/pedi\\_2014\\_28\\_128](https://doi.org/10.1521/pedi_2014_28_128)
- Courrégé, S. C., & Weed, N. C. (2019). The role of common method variance in MMPI-2-RF response option augmentation. *Psychological Assessment*, *31*(1), 126–131. <https://doi.org/10.1037/pas0000634>
- Cox, A., Courrégé, S. C., Feder, A. H., & Weed, N. C. (2017). Effects of augmenting response options of the MMPI-2-RF: An extension of previous findings. *Cogent Psychology*, *4*(1), Article 1323988. <https://doi.org/10.1080/23311908.2017.1323988>
- Cox, A., Pant, H., Gilson, A. N., Rodriguez, J. L., Young, K. R., Kwon, S., & Weed, N. C. (2012). Effects of augmenting response options on MMPI-2 RC Scale psychometrics. *Journal of Personality Assessment*, *94*(6), 613–619. <https://doi.org/10.1080/00223891.2012.700464>
- Eaton, N. R., Krueger, R. F., South, S. C., & Simms, L. J. (2011). Contrasting prototypes and dimensions in the classification of personality pathology: Evidence that dimensions, but not prototypes, are robust. *Psychological Medicine*, *41*(6), 1151–1163. <https://doi.org/10.1017/S0033291710001650>
- Finn, J. A., Ben-Porath, Y. S., & Tellegen, A. (2015). Dichotomous versus polytomous response options in psychopathology assessment: Method or meaningful variance? *Psychological Assessment*, *27*(1), 184–193. <https://doi.org/10.1037/pas0000044>
- Finn, S. E., & Kamphuis, J. H. (2006). The MMPI-2 Restructured Clinical (RC) Scales and restraints to innovation, or “What have they done to my song?” *Journal of Personality Assessment*, *87*(2), 202–210. [https://doi.org/10.1207/s15327752jpa8702\\_10](https://doi.org/10.1207/s15327752jpa8702_10)
- Forbey, J. D., & Ben-Porath, Y. S. (2007). Computerized adaptive personality testing: A review and illustration with the MMPI-2 Computerized Adaptive Version. *Psychological Assessment*, *19*(1), 14–24. <https://doi.org/10.1037/1040-3590.19.1.14>

- Greene, R. L., Rouse, S. V., Butcher, J. N., Nichols, D. S., & Williams, C. L. (2009). The MMPI-2 Restructured Clinical (RC) Scales and redundancy: Response to Tellegen, Ben-Porath, and Sellbom. *Journal of Personality Assessment, 91*(3), 222–226. <https://doi.org/10.1080/00223890902800825>
- Gonzalez, Y., Smith, E. A., Keane, J. E., Biermann, A. L., Keister, K. M., Wiesepepe, C. N., Bolinsky, P. K. (2019). A comparison of MMPI-2-RF scores between White and African American college students. *Archives of Assessment Psychology, 9*(1), 87–112.
- Hall, J. T., Lee, T. T. C., Ajayi, W., Friedhoff, L. A., & Graham, J. R. (2021). Associations between MMPI-2-RF Internalizing RC Scales and positive characteristics. *Journal of Personality Assessment, 103*(1), 1–9. <https://doi.org/10.1080/00223891.2019.1677245>
- Harkness, A. R., Finn, J. A., McNulty, J. L., & Shields, S. M. (2012). The Personality Psychopathology Five (PSY-5): Recent constructive replication and assessment literature review. *Psychological Assessment, 24*(2), 432–443. <https://doi.org/10.1037/a0025830>
- Harkness, A. R., McNulty, J. L., Finn, J. A., Reynolds, S. M., & Shields, S. M. (2014). The MMPI-2-RF Personality Psychopathology Five (PSY-5) Scales: Development and validity research. *Journal of Personality Assessment, 96*(2), 140–150. <https://doi.org/10.1080/00223891.2013.823439>
- Harkness, A. R., Reynolds, S. M., & Lilienfeld, S. O. (2014). A review of systems for psychology and psychiatry: Adaptive systems, Personality Psychopathology Five (PSY-5), and DSM-5. *Journal of Personality Assessment, 96*(2), 121–139. <https://doi.org/10.1080/00223891.2013.823438>
- Hoelzle, J. B., & Meyer, G. J. (2008). The factor structure of the MMPI-2 Restructured Clinical (RC) Scales. *Journal of Personality Assessment, 90*(5), 443–455. <https://doi.org/10.1080/00223890802248711>
- Ingram, P. B., Cribbet, M. R., & Schmidt, A. T. (2019). Trends in training and trainee competence in personality assessment across health service psychology doctoral students: A pilot study. *Training and Education in Professional Psychology, 13*(4), 254–263. <https://doi.org/10.1037/tep0000249>
- Ingram, P. B., Tarescavage, A. M., Ben-Porath, Y. S., & Oehlert, M. E. (2020). Comparing MMPI-2-Restructured Form scores by service era for veterans assessed within the Veterans Affairs healthcare system. *Journal of Clinical Psychology in Medical Settings, 27*, 366–375. <https://doi.org/10.1007/s10880-019-09650-2>
- Ingram, P. B., Tarescavage, A. M., Ben-Porath, Y. S., & Oehlert, M. E. (2019). Descriptive profiles of the MMPI-2-Restructured Form (MMPI-2-RF) across a national sample of four Veterans Affairs treatment settings. *Journal of Psychopathology and Behavioral Assessment, 41*, 329–340. <https://doi.org/10.1007/s10862-019-09727-0>
- Lally, S. J., & Williams, C. L. (2017). Response to Ben-Porath's update to Williams and Lally (2017). *Professional Psychology: Research and Practice, 48*(4), 282–285. <https://doi.org/10.1037/pro0000157>
- Langwerden, R. J., van der Heijden, P. T., Egger, J. I. M., & Derksen, J. J. L. (2021). Robustness of the maladaptive personality plaster: An investigation of stability of the PSY-5-r in adults over 20 years. *Journal of Personality Assessment, 103*(1), 27–32. <https://doi.org/10.1080/00223891.2020.1729772>
- Lanyon, R. I., & Thomas, M. L. (2013). Assessment of global psychiatric categories: The PSI/PSI-2 and the MMPI-2-RF. *Psychological Assessment, 25*(1), 227–232. <https://doi.org/10.1037/a0030313>
- Lee, T. T. C., Forbey, J. D., & Ritchey, K. A. (2011). The impact of emotional priming on MMPI-2 scale scores. *Assessment, 18*(1), 102–105. <https://doi.org/10.1177/1073191110392496>
- Martin, P. K., Schroeder, R. W., & Odland, A. P. (2015). Neuropsychologists' validity testing beliefs and practices: A survey of North American professionals. *The Clinical Neuropsychologist, 29*(6), 741–776. <https://doi.org/10.1080/13854046.2015.1087597>
- McNulty, J. L., & Overstreet, S. R. (2014). Viewing the MMPI-2-RF structure through the Personality Psychopathology Five (PSY-5) lens. *Journal of Personality Assessment, 96*(2), 151–157. <https://doi.org/10.1080/00223891.2013.840305>

- McCord, D. M. (2020). The Multidimensional Behavioral Health Screen 1.0: A translational tool for primary medical care. *Journal of Personality Assessment*, *102*(2), 164–174. <https://doi.org/10.1080/00223891.2019.1683019>
- Menton, W. H. (2020). Generalizability of statistical prediction from psychological assessment data: An investigation with the MMPI-2-RF. *Psychological Assessment*, *32*(5), 473–492. <https://doi.org/10.1037/pas0000808>
- Menton, W. H., Crighton, A. H., Tarescavage, A. M., Marek, R. J., Hicks, A. D., & Ben-Porath, Y. S. (2019). Equivalence of laptop and tablet administrations of the Minnesota Multiphasic Personality Inventory–2 Restructured Form. *Assessment*, *26*(4), 661–669. <https://doi.org/10.1177/1073191117714558>
- Nichols, D. S. (2006a). The trials of separating bath water from baby: A review and critique of the MMPI-2 Restructured Clinical Scales. *Journal of Personality Assessment*, *87*(2), 121–138. [https://doi.org/10.1207/s15327752jpa8702\\_02](https://doi.org/10.1207/s15327752jpa8702_02)
- Nichols, D. S. (2006b). Commentary on Rogers, Sewell, Harrison, and Jordan (2006). *Journal of Personality Assessment*, *87*(2), 172–174. [https://doi.org/10.1207/s15327752jpa8702\\_05](https://doi.org/10.1207/s15327752jpa8702_05)
- Odland, A. P., Lammy, A. B., Perle, J. G., Martin, P. K., & Grote, C. L. (2015). Reaffirming normal: The high risk of pathologizing healthy adults when interpreting the MMPI-2-RF. *The Clinical Neuropsychologist*, *29*(1), 38–52. <https://doi.org/10.1080/13854046.2015.1005675>
- Patrick, R. E., & Horner, M. D. (2014). Psychological characteristics of individuals who put forth inadequate effort in a secondary gain context. *Archives of Clinical Neuropsychology*, *29*(8), 754–766. <https://doi.org/10.1093/arclin/acu054>
- Rogers, R., & Sewell, K. W. (2006). MMPI-2 at the crossroads: Aging technology or radical retrofitting. *Journal of Personality Assessment*, *87*(2), 175–178. [https://doi.org/10.1207/s15327752jpa8702\\_06](https://doi.org/10.1207/s15327752jpa8702_06)
- Rogers, R., Sewell, K. W., Harrison, K. S., & Jordan, M. J. (2006). The MMPI-2 Restructured Clinical Scales: A paradigmatic shift in scale development. *Journal of Personality Assessment*, *87*(2), 139–147. [https://doi.org/10.1207/s15327752jpa8702\\_03](https://doi.org/10.1207/s15327752jpa8702_03)
- Rouse, S. V., Greene, R. L., Butcher, J. N., Nichols, D. S., & Williams, C. L. (2008). What do the MMPI-2 Restructured Clinical Scales reliably measure? Answers from multiple research settings. *Journal of Personality Assessment*, *90*(5), 435–442. <https://doi.org/10.1080/00223890802248695>
- Sellbom, M. (2019). The MMPI-2-Restructured Form (MMPI-2-RF): Assessment of personality and psychopathology in the twenty-first century. *Annual Review of Clinical Psychology*, *15*(1), 149–177. <https://doi.org/10.1146/annurev-clinpsy-050718-095701>
- Sellbom, M., Anderson, J. L., & Bagby, R. M. (2013). Assessing *DSM-5* Section III personality traits and disorders with the MMPI-2-RF. *Assessment*, *20*(6), 709–722. <https://doi.org/10.1177/1073191113508808>
- Sellbom, M., & Arbisi, P. A. (2017). Introduction to the special section: Linking the MMPI-2-RF to contemporary models of psychopathology. *Journal of Personality Assessment*, *99*(4), 337–340. <https://doi.org/10.1080/00223891.2016.1267642>
- Sellbom, M., Ben-Porath, Y. S., & Bagby, R. M. (2008). On the hierarchical structure of mood and anxiety disorders: Confirmatory evidence and elaboration of a model of temperament markers. *Journal of Abnormal Psychology*, *117*(3), 576–590. <https://doi.org/10.1037/a0012536>
- Sellbom, M., Ben-Porath, Y. S., Graham, J. R., Arbisi, P. A., & Bagby, R. M. (2005). Susceptibility of the MMPI-2 Clinical, Restructured Clinical (RC), and Content Scales to overreporting and underreporting. *Assessment*, *12*(1), 79–85. <https://doi.org/10.1177/1073191104273515>
- Simms, L. J. (2006). Bridging the divide: Comments on the Restructured Clinical Scales of the MMPI-2. *Journal of Personality Assessment*, *87*(2), 211–216. [https://doi.org/10.1207/s15327752jpa8702\\_11](https://doi.org/10.1207/s15327752jpa8702_11)
- Steenhaut, P., Rossi, G., Demeyer, I., & De Raedt, R. (2019). How is personality related to wellbeing in older and younger adults? The role of psychological flexibility. *International Psychogeriatrics*, *31*(9), 1355–1365. <https://doi.org/10.1017/s1041610218001904>

- Tarescavage, A. M., & Ben-Porath, Y. S. (2015). A response to Odland et al.'s misleading, alarmist estimates of risk for overpathologizing when interpreting the MMPI-2-RF. *The Clinical Neuropsychologist*, 29(2), 183–196. <https://doi.org/10.1080/13854046.2015.1040843>
- Tarescavage, A. M. & Ben-Porath, Y. S. (2017). Examination of the feasibility and utility of Flexible and Conditional Administration of the Minnesota Multiphasic Personality Inventory-2-Restructured Form. *Psychological Assessment*, 29(11), 1337–1348. <https://doi.org/10.1037/pas0000442>
- Tarescavage, A. M., Marek, R. J., Finn, J. A., Hicks, A., Rapier, J. L., & Ben-Porath, Y. S. (2013). Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) normative elevation rates: Comparisons with epidemiological prevalence rates. *The Clinical Neuropsychologist*, 27(7), 1106–1120. <https://doi.org/10.1080/13854046.2013.832386>
- Tellegen, A., Ben-Porath, Y. S., & Sellbom, M. (2009). Construct validity of the MMPI-2 Restructured Clinical (RC) Scales: Reply to Rouse, Greene, Butcher, Nichols, and Williams. *Journal of Personality Assessment*, 91(3), 211–221. <https://doi.org/10.1080/00223890902794192>
- Tellegen, A., Ben-Porath, Y. S., Sellbom, M., Arbisi, P. A., McNulty, J. L., & Graham, J. R. (2006). Further evidence on the validity of the MMPI-2 Restructured Clinical (RC) Scales: Addressing questions raised by Rogers et al. and Nichols. *Journal of Personality Assessment*, 87(2), 148–171. [https://doi.org/10.1207/s15327752jpa8702\\_04](https://doi.org/10.1207/s15327752jpa8702_04)
- Trumbetta, S. L., Bolinsky, P. K., & Gottesman, I. I. (2013). The MMPI-ARC and MMPI-AF Scales: Psychometric properties of the MMPI-2-RF's Restructured Clinical (RC) and Higher Order Factor Scales when adapted for use with archival adolescent MMPI data. *Archives of Assessment Psychology*, 3(1), 23–36.
- van der Heijden, P. T., Egger, J. I. M., & Derksen, J. J. L. (2008). Psychometric evaluation of the MMPI-2 Restructured Clinical Scales in two Dutch samples. *Journal of Personality Assessment*, 90(5), 456–464. <https://doi.org/10.1080/00223890802248745>
- van der Heijden, P. T., Egger, J. I. M., & Derksen, J. J. L. (2010). Comparability of scores on the MMPI-2-RF scales generated with the MMPI-2 and MMPI-2-RF booklets. *Journal of Personality Assessment*, 92(3), 254–259. <https://doi.org/10.1080/00223891003670208>
- van der Heijden, P. T., Rossi, G. M. P., van der Veld, W. M., Derksen, J. J. L., & Egger, J. I. M. (2013). Personality and psychopathology: Higher order relations between the Five Factor Model of personality and the MMPI-2 Restructured Form. *Journal of Research in Personality*, 47(5), 572–579. <https://doi.org/10.1016/j.jrp.2013.05.001>
- van der Heijden, P. T., Egger, J. I. M., Rossi, G. M. P., van der Veld, W. M., & Derksen, J. J. L. (2013). Personality and psychopathology: Mapping the MMPI-2-RF on Cloninger's psychobiological model of personality. *Assessment*, 20(5), 576–584. <https://doi.org/10.1177/1073191113490791>
- Viken, R. J., & Rose, R. J. (2007). Genetic variation and covariation in the original and Restructured Clinical Scales of the MMPI. *Journal of Abnormal Psychology*, 116(4), 842–847. <https://doi.org/10.1037/0021-843X.116.4.842>
- Wang, J., Han, K., Ketterer, H. L., Weed, N. C., Ben-Porath, Y. S., Kim, J., & Moon, K. (2021). Evaluating the measurement invariance of MMPI-2-RF Restructured Clinical Scale 4 (Antisocial Behavior) between American and Korean clinical samples: Exploring cultural and translation issues affecting item responding. *Journal of Personality Assessment*, 103(4), 465–475. <https://doi.org/10.1080/00223891.2020.1769111>
- Weed, N. C. (2006). Syndromal complexity, paradigm shifts, and the future of validation research: Comments on Nichols and Rogers, Sewell, Harrison, and Jordan. *Journal of Personality Assessment*, 87(2), 217–222. [https://doi.org/10.1207/s15327752jpa8702\\_12](https://doi.org/10.1207/s15327752jpa8702_12)
- Weiss, P. A., Bell, K. J., & Weiss, W. U. (2010). Use of the MMPI-2 Restructured Clinical (RC) Scales in detecting criminal malingering. *Journal of Police and Criminal Psychology*, 25, 49–55. <https://doi.org/10.1007/s11896-009-9056-9>

Williams, C. L., & Lally, S. J. (2017). MMPI-2, MMPI-2-RF, and MMPI-A administrations (2007–2014): Any evidence of a “new standard?” *Professional Psychology: Research and Practice*, *48*(4), 267–274. <https://doi.org/10.1037/pro0000088>

### Validity Scales

- Arbisi, P. A. (2017). Form vs Function, fighting the last war: A reflection on the exchange between Larrabee, Bianchini, Boone, and Rohling (2017) and Nichols (2017) over Nichols and Gass (2015). The Fake Bad Scale (FBS): Malingering or ligation response syndrome – Which is it? *The Clinical Neuropsychologist*, *31*(8), 1406–1411. <https://doi.org/10.1080/13854046.2017.1365933>
- Armistead-Jehle, P., Cole, W. R., & Stegman, R. L. (2018). Performance and symptom validity testing as a function of Medical Board Evaluation in U.S. military service members with a history of mild traumatic brain injury. *Archives of Clinical Neuropsychology*, *33*(1), 120–124. <https://doi.org/10.1093/arclin/acx031>
- Armistead-Jehle, P., Cooper, D. B., Grills, C. E., Cole, W. R., Lippa, S. M., Stegman, R. L., & Lange, R. T. (2018). Clinical utility of the mBIAS and NSI Validity-10 to detect symptom over-reporting following mild TBI: A multicenter investigation with military service members. *Journal of Clinical and Experimental Neuropsychology*, *40*(3), 213–223. <https://doi.org/10.1080/13803395.2017.1329406>
- Armistead-Jehle, P., Grills, C. E., Bieu, R. K., & Kulas, J. F. (2016). Clinical utility of the Memory Complaints Inventory to detect invalid test performance. *The Clinical Neuropsychologist*, *30*(4), 610–628. <https://doi.org/10.1080/13854046.2016.1177597>
- Ashendorf, L. (2019). Neurobehavioral symptom validity in U.S. Department of Veterans Affairs (VA) mild traumatic brain injury evaluations. *Journal of Clinical and Experimental Neuropsychology*, *41*(4), 432–441. <https://doi.org/10.1080/13803395.2019.1567693>
- Bagby, R. M., Onno, K. A., Mortezaei, A., & Sellbom, M. (2020). Examining the “Traditional Background Hypothesis” for the MMPI-2-RF L-r scores in a Muslim faith-based sample. *Psychological Assessment*, *32*(10), 991–995. <https://doi.org/10.1037/pas0000941>
- Bianchini, K. J., Aguerrevere, L. E., Curtis, K. L., Roebuck-Spencer, T. M., Frey, F. C., Greve, K. W., & Calamia, M. (2018). Classification accuracy of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2)-Restructured Form Validity Scales in detecting malingered pain-related disability. *Psychological Assessment*, *30*(7), 857–869. <https://doi.org/10.1037/pas0000532>
- Blasco Saiz, J. L., & Pallardó Durá, L. (2013). Detección de exageración de síntomas mediante el SIMS y el MMPI-2-RF en pacientes diagnosticados de trastorno mixto ansioso-depresivo y adaptativo en el contexto medicolegal: Un estudio preliminar [Symptom exaggeration detection by the SIMS and the MMPI-2-RF in patients diagnosed of mixed anxiety-depressive disorder and adjustment disorder in the medico-legal context: A preliminary study]. *Clínica y Salud*, *24*(3), 177–183. [https://doi.org/10.1016/S1130-5274\(13\)70019-7](https://doi.org/10.1016/S1130-5274(13)70019-7)
- Bodapati, A. S., Combs, H. L., Pastorek, N. J., Miller, B., Troyanskaya, M., Romesser, J., Sim, A., & Linck, J. (2019). Detection of symptom over-reporting on the Neurobehavioral Symptom Inventory in OEF/OIF/OND veterans with history of mild TBI. *The Clinical Neuropsychologist*, *33*(3), 539–556. <https://doi.org/10.1080/13854046.2018.1482003>
- Bridges, S. A., & Baum, L. J. (2013). An examination of MMPI-2-RF L-r Scale in an outpatient protestant sample. *Journal of Psychology and Christianity*, *32*, 115–123.
- Brown, T. A., & Sellbom, M. (2020). The utility of the MMPI-2-RF validity scales in detecting underreporting. *Journal of Personality Assessment*, *102*(1), 66–74. <https://doi.org/10.1080/00223891.2018.1539003>
- Burchett, D., Dragon, W. R., Smith Holbert, A. M., Tarescavage, A. M., Mattson, C. A., Handel, R. W., & Ben-Porath, Y. S. (2016). “False feigners”: Examining the impact of non-content-based invalid responding on the Minnesota Multiphasic Personality Inventory-2 Restructured Form content-based invalid responding indicators. *Psychological Assessment*, *28*(5), 458–470. <https://doi.org/10.1037/pas0000205>

- Chmielewski, M., Zhu, J., Burchett, D., Bury, A. S., & Bagby, R. M. (2017). The comparative capacity of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) and MMPI-2 Restructured Form (MMPI-2-RF) validity scales to detect malingering in a disability claimant sample. *Psychological Assessment, 29*(2), 199–208. <https://doi.org/10.1037/pas0000328>
- Cook, C. M., Bolinger, E., & Suhr, J. (2016). Further validation of the Conner's Adult Attention Deficit/Hyperactivity Rating Scale Infrequency Index (CII) for detection of non-credible report of attention deficit/hyperactivity disorder symptoms. *Archives of Clinical Neuropsychology, 31*(4), 358–364. <https://doi.org/10.1093/arclin/acw015>
- Crichton, A. H., Marek, R. J., Dragon, W. R., & Ben-Porath, Y. S. (2017). Utility of the MMPI-2-RF Validity Scales in the detection of simulated underreporting: Implications of incorporating a manipulation check. *Assessment, 24*(7), 853–864. <https://doi.org/10.1177/1073191115627011>
- Crichton, A. H., Tarescavage, A. M., Gervais, R. O., & Ben-Porath, Y. S. (2017). The generalizability of overreporting across a battery of self-report measures: An investigation with the Minnesota Multiphasic Personality Inventory-2-Restructured Form and the Personality Assessment Inventory in a civil disability sample. *Assessment, 24*(5), 555–574. <https://doi.org/10.1177/1073191115621791>
- Cullins, B., & Park, S. (2021). Analysis of Clinical Assessment of Attention Deficit-Adult in comparison to the Minnesota Multiphasic Personality Inventory-2-Restructured Form in adult psychoeducational clinic. *Undergraduate Journal of Psychology, 32*(1), 40–51. <https://journals.charlotte.edu/ujop/article/view/876/1107>
- Dionysus, K. E., Denney, R. L., & Halfaker, D. A. (2011). Detecting negative response bias with the Fake Bad Scale, Response Bias Scale, Henry–Heilbronner Index of the Minnesota Multiphasic Personality Inventory-2. *Archives of Clinical Neuropsychology, 26*(2), 81–88. <https://doi.org/10.1093/arclin/acq096>
- Donders, J., Lefebvre, N., & Goldsworthy, R. (2019). Patterns of performance and symptom validity findings after mild traumatic brain injury. *Archives of Clinical Neuropsychology, 36*(3), 394–402. <https://doi.org/10.1093/arclin/acz057>
- Dragon, W. R., Ben-Porath, Y. S., & Handel, R. W. (2012). Examining the impact of unscorable item responses on the validity and interpretability of MMPI-2/MMPI-2-RF Restructured Clinical (RC) Scale scores. *Assessment, 19*(1), 101–113. <https://doi.org/10.1177/1073191111415362>
- Fokas, K. F., & Brovko, J. M. (2020). Assessing symptom validity in psychological injury evaluations using the MMPI-2-RF and the PAI: An updated review. *Psychological Injury and Law, 13*, 370–382. <https://doi.org/10.1007/s12207-020-09393-8>
- Forbey, J. D., Lee, T. T. C., Ben-Porath, Y. S., Arbisi, P. A., & Gartland, D. (2013). Associations between MMPI-2-RF Validity scale scores and extra-test measures of personality and psychopathology. *Assessment, 20*(4), 448–461. <https://doi.org/10.1177/1073191113478154>
- Gass, C. S., & Odland, A. P. (2012). Minnesota Multiphasic Personality Inventory-2 Revised Form (sic) Symptom Validity Scale-Revised (MMPI-2-RF FBS-r; also known as Fake Bad Scale): Psychometric characteristics in a nonlitigation neuropsychological setting. *Journal of Clinical and Experimental Neuropsychology, 34*(6), 561–570. <https://doi.org/10.1080/13803395.2012.666228>
- Gervais, R. O., Ben-Porath, Y. S., Wygant, D. B., & Green, P. (2007). Development and validation of a Response Bias Scale (RBS) for the MMPI-2. *Assessment, 14*(2), 196–208. <https://doi.org/10.1177/1073191106295861>
- Gervais, R. O., Ben-Porath, Y. S., Wygant, D. B., & Green, P. (2008). Differential sensitivity of the Response Bias Scale (RBS) and MMPI-2 Validity Scales to memory complaints. *The Clinical Neuropsychologist, 22*(6), 1061–1079. <https://doi.org/10.1080/13854040701756930>
- Gervais, R. O., Ben-Porath, Y. S., & Wygant, D. B. (2009). Empirical correlates and interpretation of the MMPI-2-RF Cognitive Complaints (COG) Scale. *The Clinical Neuropsychologist, 23*(6), 996–1015. <https://doi.org/10.1080/13854040902748249>



- Gervais, R. O., Ben-Porath, Y. S., Wygant, D. B., & Sellbom, M. (2010). Incremental validity of the MMPI-2-RF over-reporting scales and RBS in assessing the veracity of memory complaints. *Archives of Clinical Neuropsychology, 25*(4), 274–284. <https://doi.org/10.1093/arclin/acq018>
- Gervais, R. O., Tarescavage, A. M., Greiffenstein, M. F., Wygant, D. B., Deslauriers, C., & Arends, P. (2018). Inconsistent responding on the MMPI-2-RF and uncooperative attitude: Evidence from cognitive performance validity measures. *Psychological Assessment, 30*(3), 410–415. <https://doi.org/10.1037/pas0000506>
- Gervais, R. O., Wygant, D. B., Sellbom, M., & Ben-Porath, Y. S. (2011). Associations between Symptom Validity Test failure and scores on the MMPI-2-RF Validity and Substantive Scales. *Journal of Personality Assessment, 93*(5), 508–517. <https://doi.org/10.1080/00223891.2011.594132>
- Glassmire, D. M., Jhavar, A., Burchett, D., & Tarescavage, A. M. (2017). Evaluating item endorsement rates for the MMPI-2-RF F-r and Fp-r scales across ethnic, gender, and diagnostic groups with a forensic inpatient sample. *Psychological Assessment, 29*(5), 500–508. <https://doi.org/10.1037/pas0000366>
- Goodwin, B. E., Sellbom, M., & Arbisi, P. A. (2013). Posttraumatic stress disorder in veterans: The utility of the MMPI-2-RF Validity Scales in detecting overreported symptoms. *Psychological Assessment, 25*(3), 671–678. <https://doi.org/10.1037/a0032214>
- Gradwohl, B. D., Mangum, R. W., Tolle, K. A., Pangilinan, P. H., Bieliauskas, L. A., & Spencer, R. J. (2020). Validating the usefulness of the NSI Validity-10 with the MMPI-2-RF. *International Journal of Neuroscience, 130*(10), 1709–1719. <https://doi.org/10.1080/00207454.2019.1709844>
- Greiffenstein, M., Gervais, R. O., Baker, W. J., Artiola, L., & Smith, H. (2013). Symptom validity testing in medically unexplained pain: A Chronic Regional Pain Syndrome Type 1 case series. *The Clinical Neuropsychologist, 27*(1), 138–147. <https://doi.org/10.1080/13854046.2012.722686>
- Grossi, L. M., Green, D., Einzig, S., & Belfi, B. (2017). Evaluation of the Response Bias Scale and the Improbable Failure Scale in assessing feigned cognitive impairment. *Psychological Assessment, 29*(5), 531–541. <https://doi.org/10.1037/pas0000364>
- Gu, W., Reddy, H. B., Green, D., Belfi, B., & Einzig, S. (2017). Inconsistent responding in a criminal forensic setting: An evaluation of the VRIN-r and TRIN-r scales of the MMPI-2-RF. *Journal of Personality Assessment, 99*(3), 286–296. <https://doi.org/10.1080/00223891.2016.1149483>
- Handel, R. W., Ben-Porath, Y. S., Tellegen, A., & Archer, R. P. (2010). Psychometric functioning of the MMPI-2-RF VRIN-r and TRIN-r scales with varying degrees of randomness, acquiescence, and counter-acquiescence. *Psychological Assessment, 22*(1), 87–95. <https://doi.org/10.1037/a0017061>
- Harp, J. P., Jasinski, L. J., Shandera-Ochsner, A. L., Mason, L. H., & Berry, D. T. R. (2011). Detection of malingered ADHD using the MMPI-2-RF. *Psychological Injury and Law, 4*(1), 32–43. <https://doi.org/10.1007/s12207-011-9100-9>
- Henry, G. K., Heilbronner, R. L., Algina, J., & Kaya, Y. (2013). Derivation of the MMPI-2-RF Henry-Heilbronner Index-r (HHI-r) Scale. *The Clinical Neuropsychologist, 27*(3), 509–515. <https://doi.org/10.1080/13854046.2012.739644>
- Henry, G. K., Heilbronner, R. L., Suhr, J., Gornbein, J., Wagner, E., & Drane, D. L. (2018). Illness perceptions predict cognitive performance validity. *Journal of the International Neuropsychological Society, 24*(7), 735–745. <https://doi.org/10.1017/S1355617718000218>
- Hoelzle, J. B., Nelson, N. W., & Arbisi, P. A. (2012). MMPI-2 and MMPI-2-Restructured Form Validity Scales: Complementary approaches to evaluate response validity. *Psychological Injury and Law, 5*, 174–191. <https://doi.org/10.1007/s12207-012-9139-2>
- Ingram, P. B., Golden, B. L., & Armistead-Jehle, P. J. (2020). Evaluating the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) over-reporting scales in a military neuropsychology clinic. *Journal of Clinical and Experimental Neuropsychology, 42*(3), 263–273. <https://doi.org/10.1080/13803395.2019.1708271>

- Ingram, P. B., & Ternes, M. S. (2016). The detection of content-based invalid responding: A meta-analysis of the MMPI-2-Restructured Form's (MMPI-2-RF) over-reporting validity scales. *The Clinical Neuropsychologist*, 30(4), 473–496. <https://doi.org/10.1080/13854046.2016.1187769>
- Jiménez-Gómez, F., Sánchez-Crespo, G., & Ampudia-Rueda, A. (2013). Is there a social desirability scale in the MMPI-2-RF? *Clínica y Salud*, 24(3), 161–168. [https://doi.org/10.1016/S1130-5274\(13\)70017-3](https://doi.org/10.1016/S1130-5274(13)70017-3)
- Jones, A. (2016). Cutoff scores for MMPI-2 and MMPI-2-RF cognitive-somatic validity scales for psychometrically defined malingering groups in a military sample. *Archives of Clinical Neuropsychology*, 31(7), 786–801. <https://doi.org/10.1093/arclin/acw035>
- Jones, A., & Ingram, M. V. (2011). A comparison of selected MMPI-2 and MMPI-2-RF Validity Scales in assessing effort on cognitive tests in a military sample. *The Clinical Neuropsychologist*, 25(7), 1207–1227. <https://doi.org/10.1080/13854046.2011.600726>
- Jones, A., Ingram, M. V., & Ben-Porath, Y. S. (2012). Scores on the MMPI-2-RF scales as a function of increasing levels of failure on cognitive symptom validity tests in a military sample. *The Clinical Neuropsychologist*, 26(5), 790–815. <https://doi.org/10.1080/13854046.2012.693202>
- Jurick, S. M., Crocker, L. D., Keller, A. V., Hoffman, S. N., Bomyea, J., Jacobson, M. W., & Jak, A. J. (2019). The Minnesota Multiphasic Personality Inventory-2-RF in treatment-seeking veterans with history of mild traumatic brain injury. *Archives of Clinical Neuropsychology*, 34(3), 366–380. <https://doi.org/10.1093/arclin/acy048>
- Larrabee, G. J., Bianchini, K. J., Boone, K. B., & Rohling, M. L. (2017). The MMPI-2/MMPI-2-RF Symptom Validity Scale (FBS/FBS-r) is not a measure of 'litigation response syndrome': Commentary on Nichols and Gass (2015). *The Clinical Neuropsychologist*, 31(8), 1387–1395. <https://doi.org/10.1080/13854046.2017.1364423>
- Larrabee, G. J., Bianchini, K. J., Boone, K. B., & Rohling, M. L. (2017). The validity of the MMPI-2/MMPI-2-RF Symptom Validity Scale (FBS/FBS-r) is established: Reply to Nichols (2017). *The Clinical Neuropsychologist*, 31(8), 1401–1405. <https://doi.org/10.1080/13854046.2017.1363293>
- Lange, R. T., Brickell, T. A., & French, L. M. (2015). Examination of the Mild Brain Injury Atypical Symptom scale and the Validity-10 scale to detect symptom exaggeration in US military service members. *Journal of Clinical and Experimental Neuropsychology*, 37(3), 325–337. <https://doi.org/10.1080/13803395.2015.1013021>
- Lange, R. T., Sullivan, K. A., & Scott, C. (2010). Comparison of MMPI-2 and PAI validity indicators to detect feigned depression and PTSD symptom reporting. *Psychiatry Research*, 176(2–3), 229–235. <https://doi.org/10.1016/j.psychres.2009.03.004>
- Lau, L., Basso, M. R., Estevis, E., Miller, A., Whiteside, D. M., Combs, D., & Arentsen, T. J. (2017). Detecting coached neuropsychological dysfunction: A simulation experiment regarding mild traumatic brain injury. *The Clinical Neuropsychologist*, 31(8), 1412–1431. <https://doi.org/10.1080/13854046.2017.1318954>
- Manderino, L. M., & Gunstad, J. (2018). Performance of the Immediate Post-Concussion Assessment and Cognitive Testing protocol validity indices. *Archives of Clinical Neuropsychology*, 33(5), 596–605. <https://doi.org/10.1093/arclin/acx102>
- Marion, B. E., Sellbom, M., & Bagby, R. M. (2011). The detection of feigned psychiatric disorders using the MMPI-2-RF overreporting Validity Scales: An analog investigation. *Psychological Injury and Law*, 4(1), 1–12. <https://doi.org/10.1007/s12207-011-9097-0>
- Marion, B. E., Sellbom, M., Salekin, R. T., Toomey, J. A., Kucharski, L. T., & Duncan, S. (2013). An examination of the association between psychopathy and dissimulation using the MMPI-2-RF Validity Scales. *Law and Human Behavior*, 37(4), 219–230. <https://doi.org/10.1037/lhb0000008>

- Martin, P. K., Schroeder, R. W., Heinrichs, R. J., Baade, L. E. (2015). Does true neurocognitive dysfunction contribute to Minnesota Multiphasic Personality Inventory-2nd Edition-Restructured Form cognitive validity scores? *Archives of General Neuropsychology*, 30(5), 377–386. <https://doi.org/10.1093/arclin/acv032>
- Mason, L. H., Shandera-Ochsner, A. L., Williamson, K. D., Harp, J. P., Edmundson, M., Berry, D. T. R., & High, W. M. (2013). Accuracy of MMPI-2-RF Validity Scales for identifying feigned PTSD symptoms, random responding, and genuine PTSD. *Journal of Personality Assessment*, 95(6), 585–593. <https://doi.org/10.1080/00223891.2013.819512>
- Mazza, C., Monaro, M., Orrù, G., Burla, F., Colasanti, M., Ferracuti, S., & Roma, P. (2019). Introducing machine learning to detect personality faking-good in a male sample: A new model based on Minnesota Multiphasic Personality Inventory-2 Restructured Form scales and reaction times. *Frontiers in Psychology*. <https://doi.org/10.3389/fpsy.2019.00389>
- Mazza, C., Orrù, G., Burla, F., Monaro, M., Ferracuti, S., Colasanti, M., & Roma, P. (2019). Indicators to distinguish symptom accentuators from symptom producers in individuals with a diagnosed adjustment disorder: A pilot study on inconsistency subtypes using SIMS and MMPI-2-RF. *PLoS One*, 14(12): e0227113. <https://doi.org/10.1371/journal.pone.0227113>
- McBride, W. F., Crighton, A. H., Wygant, D. B., & Granacher, R. P. (2013). It's not all in your head (or at least your brain): Association of traumatic brain lesion presence and location with performance on measures of response bias in forensic evaluation. *Behavioral Sciences and the Law*, 31(6), 779–788. <https://doi.org/10.1002/bsl.2083>
- McGee, S. A., Bagby, R. M., Goodwin, B. E., Burchett, D., Sellbom, M., Ayearst, L. E., Dhillon, S., Yiu, S., Ben-Porath, Y. S., & Baker, S. (2016). The effect of response bias on the Personality Inventory for DSM-5 (PID-5). *Journal of Personality Assessment*, 98(1), 51–61. <https://doi.org/10.1080/00223891.2015.1096791>
- Meyers, J. E., Miller, R. M., Haws, N. A., Murphy-Tafiti, J. L., Curtis, T. D., Rupp, Z. W., Smart, T. A., & Thompson, L. M. (2014). An adaptation of the MMPI-2 Meyers Index for the MMPI-2-RF. *Applied Neuropsychology: Adult*, 21(2), 148–154. <https://doi.org/10.1080/09084282.2013.780173>
- Nelson, N. W., Sweet, J. J., & Heilbronner, R. L. (2007). Examination of the new MMPI-2 Response Bias Scale (Gervais): Relationship with MMPI-2 Validity Scales. *Journal of Clinical and Experimental Neuropsychology*, 29(1), 67–72. <https://doi.org/10.1080/13803390500488546>
- Nguyen, C. T., Green, D., & Barr, W. B. (2015). Evaluation of the MMPI-2-RF for detecting over-reported symptoms in a civil forensic and disability setting. *The Clinical Neuropsychologist*, 29(2), 255–271. <https://doi.org/10.1080/13854046.2015.1033020>
- Nichols, D. S. (2017). Fake Bad Scale: The case of the missing construct, a response to Larrabee, Bianchini, Boone, and Rohling (2017). *The Clinical Neuropsychologist*, 31(8), 1396–1400. <https://doi.org/10.1080/13854046.2017.1365934>
- Nichols, D. S., & Gass, C. S. (2015). The Fake Bad Scale: Malingering or litigation response syndrome. Which is it? *Archives of Assessment Psychology*, 5(1), 5–10.
- Olsen, A. M., & Veltri, C. O. C. (2019). The moderating influence of disorder on coached overreporting using the MMPI-2-RF. *Journal of Personality Assessment*, 101(3), 264–273. <https://doi.org/10.1080/00223891.2018.1472099>
- Pape, T. L., Herrold, A. A., Smith, B., Babcock-Parziale, J., Harp, J., Shandera-Ochsner, A., Jenkins, S., Evans, C. T., Schleenbaker, R., & High, W. M. (2016). Algorithm for symptom attribution and classification following possible mild traumatic injury. *Journal of Head Trauma Rehabilitation*, 31(6), E10–E22. <https://doi.org/10.1097/HTR.0000000000000220>
- Peck, C. P., Schroeder, R. W., Heinrichs, R. J., VonDran, E. J., Brockman, C. J., Webster, B. K., & Baade, L. E. (2013). Differences in MMPI-2 FBS and RBS scores in brain injury, probable malingering, and conversion disorder groups: A preliminary study. *The Clinical Neuropsychologist*, 27(4), 693–707. <https://doi.org/10.1080/13854046.2013.779032>

- Ray, C. L. (2017). Practical use of MMPI-2-RF validity indicators in VA compensation and pension examinations. *Psychological Injury and Law, 10*, 223–233. <https://doi.org/10.1007/s12207-017-9289-3>
- Robinson, E. V., & Rogers, R. (2018). Detection of feigned ADHD across two domains: MMPI-2-RF and CAARS for faked symptoms and TOVA for simulated attention deficits. *Journal of Psychopathology and Behavioral Assessment, 40*(3), 376–385. <https://doi.org/10.1007/s10862-017-9640-8>
- Rogers, R., Gillard, N. D., Berry, D. T. R., & Granacher, R. P. (2011). Effectiveness of the MMPI-2-RF Validity Scales for feigned mental disorders and cognitive impairment: A known-groups study. *Journal of Psychopathology and Behavioral Assessment, 33*(3), 355–367. <https://doi.org/10.1007/s10862-011-9222-0>
- Roma, P., Verrocchio, M. C., Mazza, C., Marchetti, D., Burla, F., Cinti, M. E., & Ferracuti, S. (2018). Could time detect a faking-good attitude? A study with the MMPI-2-RF. *Frontiers in Psychology*. <https://doi.org/10.3389/fpsyg.2018.01064>
- Salinsky, M., Binder, L., Storzbach, D., Parko, K., Rutecki, P., Goy, E., & Tadrous-Furnanz, S. (2020). Validity testing in veterans with epileptic seizures and psychogenic nonepileptic seizures. *Epilepsy and Behavior, 111*. <https://doi.org/10.1016/j.yebeh.2020.107246>
- Sánchez, G., Ampudia, A., Jiménez, F., & Amado, B. G. (2017). Contrasting the efficacy of the MMPI-2-RF overreporting scales in the detection of malingering. *The European Journal of Psychology Applied to Legal Context, 9*(2), 51–56. <https://doi.org/10.1016/j.ejpal.2017.03.002>
- Sharf, A. J., Rogers, R., Williams, M. M., & Henry, S. A. (2017). The effectiveness of the MMPI-2-RF in detecting feigned mental disorders and cognitive deficits: A meta-analysis. *Journal of Psychopathology and Behavioral Assessment, 39*, 441–455. <https://doi.org/10.1007/s10862-017-9590-1>
- Schroeder, R. W., Baade, L. E., Peck, C. P., VonDran, E., Brockman, C. J., Webster, B. K., & Heinrichs, R. J. (2012). Validation of MMPI-2-RF Validity Scales in criterion group neuropsychological samples. *The Clinical Neuropsychologist, 26*(1), 129–146. <https://doi.org/10.1080/13854046.2011.639314>
- Sellbom, M., & Bagby, R. M. (2008). Validity of the MMPI-2-RF (Restructured Form) L-r and K-r Scales in detecting underreporting in clinical and nonclinical samples. *Psychological Assessment, 20*(4), 370–376. <https://doi.org/10.1037/a0012952>
- Sellbom, M., & Bagby, R. M. (2010). Detection of overreported psychopathology with the MMPI-2-RF (Restructured Form) Validity Scales. *Psychological Assessment, 22*(4), 757–767. <https://doi.org/10.1037/a0020825>
- Sellbom, M., Dhillon, S., & Bagby, R. M. (2018). Development and validation of an overreporting scale for the Personality Inventory for DSM-5 (PID-5). *Psychological Assessment, 30*(5), 582–593. <https://doi.org/10.1037/pas0000507>
- Sellbom, M., Toomey, J. A., Wygant, D. B., Kucharski, L. T., & Duncan, S. (2010). Utility of the MMPI-2-RF (Restructured Form) Validity Scales in detecting malingering in a criminal forensic setting: A known-groups design. *Psychological Assessment, 22*(1), 22–31. <https://doi.org/10.1037/a0018222>
- Sellbom, M., Wygant, D. B., & Bagby, R. M. (2012). Utility of the MMPI-2-RF in detecting non-credible somatic complaints. *Psychiatry Research, 197*(3), 295–301. <https://doi.org/10.1016/j.psychres.2011.12.043>
- Shkalim, E., Ben-Porath, Y. S., Handel, R. W., Almagor, M., & Tellegen, A. (2016). Psychometric examination, adaptation, and evaluation of the Hebrew translation of the MMPI-2-RF VRIN-r and TRIN-r Validity Scales. *Journal of Personality Assessment, 98*(6), 608–615. <https://doi.org/10.1080/00223891.2016.1174705>
- Shura, R. D., Denning, J. H., Miskey, H. M., & Rowland, J. A. (2017). Symptom and performance validity with veterans assessed for attention-deficit/hyperactivity disorder (ADHD). *Psychological Assessment, 29*(12), 1458–1465. <https://doi.org/10.1037/pas0000436>

- Sleep, C., Sellbom, M., Campbell, W. K., & Miller, J. D. (2016). Narcissism and response validity: Do individuals with narcissistic features underreport psychopathology? *Psychological Assessment, 29*(8), 1059–1064. <https://doi.org/10.1037/pas0000413>
- Smart, C. M., Nelson, N. W., Sweet, J. J., Bryant, F. B., Berry, D. T. R., Granacher, R. P., & Heilbronner, R. L. (2008). Use of MMPI-2 to predict cognitive effort: A hierarchically optimal classification tree analysis. *Journal of the International Neuropsychological Society, 14*(5), 842–852. <https://doi.org/10.1017/S1355617708081034>
- Sullivan, K. A., & Elliott, C. (2012). An investigation of the validity of the MMPI-2 Response Bias Scale using an analog simulation design. *The Clinical Neuropsychologist, 26*(1), 160–176. <https://doi.org/10.1080/13854046.2011.647084>
- Sullivan, K. A., Elliott, C. D., Lange, R. T., & Anderson, D. S. (2013). A known-groups evaluation of the Response Bias Scale in a neuropsychological setting. *Applied Neuropsychology: Adult, 20*(1), 20–32. <https://doi.org/10.1080/09084282.2012.670149>
- Tarescavage, A., Wygant, D. B., Gervais, R. O., & Ben-Porath, Y. S. (2013). Association between the MMPI-2 Restructured Form (MMPI-2-RF) and malingered neurocognitive dysfunction among non-head injury disability claimants. *The Clinical Neuropsychologist, 27*(2), 313–335. <https://doi.org/10.1080/13854046.2012.744099>
- Tolin, D. F., Steenkamp, M. M., Marx, B. P., & Litz, B. T. (2010). Detecting symptom exaggeration in combat veterans using the MMPI-2 symptom Validity Scales: A mixed group validation. *Psychological Assessment, 22*(4), 729–736. <https://doi.org/10.1037/a0020973>
- Tsushima, W. T., Geling, O., & Fabriga, L. (2011). Comparison of MMPI-2 Validity Scale scores of personal injury litigants and disability claimants. *The Clinical Neuropsychologist, 25*(8), 1403–1414. <https://doi.org/10.1080/13854046.2011.613854>
- Tylicki, J. L., Wygant, D. B., Tarescavage, A. M., Frederick, R. J., Tyner, E. A., Grannacher, R. P., & Sellbom, M. (2018). Comparability of Structured Interview of Reported Symptoms (SIRS) and Structured Interview of Reported Symptom-2nd Edition (SIRS-2) classifications with external response bias criteria. *Psychological Assessment, 30*(9), 1144–1159. <https://doi.org/10.1037/pas0000573>
- Van Dyke, S. A., Axelrod, B. N., & Schutte, C. (2010). The utility of the Post-concussive Syndrome Questionnaire. *Archives of Clinical Neuropsychology, 25*(7), 634–639. <https://doi.org/10.1093/arclin/acq063>
- Van Dyke, S. A., Millis, S. R., Axelrod, B. N., & Hanks, R. A. (2013). Assessing effort: Differentiating performance and symptom validity. *The Clinical Neuropsychologist, 27*(8), 1234–1246. <https://doi.org/10.1080/13854046.2013.835447>
- Wershba, R. E., Locke, D. E. C., & Lanyon, R. I. (2015). Analysis of Minnesota Multiphasic Personality Inventory-2-Restructured Form bias indicators as suppressor or moderators in a medical setting. *Psychological Assessment, 27*(2), 733–737. <https://doi.org/10.1037/a0038802>
- Whitney, K. W. (2013). Predicting test of memory malingering and medical symptom validity test failure within a Veterans Affairs medical center: Use of the Response Bias Scale and the Henry–Heilbronner Index. *Archives of Clinical Neuropsychology, 28*(3), 222–235. <https://doi.org/10.1093/arclin/act012>
- Whitney, K. A., Davis, J. J., Shephard, P. H., & Herman, S. M. (2008). Utility of the Response Bias Scale and other MMPI-2 Validity Scales in predicting TOMM performance. *Archives of Clinical Neuropsychology, 23*(7–8), 777–786. <https://doi.org/10.1016/j.acn.2008.09.001>
- Wiggins, C. W., Wygant, D. B., Hoelzle, J. B., & Gervais, R. O. (2012). The more you say the less it means: Over-reporting and attenuated criterion validity in a forensic disability sample. *Psychological Injury and Law, 5*, 162–173. <https://doi.org/10.1007/s12207-012-9137-4>

- Wygant, D. B., Anderson, J. L., Sellbom, M., Rapiet, J. L., Algeier, L. M., & Granacher, R. P. (2011). Association of MMPI-2 Restructured Form (MMPI-2-RF) Validity Scales with structured malingering criteria. *Psychological Injury and Law*, 4(1), 13–23. <https://doi.org/10.1007/s12207-011-9098-z>
- Wygant, D. B., Arbisi, P. A., Bianchini, B. J., Umlauf, R. L. (2017). Waddell non-organic signs: New evidence suggests somatic amplification among outpatient chronic pain patients. *The Spine Journal*, 17(4), 505–510. <https://doi.org/10.1016/j.spinee.2016.10.018>
- Wygant, D. B., Ben-Porath, Y. S., Arbisi, P. A., Berry, D. T. R., Freeman, D. B., & Heilbronner, R. L. (2009). Examination of the MMPI-2 Restructured Form (MMPI-2-RF) Validity Scales in civil forensic settings: Findings from simulation and known group samples. *Archives of Clinical Neuropsychology*, 24(7), 671–680. <https://doi.org/10.1093/arclin/acp073>
- Wygant, D. B., Sellbom, M., Gervais, R. O., Ben-Porath, Y. S., Stafford, K. P., Freeman, D. B., & Heilbronner, R. L. (2010). Further validation of the MMPI-2 and MMPI-2-RF Response Bias Scale: Findings from disability and criminal forensic settings. *Psychological Assessment*, 22(4), 745–756. <https://doi.org/10.1037/a0020042>
- Young, J. C., & Gross, A. M. (2011). Detection of response bias and noncredible performance in adult Attention-Deficit/Hyperactivity Disorder. *Archives of Clinical Neuropsychology*, 26(3), 165–175. <https://doi.org/10.1093/arclin/acr013>
- Young, J. C., Kearns, L. A., & Roper, B. L. (2011). Validation of the MMPI-2 Response Bias Scale and Henry-Heilbronner Index in a U.S. veteran population. *Archives of Clinical Neuropsychology*, 26(3), 194–204. <https://doi.org/10.1093/arclin/acr015>
- Youngjohn, J. R., Weshba, R., Stevenson, M., Sturgeon, J., & Thomas, M. L. (2011). Independent validation of the MMPI-2-RF Somatic/Cognitive and Validity Scales in TBI litigants tested for effort. *The Clinical Neuropsychologist*, 25(3), 463–476. <https://doi.org/10.1080/13854046.2011.554444>
- Correctional Settings**
- Anderson, J. L., Burchett, D., Glassmire, D. M., Wygant, D. B., Kamphuis, J. H., Smid, W., & Sellbom, M. (2021). Differentiating borderline and antisocial personality disorders in forensic settings. *Psychology, Crime & Law*. Advance online publication. <https://doi.org/10.1080/1068316X.2021.1880586>
- Clegg, C., Fremouw, W., Horacek, T., Cole, A., & Schwartz, R. (2010). Factors associated with treatment acceptance and compliance among incarcerated male sex offenders. *International Journal of Offender Therapy and Comparative Criminology*, 55(6), 880–897. <https://doi.org/10.1177/0306624X10376160>
- Forbey, J. D., Ben-Porath, Y. S., & Gartland, D. (2009). Validation of the MMPI-2 Computerized Adaptive Version (MMPI-2-CA) in a correctional intake facility. *Psychological Services*, 6(4), 279–292. <https://doi.org/10.1037/a0016195>
- Glenn, A. L., & Sellbom, M. (2015). Theoretical and empirical concerns regarding the dark triad as a construct. *Journal of Personality Disorders*, 29(3), 360–377. [https://doi.org/10.1521/pedi\\_2014\\_28\\_162](https://doi.org/10.1521/pedi_2014_28_162)
- Gottfried, E. D., Anestis, J. C., Dillon, K. H., & Carbonell, J. L. (2016). The associations between the Minnesota Multiphasic Personality Inventory-2-Restructured Form and self-reported physical and sexual abuse and posttraumatic symptoms in a sample of incarcerated women. *International Journal of Forensic Mental Health*, 15(4), 323–332. <https://doi.org/10.1080/14999013.2016.1228088>
- Gottfried, E. D., Harrop, T. M., Anestis, J. C., Venables, N. C., & Sellbom, M. (2019). An examination of triarchic psychopathy constructs in female offenders. *Journal of Personality Assessment*, 101(5), 455–467. <https://doi.org/10.1080/00223891.2018.1502193>
- Igboanusi, O. C., Oluwafemi, O. O., & Okon, H. E. (2018). Socio-forensic variables as predictors of antisocial personality disorder among prison inmates in Jos prison in Nigeria. *African Journal for the Psychological Studies of Social Issues*, 21(3), 204–216.

- Johnson, A. K., Sellbom, M., & Phillips, T. R. (2014). Elucidating the associations between psychopathy, Gray's Reinforcement Sensitivity Theory constructs, and externalizing behavior. *Personality and Individual Differences, 71*, 1–8. <https://doi.org/10.1016/j.paid.2014.06.026>
- Kastner, R. M., Sellbom, M., & Lilienfeld, S. O. (2012). A comparison of the psychometric properties of the Psychopathic Personality Inventory Full-Length and Short-Form Versions. *Psychological Assessment, 24*(1), 261–267. <https://doi.org/10.1037/a0025832>
- Kutchen, T. J., Wygant, D. B., Tylicki, J. L., Dieter, A. M., Veltri, C. O. C., & Sellbom, M. (2017). Construct validity of the MMPI-2-RF Triarchic Psychopathy Scales in correctional and collegiate samples. *Journal of Personality Assessment, 99*(4), 408–415. <https://doi.org/10.1080/00223891.2016.1238829>
- Laurinaitytė, I., Laurinavičius, A., Ustinavičiūtė, L., Wygant, D. B., & Sellbom, M. (2017). Utility of the MMPI-2 Restructured Form (MMPI-2-RF) in a sample of Lithuanian Male Offenders. *Law and Human Behavior, 41*(5), 494–505. <https://doi.org/10.1037/lhb0000254>
- McAnulty, R. D., McAnulty, D. P., Sipp, J. E., Demakis, G. J., & Heggstad, E. D. (2014). Predictive validity of the MMPI-2 among female offenders in a residential treatment program. *Journal of Personality Assessment, 96*(6), 604–609. <https://doi.org/10.1080/00223891.2014.880061>
- Phillips, T. R., Sellbom, M., Ben-Porath, Y. S., & Patrick, C. J. (2014). Further development and construct validation of MMPI-2-RF indices of global psychopathy, fearless-dominance, and impulsive-antisociality in a sample of incarcerated women. *Law and Human Behavior, 38*(1), 34–46. <https://doi.org/10.1037/lhb0000040>
- Sellbom, M. (2011). Elaborating on the construct validity of the Levenson Self-Report Psychopathy Scale in incarcerated and non-incarcerated samples. *Law and Human Behavior, 35*(6), 440–451. <https://doi.org/10.1007/s10979-010-9249-x>
- Sellbom, M. (2014). A factor mixture model approach to elaborating on offender mental health classification with the MMPI-2-RF. *Journal of Personality Assessment, 96*(3), 293–305. <https://doi.org/10.1080/00223891.2013.843538>
- Sellbom, M. (2017). Mapping the MMPI-2-RF Specific Problems scales onto Extant Psychopathology Structures. *Journal of Personality Assessment, 99*(4), 341–350. <https://doi.org/10.1080/00223891.2016.1206909>
- Sellbom, M., Laurinavičius, A., Ustinavičiūtė, L., & Laurinaitytė, I., (2018). The Triarchic Psychopathy Measure: An examination in a Lithuanian inmate sample. *Psychological Assessment, 30*(7), e10–e20. <https://doi.org/10.1037/pas0000603>
- Sellbom, M., Ben-Porath, Y. S., Patrick, C. J., Wygant, D. B., Gartland, D. M., & Stafford, K. P. (2012). Development and construct validation of MMPI-2-RF measures assessing global psychopathy, fearless-dominance, and impulsive-antisociality. *Personality Disorders: Theory, Research, and Treatment, 3*(1), 17–38. <https://doi.org/10.1037/a0023888>
- Sellbom, M., Donnelly, K., Waddell, R. C., Phillips, T. R., & Ben-Porath, Y. S. (2017). Examining gender as moderating the association between psychopathy and substance abuse. *Psychology, Crime, and Law, 23*(4), 376–390. <https://doi.org/10.1080/1068316X.2016.1258466>
- Sellbom, M., Drislane, L. E., Johnson, A. K., Goodwin, B. E., Phillips, T. R., & Patrick, C. J. (2015). Development and validation of MMPI-2-RF scales for indexing triarchic psychopathy constructs. *Assessment, 23*(5), 527–543. <https://doi.org/10.1177/1073191115590853>
- Tylicki, J. L., Phillips, T. R., Ben-Porath, Y. S., & Sellbom, M. (2020). Construct validity of Minnesota Multiphasic Personality Inventory-2-Restructured Form scale scores in correctional settings. *Personality and Mental Health, 14*(4), 319–335. <https://doi.org/10.1002/pmh.1482>
- Wall, T. D., Wygant, D. B., & Gallagher, R. W. (2015). Identifying overreporting in a correctional setting: Utility of the MMPI-2 Restructured Form Validity Scales. *Criminal Justice and Behavior, 42*(6), 610–622. <https://doi.org/10.1177/0093854814556881>

### Forensic Settings

- Acre, R., Fariña, F., Seijo, D., & Novo, M. (2015). Assessing Impression Management with the MMPI-2 in child custody litigation. *Assessment, 22*(6), 769–777. <https://doi.org/10.1177/1073191114558111>

- Archer, E. M., Hagan, L. D., Mason, J., Handel, R. W., & Archer, R. P. (2012). MMPI-2-RF characteristics of custody evaluation litigants. *Assessment, 19*(1), 14–20. <https://doi.org/10.1177/1073191110397469>
- Anderson, J. L., Brockhaus, R., Kloefer, J., & Sellbom, M. (2020). Utility of the MMPI-2-RF in sexual violence risk assessment. *International Journal of Forensic Mental Health, 19*(4), 403–415. <https://doi.org/10.1080/14999013.2020.1805648>
- Anderson, J. L., Sellbom, M., Pymont, C., Smid, W., De Saeger, H., & Kamphuis, J. H. (2015). Measurement of DSM-5 Section II personality disorder constructs using the MMPI-2-RF in clinical and forensic samples. *Psychological Assessment, 27*(3), 786–800. <https://doi.org/10.1037/pas0000103>
- Anderson, J. L., Wood, M. E., Tarescavage, A. M., Burchett, D., & Glassmire, D. M. (2018). The role of dimensional personality psychopathology in a forensic inpatient psychiatric setting. *Journal of Personality Disorders, 32*(4), 447–464. [https://doi.org/10.1521/pedi\\_2017\\_31\\_301](https://doi.org/10.1521/pedi_2017_31_301)
- Balasanyan, M., Boone, K. B., Ermshar, A., Miora, D., Cottingham, M., Victor, T. L., Ziegler, E., Zeller, M. A., & Wright, M. (2018). Examination of the Modified Somatic Perception Questionnaire (MSPQ) in a large sample of credible and noncredible patients referred for neuropsychological testing. *The Clinical Neuropsychologist, 32*(1), 165–182. <https://doi.org/10.1080/13854046.2017.1330421>
- Ben-Porath, Y. S. (2012). Addressing challenges to MMPI-2-RF-based testimony: Questions and answers. *Archives of Clinical Neuropsychology, 27*(7), 691–705. <https://doi.org/10.1093/arclin/acs083>
- Ben-Porath, Y. S. (2019). Uses and misuses of Ted Kaczynski's MMPI. *Journal of Personality Assessment, 101*(2), 117–122. <https://doi.org/10.1080/00223891.2018.1468337>
- Ben-Porath, Y. S. (2019). Of fallacies and errors, new and repeated: A rejoinder to Butcher et al. (2018). *Journal of Personality Assessment, 101*(2), 129–139. <https://doi.org/10.1080/00223891.2018.1522640>
- Ben-Porath, Y. S. & Flens, J. R. (2012). Butcher and Williams's (this issue) critique of the MMPI-2-RF is slanted and misleading. *Journal of Child Custody, 9*(4), 223–232. <https://doi.org/10.1080/15379418.2012.748605>
- Butcher, J. N., Hass, G. A., Greene, R. L., Nelson, L. D., Nichols, D. S., & Williams, C. L. (2019). Using the MMPI-2 in forensic assessment: Response to criticism about a case study. *Journal of Personality Assessment, 101*(2), 123–128. <https://doi.org/10.1080/00223891.2018.1493488>
- Butcher, J. N., & Williams, C. L. (2012). Problems with using the MMPI-2-RF in forensic evaluations: A clarification to Ellis. *Journal of Child Custody, 9*(4), 217–222. <https://doi.org/10.1080/15379418.2012.748347>
- Downing, S. K., Denney, R. L., Spray, B. J., Houston, C. M., & Halfaker, D. A. (2008). Examining the relationship between the Restructured Scales and the Fake Bad Scale of the MMPI-2. *The Clinical Neuropsychologist, 22*(4), 680–688. <https://doi.org/10.1080/13854040701562825>
- Gervais, R. O., Ben-Porath, Y. S., & Wygant, D. B. (2009). Empirical correlates and interpretation of the MMPI-2-RF Cognitive Complaints (COG) Scale. *The Clinical Neuropsychologist, 23*(6), 996–1015. <https://doi.org/10.1080/13854040902748249>
- Glassmire, D. M., Tarescavage, A. M., Burchett, D., Martinez, J., & Gomez, A. (2016). Clinical utility of the MMPI-2-RF SUI items and scale in a forensic inpatient setting: Association with interview self-report and future suicidal behavior. *Psychological Assessment, 28*(11), 1502–1509. <https://doi.org/10.1037/pas0000220>
- Grossi, L. M., Green, D., Belfi, B., McGrath, R. E., Griswold, H., & Schreiber, J. (2015). Identifying aggression in forensic inpatients using the MMPI-2-RF: An examination of MMPI-2-RF scale scores and estimated psychopathy indices. *International Journal of Forensic Mental Health, 14*(4), 231–244. <https://doi.org/10.1080/14999013.2015.1108943>



- Grossi, L. M., Green, D., Schneider, M., Belfi, B., & Segal, S. (2018). Personality, psychiatric, and cognitive predictors of length of time for competency to stand trial restoration. *International Journal of Forensic Mental Health, 17*(2), 167–180. <https://doi.org/10.1080/14999013.2018.1459964>
- Henry, G. K., Heilbronner, R. L., Mittenberg, W., Enders, C., & Dombaski, K. (2009). Comparison of the MMPI-2 Restructured Demoralization Scale, Depression Scale, and Malingered Mood Disorder Scale in identifying non-credible symptom reporting in personal injury litigants and disability claimants. *The Clinical Neuropsychologist, 23*(1), 153–166. <https://doi.org/10.1080/13854040801969524>
- Henry, G. K., Heilbronner, R. L., Mittenberg, W., Enders, C., & Stanczak, S. R. (2008). Comparison of the Lees-Haley Fake Bad Scale, Henry-Heilbronner Index, and Restructured Clinical Scale 1 in identifying noncredible symptom reporting. *The Clinical Neuropsychologist, 22*(5), 919–929. <https://doi.org/10.1080/13854040701625853>
- Himsl, K., Burchett, D., Tarescavage, A. M., & Glassmire, D. M. (2017). Assessing reading ability for psychological testing in forensic assessments: An investigation with the WRAT-4 and MMPI-2-RF. *International Journal of Forensic Mental Health, 16*(3), 239–248. <https://doi.org/10.1080/14999013.2017.1330293>
- Kauffman, C. M., Stolberg, R., & Madero, J. (2015). An examination of the MMPI-2-RF (Restructured Form) with the MMPI-2 and MCMI-III in child custody litigants. *Journal of Child Custody, 12*(2), 129–151. <https://doi.org/10.1080/15379418.2015.1057354>
- Klein Haneveld, E., Kamphuis, J. H., Smid, W., & Forbey, J. D. (2017). Using MMPI-2-RF correlates to elucidate the PCL-R and its four facets in a sample of male forensic psychiatric patients. *Journal of Personality Assessment, 99*(4), 398–407. <https://doi.org/10.1080/00223891.2016.1228655>
- Lawson, A. K., Wright, C. V., & Fitzgerald, L. F. (2013). The evaluation of sexual harassment litigants: Discrepancies in the diagnosis of posttraumatic stress disorder. *Law and Human Behavior, 37*(5), 337–347. <https://doi.org/10.1037/lhb0000024>
- Lincourt, T. M., Tarescavage, A. M., Burchett, D., & Glassmire, D. M. (2020). Association between MMPI-2-RF SUB items/scale and interview-reported substance abuse history among forensic psychiatric inpatients. *Psychological Assessment, 32*(2), 132–139. <https://doi.org/10.1037/pas0000769>
- Mattson, C. A., Powers, B. K., Halfaker, D., Akeson, S. T., & Ben-Porath, Y. S. (2012). Predicting drug court treatment completion using the MMPI-2-RF. *Psychological Assessment, 24*(4), 937–943. <https://doi.org/10.1037/a0028267>
- Mazza, C., Burla, F., Verrocchio, M. C., Marchetti, D., Di Domenico, A., Ferracuti, S., & Roma, P. (2019). MMPI-2-RF profiles in child custody litigants. *Frontiers in Psychiatry. https://doi.org/10.3389/fpsy.2019.00725*
- Munro, O. E., & Sellbom, M. (2021). Evaluating borderline personality disorder traits in the context of an intimate partner violence intervention programme. *Psychology, Crime & Law*. Advance online publication. <https://doi.org/10.1080/1068316X.2021.1929976>
- Pinsoneault, T. B., & Ezzo, F. R. (2012). A comparison of MMPI-2-RF profiles between child maltreatment and non-maltreatment custody cases. *Journal of Forensic Psychology Practice, 12*(3), 227–237. <https://doi.org/10.1080/15228932.2012.674469>
- Resendes, J., & Lecci, L. (2012). Comparing the MMPI-2 scale scores of parents involved in parental competency and child custody assessments. *Psychological Assessment, 24*(4), 1054–1059. <https://doi.org/10.1037/a0028585>
- Rock, R. C., Sellbom, M., Ben-Porath, Y. S., & Salekin, R. T. (2013). Concurrent and predictive validity of psychopathy in a batterers' intervention sample. *Law and Human Behavior, 37*(3), 145–154. <https://doi.org/10.1037/lhb0000006>
- Romero, I. E., Toorabally, N., Burchett, D., Tarescavage, A. M., & Glassmire, D. M. (2017). Mapping the MMPI-2-RF substantive scales onto internalizing, externalizing, and thought dysfunction dimensions in a forensic inpatient setting. *Journal of Personality Assessment, 99*(4), 351–362. <https://doi.org/10.1080/00223891.2016.1223681>

- Sellbom, M. (2012). The MMPI-2-RF is ready for the Daubert challenge: Evidence, implications, and recommendations for use in court testimony. *Journal of Psychological Practice, 17*, 151–179.
- Sellbom, M. (2016). Elucidating the validity of the externalizing spectrum of psychopathology in correctional, forensic, and community samples. *Journal of Abnormal Psychology, 125*(8), 1027–1038. <https://doi.org/10.1037/abn0000171>
- Sellbom, M. (2017). Using the MMPI-2-RF to characterize defendants evaluated for competency to stand trial and criminal responsibility. *International Journal of Forensic Mental Health, 16*(4), 304–312. <https://doi.org/10.1080/14999013.2017.1371259>
- Sellbom, M., & Bagby, R. M. (2009). Identifying PTSD personality subtypes in a workplace trauma sample. *Journal of Traumatic Stress, 22*(5), 471–475. <https://doi.org/10.1002/jts.20452>
- Sellbom, M., Ben-Porath, Y. S., Baum, L. J., Erez, E., & Gregory, C. (2008). Predictive validity of the MMPI-2 Restructured Clinical (RC) Scales in a batterers' intervention program. *Journal of Personality Assessment, 90*(2), 129–135. <https://doi.org/10.1080/00223890701845153>
- Sellbom, M., & Ben-Porath, Y. S., & Stafford, K. P. (2007). A comparison of MMPI-2 measures of psychopathic deviance in a forensic setting. *Psychological Assessment, 19*(4), 430–436. <https://doi.org/10.1037/1040-3590.19.4.430>
- Sellbom, M., Lee, T. T. C., Ben-Porath, Y. S., Arbis, P. A., & Gervais, R. O. (2012). Differentiating PTSD symptomatology with the MMPI-2-RF (Restructured Form) in a forensic disability sample. *Psychiatry Research, 197*(1–2), 172–179. <https://doi.org/10.1016/j.psychres.2012.02.003>
- Sellbom, M., Smid, W., De Saeger, H., Smit, N., & Kamphuis, J. H. (2014). Mapping the Personality Psychopathology Five domains onto *DSM-IV* personality disorders in Dutch clinical and forensic samples: Implications for *DSM-5*. *Journal of Personality Assessment, 96*(2), 185–191. <https://doi.org/10.1080/00223891.2013.825625>
- Sleep, C. E., Petty, J. A., & Wygant, D. B. (2015). Framing the results: Assessment of response bias through select self-report measures in psychological injury evaluations. *Psychological Injury and Law, 8*(1), 27–39. <https://doi.org/10.1007/s12207-015-9219-1>
- Solomon, D., Morgan, B., Asberg, K., & McCord, D. (2014). Treatment implications based on measures of child abuse potential and parental mental health: Are we missing an intervention opportunity. *Children and Youth Services Review, 43*, 153–159. <https://doi.org/10.1016/j.childyouth.2014.05.016>
- Stredny, R. V., Archer, R. P., & Mason, J. A. (2006). MMPI-2 and MCMI-III characteristics of parental competency examinees. *Journal of Personality Assessment, 87*(1), 113–115. [https://doi.org/10.1207/s15327752jpa8701\\_10](https://doi.org/10.1207/s15327752jpa8701_10)
- Tarescavage, A. M., Alosco, M. L., Ben-Porath, Y. S., Wood, A., & Luna-Jones, L. (2015). Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) scores generated from the MMPI-2 and MMPI-2-RF test booklets: Internal structure comparability in a sample of criminal defendants. *Assessment, 22*(2), 188–197. <https://doi.org/10.1177/1073191114537347>
- Tarescavage, A. M., Azizian, A., Broderick, C., & English, P. (2019). Associations between MMPI-2-RF scale scores and institutional violence among patients detained under sexually violent predator laws. *Psychological Assessment, 31*(5), 707–713. <https://doi.org/10.1037/pas0000682>
- Tarescavage, A. M., Cappel, B. M., & Ben-Porath, Y. S. (2018). Assessment of sex offenders with the Minnesota Multiphasic Personality Inventory-2-Restructured Form. *Sexual Abuse, 30*(4), 413–437. <https://doi.org/10.1177/1079063216667921>
- Tarescavage, A. M., Glassmire, D. M., & Burchett, D. (2016). Introduction of a conceptual model for integrating the MMPI-2-RF into HCR-20<sup>V3</sup> violence risk assessments and associations between the MMPI-2-RF and institutional violence. *Law and Human Behavior, 40*(6), 626–637. <https://doi.org/10.1037/lhb0000207>

- Tarescavage, A. M., Glassmire, D. M., & Burchett, D. (2018). Minnesota Multiphasic Personality Inventory-2-Restructured Form markers of future suicidal behavior in a forensic psychiatric hospital. *Psychological Assessment, 30*(2), 170–178. <https://doi.org/10.1037/pas0000463>
- Tarescavage, A. M., Luna-Jones, L., & Ben-Porath, Y. S. (2014). Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) predictors of violating probation after felonious crimes. *Psychological Assessment, 26*(4), 1375–1380. <https://doi.org/10.1037/pas0000022>
- Thomas, M. L., & Youngjohn, J. R. (2009). Let's not get hysterical: Comparing the MMPI-2 Validity, Clinical, and RC Scales in TBI litigants tested for effort. *The Clinical Neuropsychologist, 23*(6), 1067–1084. <https://doi.org/10.1080/13854040902795000>
- Tylicki, J. L., Rai, J. K., Arends, P., Gervais, R. O., & Ben-Porath, Y. S. (2021). A comparison of the MMPI-2-RF and PAI overreporting indicators in a civil forensic sample with emphasis on the Response Bias Scale (RBS) and the Cognitive Bias Scale (CBS). *Psychological Assessment, 33*(1), 71–83. <https://doi.org/10.1037/pas0000968>
- Tylicki, J. L., Sellbom, M., & Ben-Porath, Y. S. (2019). Examining the association between the MMPI-2-RF Triarchic Psychopathy Scales and suicidality in a criminal defendant sample. *Journal of Personality Disorders, 33*, 1–19. [https://doi.org/10.1521/pedi\\_2019\\_33\\_452](https://doi.org/10.1521/pedi_2019_33_452)
- Vines, L. M., Wygant, D. B., & Gervais, R. O. (2012). Empirically guided case conceptualization of posttraumatic stress disorder with the Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF) in a forensic disability evaluation. *Journal of Psychological Practice, 17*, 180–205.
- Whitman, M. R., Burchett, D. L., Tarescavage, A. M., Ben-Porath, Y. S., & Sellbom, M. (2020). Predictive Validity of Minnesota Multiphasic Personality Inventory-2-Restructured Form scale scores in an intimate partner violence intervention program. *Criminal Justice and Behavior, 47*(8), 978–995. <https://doi.org/10.1177/0093854820918003>
- Whitman, M. R., Tarescavage, A. M., Glassmire, D. M., Burchett, D., & Sellbom, M. (2019). Examination of differential validity of MMPI-2-RF scores by gender and ethnicity in predicting future suicidal and violent behaviors on a forensic sample. *Psychological Assessment, 31*(3), 404–409. <https://doi.org/10.1037/pas0000677>
- Wise, E. A. (2009). Selected MMPI-2 scores of forensic offenders in a community setting. *Journal of Forensic Psychology Practice, 9*(4), 299–309. <https://doi.org/10.1080/15228930902936048>
- Wolf, E. J., & Miller, M. W. (2014). The Minnesota Multiphasic Personality Inventory-2 Restructured Form and posttraumatic stress disorder: Forensic applications and considerations. *Psychological Injury and Law, 7*, 143–152. <https://doi.org/10.1007/s12207-014-9193-z>
- Wygant, D. B., & Granacher, R. P. (2015). Assessment of validity and response bias in neuropsychiatric evaluations. *NeuroRehabilitation, 36*(4), 427–438. <https://doi.org/10.3233/NRE-151231>
- Wygant, D. B., & Sellbom, M. (2012). Viewing psychopathy from the perspective of the Personality Psychopathology Five model: Implications for DSM-5. *Journal of Personality Disorders, 26*(5), 717–726. <https://doi.org/10.1521/pedi.2012.26.5.717>
- Wygant, D. B., Sellbom, M., Ben-Porath, Y. S., Stafford, K. P., Freeman, D. B., & Heilbronner, R. L. (2007). The relation between symptom validity testing and MMPI-2 scores as a function of forensic evaluation context. *Archives of Clinical Neuropsychology, 22*(4), 489–499. <https://doi.org/10.1016/j.acn.2007.01.027>

### Medical Settings

- Aguerrevere, L. E., Calamia, M. R., Greve, K. W., Bianchini, K. J., Curtis, K. L., & Ramirez, V. (2018). Clusters of financially incentivized chronic pain patients using the Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF). *Psychological Assessment, 30*(5), 634–644. <https://doi.org/10.1037/pas0000509>

- Baez, M. E., Miller, S. N., & Banou, E. (2018). Psychological and personality differences between male and female veterans in an inpatient interdisciplinary chronic pain program. *Journal of Applied Behavioral Research, 24*(1). <https://doi.org/10.1111/jabr.12146>
- Block, A. R., Ben-Porath, Y. S., & Marek, R. J. (2013). Psychological risk factors for poor outcome of spine surgery and spinal cord stimulator implant: A review of the literature and their assessment with the MMPI-2-RF. *The Clinical Neuropsychologist, 27*(1), 81–107. <https://doi.org/10.1080/13854046.2012.721007>
- Block, A. R., Marek, R. J., & Ben-Porath, Y. S. (2019). Patient activation mediates the associations between psychosocial risk factors and spine surgery results. *Journal of Clinical Psychology in Medical Settings, 26*, 123–130. <https://doi.org/10.1007/s10880-018-9571-x>
- Block, A. R., Marek, R. J., Ben-Porath, Y. S., & Kukul, D. (2017). Associations between pre-implant psychosocial factors and spinal cord stimulation outcome: Evaluation using the MMPI-2-RF. *Assessment, 24*(1), 60–70. <https://doi.org/10.1177/1073191115601518>
- Block, A. R., Marek, R. J., Ben-Porath, Y. S., & Ohnmeiss, D. D. (2014). Associations between Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) scores, workers' compensation status, and spine surgery outcome. *Journal of Applied Biobehavioral Research, 19*(4), 248–267. <https://doi.org/10.1111/jabr.12028>
- Block, A., Ohnmeiss, D., Ben-Porath, Y. S., & Burchett, D. (2011). Presurgical psychological screening: A new algorithm, including the MMPI-2-RF, for predicting surgery results. *Proceedings of the NASS 26th Annual Meeting / The Spine Journal, 11*(10), S137–S138. <https://doi.org/10.1016/j.spinee.2011.08.333>
- Bowden, S. C., White, J. R., Simpson, L., & Ben-Porath, Y. S. (2014). Elevation discrepancies between MMPI-2 Clinical and MMPI-2-RF Restructured Clinical (RC) Scales in people with seizure disorders. *Epilepsy and Behavior, 34*, 92–98. <https://doi.org/10.1016/j.yebeh.2014.03.016>
- Butcher, J. N., Hamilton, C. K., Rouse, S. V., & Cumella, E. J. (2006). The deconstruction of the Hy Scale of MMPI-2: Failure of RC3 in measuring somatic symptom expression. *Journal of Personality Assessment, 87*(2), 186–192. [https://doi.org/10.1207/s15327752jpa8702\\_08](https://doi.org/10.1207/s15327752jpa8702_08)
- Calamia, M., Markon, K. E., Sutterer, M. J., & Tranel, D. (2018). Examining neural correlates of psychopathology using a lesion-based approach. *Neuropsychologia, 117*, 408–417. <https://doi.org/10.1016/j.neuropsychologia.2018.06.019>
- Capilla Ramírez, P., González Ordi, H., Santamaría Fernández, P., Pérez Nieto, M. A., & Casado Morales, M. I. (2013). Fibromialgia: ¿Exageración o simulación? [Fibromyalgia: Exaggeration or malingering?]. *Clínica y Salud, 24*(3), 185–195. <https://doi.org/10.5093/cl2013a20>
- Carey, A. D., Tarescavage, A. M., Block, A. R., & Ben-Porath, Y. S. (2020). Flexible and conditional administration of the Minnesota Multiphasic Personality Inventory-2-Restructured Form in presurgical psychological evaluations of spine surgery candidates. *Journal of Personality Assessment, 102*(5), 653–661. <https://doi.org/10.1080/00223891.2019.1611589>
- Carone, D. A., & Ben-Porath, Y. S. (2014). Dementia does not preclude very reliable responding on the MMPI-2-RF: A case report. *The Clinical Neuropsychologist, 28*(6), 1019–1029. <https://doi.org/10.1080/13854046.2014.930182>
- Dasher, N. A., Sylvia, A., & Votruba, K. L. (2020). Internalizing, externalizing, and interpersonal components of the MMPI-2-RF in predicting weight change after bariatric surgery. *Obesity Surgery, 30*, 127–138. <https://doi.org/10.1007/s11695-019-04133-7>

- Del Bene, V. A., Rentería, M. A., Maiman, M., Slugh, M., Gazzola, D. M., Nadkarni, S. S., & Barr, W. B. (2017). Increased odds and predictive rates of MMPI-2-RF scale elevations in patients with psychogenic non-epileptic seizures and observed sex differences. *Epilepsy and Behavior*, *72*, 43–50. <https://doi.org/10.1016/j.yebeh.2017.04.023>
- Donders, J., & Pendery, A. (2017). Clinical utility of the Patient Health Questionnaire–9 in the assessment of major depression after broad-spectrum traumatic brain injury. *Archives of Physical Medicine and Rehabilitation*, *98*(12), 2514–2519. <https://doi.org/10.1016/j.apmr.2017.05.019>
- Duncan, C. J., Roberts, N. A., Kirilin, K. A., Parkhurst, D., Burleson, M. H., Drazkowski, J. F., Sirven, J. I., Noe, K. H., Crepeau, A. Z., Hoerth, M. T., Locke, D. E. C. (2018). Diagnostic utility of the Minnesota Multiphasic Personality Inventory-2 Restructured Form in the epilepsy monitoring unit: Considering sex differences. *Epilepsy and Behavior*, *88*, 117–122. <https://doi.org/10.1016/j.yebeh.2018.08.033>
- D'Orzio, L. M., Meyerowitz, B. E., Korst, L. M., Romero, R., & Goodwin, T. M. (2011). Evidence against a link between Hyperemesis Gravidarum and personality characteristics from an ethnically diverse sample of pregnant women: A pilot study. *Journal of Women's Health*, *20*(1), 137–144. <https://doi.org/10.1089/jwh.2009.1851>
- Emmert, N. A., Ristow, G., McCrea, M. A., deRoos-Cassini, T. A., & Nelson, L. D. (2021). Comparing traumatic brain injury symptoms reported via questionnaires versus a novel structured interview. *Journal of the International Neuropsychological Society*. Advance online publication. <https://doi.org/10.1017/S1355617721000278>
- Fazio, R. L., Wunderlich, T., Wilson, N., & Akesson, S. (2014). MMPI-2-RF characteristics of individuals with interstitial cystitis. *Journal of Psychosomatic Research*, *77*(5), 359–362. <https://doi.org/10.1016/j.jpsychores.2014.09.010>
- Forbey, J. D., Ben-Porath, Y. S., & Arbisi, P. A. (2012). The MMPI-2 Computer Adaptive version (MMPI-2-CA) in a Veterans Administration medical outpatient facility. *Psychological Assessment*, *24*(3), 628–639. <https://doi.org/10.1037/a0026509>
- Fusco, B. R., Marek, R. J., Tarescavage, A. M., Ben-Porath, Y. S., & Heinberg, L. J. (2019). Using the Minnesota Multiphasic Personality Inventory-2-Restructured Form cutoffs to predict lack of pre-surgical exercise. *Journal of Clinical Psychology in Medical Settings*, *26*, 302–312. <https://doi.org/10.1007/s10880-018-9587-2>
- Goodpaster, K. P., Marek, R. J., Lavery, M. E., Ashton, K., Rish, J. M., & Heinberg, L. J. (2016). Graze eating among bariatric surgery candidates: Prevalence and psychosocial correlates. *Surgery for Obesity and Related Diseases*, *12*(5), 1091–1097. <https://doi.org/10.1016/j.soard.2016.01.006>
- Goldsworthy, R., & Donders, J. (2019). MMPI-2-RF patterns after traumatic brain injury. *Psychological Assessment*, *31*(9), 1145–1153. <https://doi.org/10.1037/pas0000742>
- Granieri, A., Tamburello, S., Tamburello, A., Casale, S., Cont, C., Guglielmucci, F., & Innamorati, M. (2013). Quality of life and personality traits in patients with malignant pleural mesothelioma and their first-degree caregivers. *Neuropsychiatric Disease and Treatment*, *9*, 1193–1202. <https://doi.org/10.2147/NDT.S48965>
- Heinberg, L. J., Ashton, K., Windover, A. K., & Merrell, J. (2012). Older bariatric surgery candidates: Is there greater psychological risk than for young or midlife candidates? *Surgery for Obesity and Related Diseases*, *8*(5), 616–622. <https://doi.org/10.1016/j.soard.2011.11.005>
- Heinberg, L. J., Marek, R. J., Haskins, I. N., Bucak, E., Hanipah, Z. N., & Brethauer, S. (2017). 30-day readmission following weight loss surgery: Can psychological factors predict nonspecific indications for readmission? *Surgery for Obesity and Related Diseases*, *13*(8), 1376–1381. <https://doi.org/10.1016/j.soard.2017.04.004>

- Kaye, S., Wygant, D. B., Umlauf, R. L., & Marek, R. J. (2021). Factor structure and validity of the Inventory of Depression and Anxiety Symptoms-II (IDAS-II) in a chronic back pain treatment-seeking sample. *Psychological Assessment*. Advance online publication. <https://doi.org/10.1037/pas0001057>
- Lange, R. T., Lippa, S. M., Brickell, T. A., Yeh, P., Ollinger, J., Wright, M., Driscoll, A., Sullivan, J., Braatz, S., Gartner, R., Barnhart, E., & French, L. M. (2021). Post-traumatic stress disorder is associated with neuropsychological outcome but not white matter integrity after mild traumatic brain injury. *Journal of Neurotrauma*, *38*(1), 63–73. <https://doi.org/10.1089/neu.2019.6852>
- Lippa, S. M., French, L. M., Bell, R. S., Brickell, T. A., & Lange, R. T. (2019). United States military service members demonstrate substantial and heterogeneous long-term neuropsychological dysfunction following moderate, severe, and penetrating traumatic brain injury. *Journal of Neurotrauma*, *37*(4), 608–617. <https://doi.org/10.1089/neu.2019.6696>
- Locke, D. E. C., Kirlin, K. A., Thomas, M. L., Osborne, D., Hurst, D. F., Drazkowsi, J. F., Sirven, J. I., & Noe, K. H. (2009). The Minnesota Multiphasic Personality Inventory-2-Restructured Form in the epilepsy monitoring unit. *Epilepsy and Behavior*, *17*(2), 252–258. <https://doi.org/10.1016/j.yebeh.2009.12.004>
- Locke, D. E. C., Kirlin, K. A., Wershba, R., Osborne, D., Drazkowski, J. F., Sirven, J. I., & Noe, K. H. (2011). Randomized comparison of the Personality Assessment Inventory and the Minnesota Multiphasic Personality Inventory-2, in the epilepsy monitoring unit. *Epilepsy and Behavior*, *21*(4), 397–401. <https://doi.org/10.1016/j.yebeh.2011.05.023>
- Locke, D. E. C., & Thomas, M. L. (2011). Initial development of Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) scales to identify patients with psychogenic non-epileptic seizures. *Journal of Clinical and Experimental Neuropsychology*, *33*(3), 335–343. <https://doi.org/10.1080/13803395.2010.518141>
- Marek, R. J., Anderson, J. A., Tarescavage, A. M., Martin-Fernandez, K., Haugh, S., Block, A. R., Heinberg, L. J., Jimenez, X., & Ben-Porath, Y. S. (2019). Elucidating somatization in a dimensional model of psychopathology across medical settings. *Journal of Abnormal Psychology*, *129*(2), 162–176. <https://doi.org/10.1037/abn0000475>
- Marek, R. J., Ben-Porath, Y. S., Ashton, K., & Heinberg, L. J. (2014). Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF) scale score differences in bariatric surgery candidates diagnosed with binge eating disorder versus BMI-matched controls. *International Journal of Eating Disorders*, *47*(3), 315–319. <https://doi.org/10.1002/eat.22194>
- Marek, R. J., Ben-Porath, Y. S., Ashton, K., & Heinberg, L. J. (2014). Impact of using *DSM-5* criteria for diagnosing binge eating disorder in bariatric surgery candidates: Change in prevalence rate, demographic characteristics, and scores on the Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF). *International Journal of Eating Disorders*, *47*(5), 553–557. <https://doi.org/10.1002/eat.22268>
- Marek, R. J., Ben-Porath, Y. S., Epker, J. T., Kreymer, J. K., & Block, A. R. (2020). Reliability and validity of the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) in spine surgery and spinal cord stimulator samples. *Journal of Personality Assessment*, *102*(1), 22–35. <https://doi.org/10.1080/00223891.2018.1488719>
- Marek, R. J., Ben-Porath, Y. S., Merrell, J., Ashton, K., & Heinberg, L. J. (2014). Predicting one and three month postoperative somatic concerns, psychological distress, and maladaptive eating behaviors in bariatric surgery candidates with the Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF). *Obesity Surgery*, *24*, 631–639. <https://doi.org/10.1007/s11695-013-1149-y>

- Marek, R. J., Ben-Porath, Y. S., Sellbom, M., McNulty, J. L., & Heinberg, L. J. (2015). Validity of Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) scores as a function of gender, ethnicity, and age of bariatric surgery candidates. *Surgery for Obesity and Related Diseases, 11*(3), 627–634. <https://doi.org/10.1016/j.soard.2014.10.005>
- Marek, R. J., Ben-Porath, Y. S., van Dulman, M., Ashton, K., & Heinberg, L. J. (2017). Using the presurgical psychological evaluation to predict 5-year weight loss outcomes in bariatric surgery patients. *Surgery for Obesity and Related Diseases, 13*(3), 514–521. <https://doi.org/10.1016/j.soard.2016.11.008>
- Marek, R. J., Ben-Porath, Y. S., Windover, A. K., Tarescavage, A. M., Merrell, J., Ashton, K., Lavery, M., & Heinberg, L. J. (2013). Assessing psychosocial functioning of bariatric surgery candidates with the Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF). *Obesity Surgery, 23*, 1864–1873. <https://doi.org/10.1007/s11695-013-1024-x>
- Marek, R. J., Block, A. R., & Ben-Porath, Y. S. (2015). The Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF): Incremental validity in predicting early postoperative outcomes in spine surgery candidates. *Psychological Assessment, 27*(1), 114–124. <https://doi.org/10.1037/pas0000035>
- Marek, R. J., Block, A. R., & Ben-Porath, Y. S. (2019). Validation of a psychological screening algorithm for predicting spine surgery outcomes. *Assessment, 26*(5), 915–928. <https://doi.org/10.1177/1073191117719512>
- Marek, R. J., Martin-Fernandez, K., Ben-Porath, Y. S., & Heinberg, L. J. (2021). Psychosocial functioning of bariatric surgery patients 6-years postoperative. *Obesity Surgery, 31*, 712–724. <https://doi.org/10.1007/s11695-020-05025-x>
- Marek, R. J., Tarescavage, A. M., Ben-Porath, Y. S., Ashton, K., Rish, J. M., & Heinberg, L. J. Replication and evaluation of a proposed two-factor Binge Eating Scale (BES) structure in a sample of bariatric surgery candidates. *Surgery for Obesity and Related Diseases, 11*(3), 659–665. <https://doi.org/10.1016/j.soard.2014.09.015>
- Marek, R. J., Tarescavage, A. M., Ben-Porath, Y. S., Ashton, K., Heinberg, L. J., & Rish, J. M. (2017). Associations between psychological test results and failure to proceed with bariatric surgery. *Surgery for Obesity and Related Diseases, 13*(3), 507–513. <https://doi.org/10.1016/j.soard.2016.09.007>
- Marek, R. J., Tarescavage, A. M., Ben-Porath, Y. S., Ashton, K., Rish, J. M., & Heinberg, L. J. (2015). Using presurgical psychological testing to predict 1-year appointment adherence and weight loss in bariatric surgery patients: Predictive validity and methodological considerations. *Surgery for Obesity and Related Diseases, 11*(5), 1171–1181. <https://doi.org/10.1016/j.soard.2015.03.020>
- Marek, R. J., Williams, G. A., Mohun, S. H., & Heinberg, L. J. (2017). Surgery type and psychosocial factors contribute to poorer weight loss outcomes in persons with a body mass index greater than 60 kg/m<sup>2</sup>. *Surgery for Obesity and Related Diseases, 13*(12), 2021–2026. <https://doi.org/10.1016/j.soard.2017.09.513>
- Martin-Fernandez, K. W., Heinberg, L. J., & Ben-Porath, Y. S. (2019). Using the preoperative psychological evaluation to determine psychosocial risk factors for CPAP nonadherence among bariatric surgery candidates. *Surgery for Obesity and Related Diseases, 15*(12), 2115–2120. <https://doi.org/10.1016/j.soard.2019.07.012>
- Martin-Fernandez, K. W., Marek, R. J., Heinberg, L. J., & Ben-Porath, Y. S. (2021). Six-year bariatric surgery outcomes: The predictive and incremental validity of presurgical psychological testing. *Surgery for Obesity and Related Diseases, 17*(5), 1008–1016. <https://doi.org/10.1016/j.soard.2021.01.012>
- Martin-Fernandez, K. W., Martin-Fernandez, J., Marek, R. J., Ben-Porath, Y. S., & Heinberg, L. J. (2021). Associations among psychopathology and eating disorder symptoms and behaviors in post-bariatric surgery patients. *Eating and Weight Disorders – Studies on Anorexia, Bulimia, and Obesity*. Advance online publication. <https://doi.org/10.1007/s40519-021-01111-w>

- Martínez, Ú., Fernández del Río, E., López-Durán, A., Martínez-Vispo, C., & Becoña, E. (2018). Types of smokers who seek smoking cessation treatment according to psychopathology. *Journal of Dual Diagnosis, 14*(1), 50–59. <https://doi.org/10.1080/15504263.2017.1398360>
- Martínez, Ú., Fernández del Río, E., López-Durán, A., & Becoña, E. (2017). The utility of the MMPI-2-RF to predict the outcome of a smoking cessation treatment. *Personality and Individual Differences, 106*(1), 172–177. <https://doi.org/10.1016/j.paid.2016.11.019>
- McCord, D. M., & Drerup, L. C. (2011). Relative practical utility of the Minnesota Multiphasic Personality Inventory-2 Restructured Clinical Scales versus the Clinical Scales in a chronic pain patient sample. *Journal of Clinical and Experimental Neuropsychology, 33*(1), 140–146. <https://doi.org/10.1080/13803395.2010.495056>
- Merrell, J., Brethauer, S., Windover, A. K., Ashton, K., & Heinberg, L. J. (2012). Psychosocial correlates of pelvic floor disorders in women seeking bariatric surgery. *Surgery for Obesity and Related Diseases, 8*(6), 792–796. <https://doi.org/10.1016/j.soard.2012.01.019>
- Mickens, L. D., Nghiem, D. M., Wygant, D. B., Umlauf, R. L., & Marek, R. J. (2021). Validity of the Somatic Complaints Scales of the MMPI-2-RF in an outpatient chronic pain clinic. *Journal of Clinical Psychology in Medical Settings*. Advance online publication. <https://doi.org/10.1007/s10880-021-09766-4>
- Modiano, Y. A., Webber, T., Cerbone, B., Haneef, Z., & Pastorek, N. J. (2021). Predictive utility of the Minnesota Multiphasic Personality Inventory-2-RF (MMPI-2-RF) in differentiating psychogenic nonepileptic seizures and epileptic seizures in male veterans. *Epilepsy & Behavior, 116*, Article 107731. <https://doi.org/10.1016/j.yebeh.2020.107731>
- Mulhauser, K., Reynolds, E. L., Callaghan, B. C., Fierro, C., Giordani, B., & Votruba, K. (2021). Executive functioning in extreme obesity: Contributions from metabolic status, medical comorbidities, and psychiatric factors. *Obesity Surgery, 31*, 2669–2681. <https://doi.org/10.1007/s11695-021-05319-8>
- Mulvogue, M. K., Robinson, T. P., Ijaz, M. S., & McCrae, S. M. (2012). Structural neuroimaging and neuropsychological correlates of a single case of focal central pontine myelinolysis: Intact memory function with decreased intellectual and motor functions. *World Journal of Neuroscience, 2*(4), 192–199. <https://doi.org/10.4236/wjns.2012.24030>
- Myers, L., Fleming, M., Lancman, M., Perrine, K., & Lancman, M. (2013). Stress coping strategies in patients with psychogenic, non-epileptic seizures and how they relate to trauma symptoms, alexithymia, anger, and mood. *Seizure, 22*(8), 634–639. <https://doi.org/10.1016/j.seizure.2013.04.018>
- Myers, L., Lancman, M., Laban-Grant, O., Matzner, B., & Lancman, M. (2012). Psychogenic non-epileptic seizures: Predisposing factors to diminished quality of life. *Epilepsy and Behavior, 25*(3), 358–362. <https://doi.org/10.1016/j.yebeh.2012.08.024>
- Myers, L., Matzner, B., Lancman, M., Perrine, K., & Lancman, M. (2013). Prevalence of alexithymia in patients with psychogenic non-epileptic seizures and epileptic seizures and predictors in psychogenic non-epileptic seizures. *Epilepsy and Behavior, 26*(2), 153–157. <https://doi.org/10.1016/j.yebeh.2012.11.054>
- Myers, L., Perrine, K., Lancman, M., Fleming, M., & Lancman, M. (2013). Psychological trauma in patients with psychogenic nonepileptic seizures: Trauma characteristics and those who develop PTSD. *Epilepsy and Behavior, 28*(1), 121–126. <https://doi.org/10.1016/j.yebeh.2013.03.033>
- Myers, L., Trobliger, R., Bortnik, K., Zeng, R., Saal, E., & Lancman, M. (2019). Psychological trauma, somatization, dissociation, and psychiatric comorbidities in patients with psychogenic nonepileptic seizures compared with those in patients with intractable partial epilepsy. *Epilepsy and Behavior, 92*, 108–113. <https://doi.org/10.1016/j.yebeh.2018.12.027>



- Myers, L., & Zandberg, L. (2018). Prolonged exposure therapy for comorbid psychogenic nonepileptic seizures and posttraumatic stress disorder. *Clinical Case Studies, 17*(1), 3–20. <https://doi.org/10.1177/1534650117741367>
- Nelson, L. D., Kramer, M. D., Patrick, C. J., & McCrea, M. A. (2018). Modeling the structure of acute sport-related concussion symptoms: A bifactor approach. *Journal of the International Neuropsychological Society, 24*(8), 793–804. <https://doi.org/10.1017/S1355617718000462>
- Nelson, N. W., Hoelzle, J. B., McGuire, K. A., Sim, A. H., Goldman, D. J., Ferrier-Auerbach, A. G., Charlesworth, M. J., Arbisi, P. A., & Sponheim, S. R. (2011). Self-report of psychological function among OEF/OIF personnel who also report combat-related concussion. *The Clinical Neuropsychologist, 25*(5), 716–740. <https://doi.org/10.1080/13854046.2011.579174>
- Pona, A. A., Heinberg, L. J., Lavery, M., Ben-Porath, Y. S., & Rish, J. M. (2016). Psychological predictors of body image concerns 3 months after bariatric surgery. *Surgery for Obesity and Related Diseases, 12*(1), 188–193. <https://doi.org/10.1016/j.soard.2015.05.008>
- Pona, A. A., Marek, R. J., Heinberg, L. J., Lavery, M., Ashton, K., & Rish, J. M. (2017). Psychological correlates of body image dissatisfaction before and after bariatric surgery. *Bariatric Surgical Practice and Patient Care, 12*(4), 184–189. <https://doi.org/10.1089/bari.2017.0021>
- Roelofs, R. L., Wingbermühle, E., van der Heijden, P. T., Jonkers, R., de Haan, M., Kessels, R. P. C., & Egger, J. I. M. (2019). Personality and psychopathology in adults with Noonan Syndrome. *Journal of Clinical Psychology in Medical Settings, 27*, 256–267. <https://doi.org/10.1007/s10880-019-09659-7>
- Scott, B. M., Strutt, A. M., Lundberg-Love, P., Schmitt, A. L., Salzman, J., Martin, S. K., Jankovic, J., & Bowers, D. (2019). Emotion regulation and neuropsychological status in functional neurological disorder variants. *Revista Iberoamericana de Neuropsicología, 2*(1), 30–42.
- Soble, J. R., Resch, Z. J., Schulze, E. T., Paxton, J. L., Cation, B., Friedhoff, C., Costin, C., Fink, J. W., Lee, R. C., & Pliskin, N. H. (2019). Examination of the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) validity and substantive scales in patients with electrical injury. *The Clinical Neuropsychologist, 33*(8), 1501–1515. <https://doi.org/10.1080/13854046.2019.1616114>
- Stroescu, I., Salinas, C. M., Nahab, F. B., & Stringer, A. Y. (2011). Long-term neurocognitive and neuroimaging outcomes in posterior reversible Encephalopathy Syndrome: Two case reports and implications. *The Clinical Neuropsychologist, 25*(8), 1386–1402. <https://doi.org/10.1080/13854046.2011.628339>
- Tarescavage, A. M., Ben-Porath, Y. S., Marek, R. J., Boutacoff, L., & Heinberg, L. J. (2019). Time savings and accuracy of simulated flexible and conditional administration of the MMPI-2-RF in presurgical psychological evaluations of bariatric surgery candidates. *Surgery for Obesity and Related Disease, 15*(5), 732–738. <https://doi.org/10.1016/j.soard.2019.01.028>
- Tarescavage, A. M., Scheman, J., & Ben-Porath, Y. S. (2015). Reliability and validity of the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) in evaluations of chronic low back pain patients. *Psychological Assessment, 27*(2), 433–446. <https://doi.org/10.1037/pas0000056>
- Tarescavage, A. M., Scheman, J., & Ben-Porath, Y. S. (2018). Prospective comparison of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) and MMPI-2-Restructured Form (MMPI-2-RF) in predicting treatment outcomes among patients with chronic low back pain. *Journal of Clinical Psychology in Medical Settings, 25*, 66–79. <https://doi.org/10.1007/s10880-017-9535-6>
- Tarescavage, A. M., Windover, A. K., Ben-Porath, Y. S., Boutacoff, L. I., Marek, R. J., Ashton, K., Merrell, J., Lavery, M., & Heinberg, L. J. (2013). Use of the MMPI-2-RF Suicidal/Death Ideation and Substance Abuse scales in screening bariatric surgery candidates. *Psychological Assessment, 25*(4), 1384–1389. <https://doi.org/10.1037/a0034045>

- Tarescavage, A. M., Wygant, D. B., Boutacoff, L. I., & Ben-Porath, Y. S. (2013). Reliability, validity, and utility of the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) in assessments of bariatric surgery candidates. *Psychological Assessment, 25*(4), 1179–1194. <https://doi.org/10.1037/a0033694>
- Thomas, M. L., & Locke, D. E. C. (2010). Psychometric properties of the MMPI-2-RF Somatic Complaints (RC1) scale. *Psychological Assessment, 22*(3), 492–503. <https://doi.org/10.1037/a0019229>
- Walvoort, S. J. W., van der Heijden, P. T., Wester, A. J., Kessels, R. P. C., & Egger, J. I. M. (2016). Self-awareness of cognitive dysfunction: Self-reported complaints and cognitive performance in patients with alcohol-induced mild or major neurocognitive disorder. *Psychiatry Research, 245*, 291–296. <https://doi.org/10.1016/j.psychres.2016.08.007>
- Webber, T. A., Collins, R. L., Sullivan, K. L., Chen, D. K., & Grabyan, J. M. (2021). Clinical identification of psychogenic nonepileptic events using combinations of psychological tests in a veteran sample. *Epilepsy & Behavior, 115*, Article 107631. <https://doi.org/10.1016/j.yebeh.2020.107631>
- Wygant, D. B., Boutacoff, L. I., Arbisi, P. A., Ben-Porath, Y. S., Kelly, P. H., & Rupp, W. M. (2007). Examination of the MMPI-2 Restructured Clinical (RC) Scales in a sample of bariatric surgery candidates. *Journal of Clinical Psychology in Medical Settings, 14*, 197–205. <https://doi.org/10.1007/s10880-007-9073-8>
- Yamout, K. Z., Heinrichs, R. J., Baade, L. E., Soetaert, D. K., & Liow, K. K. (2017). Comparative prediction of nonepileptic events using MMPI-2 clinical scales, Harris Lingoes subscales, and restructured clinical scales. *Epilepsy and Behavior, 68*, 31–34. <https://doi.org/10.1016/j.yebeh.2016.12.008>
- ### Mental Health Settings
- Ahi, G., & Rahimian, Y. A. (2021). The relationship between hypomanic activation, demoralization and dysfunctional negative emotions based on the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2RF) in anxiety, depression and sexual motivation of people with sexual dysfunction. *Journal of Psychological Achievements, 28*(1), 111–132. <https://doi.org/10.22055/psy.2021.33577.2548>
- Anderson, J. L., Sellbom, M., Ayearst, L., Quilty, L. C., Chmielewski, M., & Bagby, R. M. (2015). Associations between DSM-5 Section III personality traits and the Minnesota Multiphasic Personality Inventory 2-Restructured Form (MMPI-2-RF) scales in a psychiatric patient sample. *Psychological Assessment, 27*(3), 801–815. <https://doi.org/10.1037/pas0000096>
- Anderson, J. L., Sellbom, M., Sansone, R. A., & Songer, D. A. (2016). Comparing external correlates of DSM-5 Section II and Section III dimensional trait operationalizations of borderline personality disorder. *Journal of Personality Disorders, 30*(2), 193–210. [https://doi.org/10.1521/pedi\\_2015\\_29\\_189](https://doi.org/10.1521/pedi_2015_29_189)
- Anestis, J. C., Finn, J. A., Gottfried, E. D., Arbisi, P. A., & Joiner, T. E. (2015). Reading the road signs: The utility of the MMPI-2 Restructured Form Validity Scales in prediction of premature termination. *Assessment, 22*(3), 279–288. <https://doi.org/10.1177/1073191114541672>
- Anestis, J. C., Gottfried, E. D., & Joiner, T. E. (2015). The utility of MMPI-2-RF substantive scales in prediction of negative treatment outcomes in a community mental health center. *Assessment, 22*(1), 23–35. <https://doi.org/10.1177/1073191114536771>
- Anestis, J. C., Finn, J. A., Gottfried, E. D., Hames, J. L., Bodell, L. P., Hagan, C. R., Arnau, R. C., Anestis, M. D., Arbisi, P. A., & Joiner, T. E. (2018). Burdensomeness, belongingness, and capability: Assessing the interpersonal-psychological theory of suicide with MMPI-2-RF scales. *Assessment, 25*(4), 415–431. <https://doi.org/10.1177/1073191116652227>

- Arbisi, P. A., Erbes, C. R., Polusny, M. A., & Nelson, N. W. (2010). The concurrent and incremental validity of the Trauma Symptom Inventory in women reporting histories of sexual maltreatment. *Assessment, 17*(3), 406–418. <https://doi.org/10.1177/1073191110376163>
- Arbisi, P. A., Polusny, M. A., Erbes, C. R., Thuras, P., & Reddy, M. K. (2011). The Minnesota Multiphasic Personality Inventory-2 Restructured Form in National Guard soldiers screening positive for posttraumatic stress disorder and mild traumatic brain injury. *Psychological Assessment, 23*(1), 203–214. <https://doi.org/10.1037/a0021339>
- Arbisi, P. A., Rusch, L., Polusny, M. A., Thuras, P., & Erbes, C. R. (2013). Does cynicism play a role in failure to obtain needed care? Mental health service utilization among returning U.S. National Guard soldiers. *Psychological Assessment, 25*(3), 991–996. <https://doi.org/10.1037/a0032225>
- Arbisi, P. A., Sellbom, M., & Ben-Porath, Y. S. (2008). Empirical correlates of the MMPI-2 Restructured Clinical (RC) Scales in psychiatric inpatients. *Journal of Personality Assessment, 90*(2), 122–128. <https://doi.org/10.1080/00223890701845146>
- Bagby, R. M., Sellbom, M., Ayearst, L. E., Chmielewski, M. S., Anderson, J. L., & Quilty, L. C. (2014). Exploring the hierarchical structure of the MMPI-2-RF Personality Psychopathology Five in psychiatric patient and university student samples. *Journal of Personality Assessment, 96*(2), 166–172. <https://doi.org/10.1080/00223891.2013.825623>
- Ben-Porath, Y. S., & Tellegen, A. (2018). Leone, Mosticoni, Biondi, and Butcher's (2018) effort to compare the MMPI-2-RF with the MMPI-2 falls well short. *Archives of Assessment Psychology, 8*(1), 23–31.
- Binford, A., & Liljequist, L. (2008). Behavioral correlates of selected MMPI-2 Clinical, Content, and Restructured Clinical Scales. *Journal of Personality Assessment, 90*(6), 608–614. <https://doi.org/10.1080/00223890802388657>
- Bolinsky, P. K., Trumbetta, S. L., Hanson, D. R., & Gottesman, I. I. (2010). Predicting adult psychopathology from adolescent MMPIs: Some victories. *Personality and Individual Differences, 49*(4), 324–330. <https://doi.org/10.1016/j.paid.2010.01.026>
- Bosch, P., Van Luijelaar, G., Van Den Noort, M., Schenkwald, J., Kueppenbender, N., Lim, S., Egger, J., & Coenen, A. (2014). The MMPI-2 in chronic psychiatric illness. *Scandinavian Journal of Psychology, 55*(5), 513–519. <https://doi.org/10.1111/sjop.12152>
- Bryant, W. T., & McNulty, J. L. (2017). Which domain of the PSY-5 is most relevant to substance use? *Journal of Personality Assessment, 99*(5), 524–533. <https://doi.org/10.1080/00223891.2016.1250213>
- Castro, Y., Gordon, K. H., Brown, J. S., Anestis, J. C., & Joiner, T. E. (2008). Examination of racial differences on the MMPI-2 Clinical and Restructured Clinical Scales in an outpatient sample. *Assessment, 15*(3), 277–286. <https://doi.org/10.1177/1073191107312735>
- Choi, J.-H., & Park, E.-H. (2021). Psychological characteristics of suicide attempters with major depressive disorder using the Minnesota Multiphasic Personality Inventory-2 Restructured Form. *Korean Journal of Psychosomatic Medicine, 29*(1), 1–10. <https://doi.org/10.22722/KJPM.2021.29.1.1>
- Choi, J. Y. (2017). Posttraumatic stress symptoms and dissociation between childhood trauma and two different types of psychosis-like experience. *Child Abuse and Neglect, 72*, 404–410. <https://doi.org/10.1016/j.chiabu.2017.08.023>
- Choi, J. Y. (2019). Symptom-based subtypes of depression: Latent profile analysis with specific problems scales in MMPI-2-RF. *Korean Journal of Clinical Psychology, 38*(3), 287–299. <https://doi.org/10.15842/kjcp.2019.38.3.002>
- Choi, J. Y., Gim, M. S., & Lee, J. Y. (2020). Predictability of temperaments and negative experiences in higher-order symptom-based subtypes of depression. *Journal of Affective Disorders, 265*, 18–25. <https://doi.org/10.1016/j.jad.2020.01.028>
- Clark, R., DeYoung, C. G., Sponheim, S. R., Bender, T. L., Polusny, M. A., Erbes, C. R., & Arbisi, P. A. (2013). Predicting post-traumatic stress disorder in veterans: Interaction of traumatic load with COMT gene variation. *Journal of Psychiatric Research, 47*(12), 1849–1856. <https://doi.org/10.1016/j.jpsychires.2013.08.013>

- De Page, L., & Merckelbach, H. (2021). Associations between supernormality (“faking good”), narcissism and depression: An exploratory study in a clinical sample. *Clinical Psychology & Psychotherapy*, *28*, 182–188. <https://doi.org/10.1002/cpp.2500>
- De Page, L., van der Heijden, P. T., De Weerd, M., Egger, J. I. M., & Rossi, G. (2018). Differentiation between defensive personality functioning and psychopathology as measured by the DSQ-42 and MMPI-2-RF. *International Journal of Psychology and Psychological Therapy*, *18*(3), 331–343.
- De Saeger, H., Kamphuis, J. H., & Anderson, J. L. (2020). Clinical utility of the MMPI-2-RF hierarchical description: An illustration in Cluster C personality disorder patients. *European Journal of Psychological Assessment*, *36*(5), 907–912. <https://doi.org/10.1027/1015-5759/a000560>
- Dodd, C. G., Courrégé, S. C., Weed, N. C., & Deskovitz, M. A. (2020). A comparison of the descriptive information from the MMPI-2 and MMPI-2-RF. *Journal of Personality Assessment*, *102*(1), 45–55. <https://doi.org/10.1080/00223891.2018.1504054>
- Durosini, I., Tarocchi, A., & Aschieri, F. (2017). Therapeutic assessment with a client with persistent complex bereavement disorder: A single-case time-series design. *Clinical Case Studies*, *16*(4), 295–312. <https://doi.org/10.1177/1534650117693942>
- Erbes, C. R., Kramer, M., Arbisi, P. A., DeGarmo, D., & Polusny, M. A. (2017). Characterizing spouse/partner depression and alcohol problems over the course of military deployment. *Journal of Consulting and Clinical Psychology*, *85*(4), 297–308. <https://doi.org/10.1037/ccp0000190>
- Erbes, C. R., Polusny, M. A., Arbisi, P. A., & Koffel, E. (2012). PTSD symptoms in a cohort of National Guard soldiers deployed to Iraq: Evidence for nonspecific and specific components. *Journal of Affective Disorders*, *142*(1–3), 269–274. <https://doi.org/10.1016/j.jad.2012.05.013>
- Finn, J. A., Arbisi, P. A., Erbes, C. R., Polusny, M. A., & Thuras, P. (2014). The MMPI-2 Restructured Form Personality Psychopathology Five Scales: Bridging DSM-5 Section 2 personality disorders and DSM-5 Section 3 personality trait dimensions. *Journal of Personality Assessment*, *96*(2), 173–184. <https://doi.org/10.1080/00223891.2013.866569>
- Forbes, D., Elhai, J. D., Miller, M. W., & Creamer, M. (2010). Internalizing and externalizing classes in posttraumatic stress disorder: A latent class analysis. *Journal of Traumatic Stress*, *23*(3), 340–349. <https://doi.org/10.1002/jts.20526>
- Gilbert, S. E., & Gordon, K. C. (2013). Interpersonal psychotherapy informed treatment for avoidant personality disorder with subsequent depression. *Clinical Case Studies*, *12*(2), 111–127. <https://doi.org/10.1177/1534650112468611>
- Gordon, R. M., Stoffey, R. W., & Perkins, B. L. (2013). Comparing the sensitivity of the MMPI-2 Clinical Scales and the MMPI-RC (sic) Scales to clients rated as psychotic, borderline, or neurotic on the Psychodiagnostic Chart. *Psychology*, *4*(9B), 12–16. <https://doi.org/10.4236/psych.2013.49A1003>
- Gottfried, E., Bodell, L. M., Carbonell, J., & Joiner, T. (2014). The clinical utility of the MMPI-2-RF Suicidal/Death Ideation scale. *Psychological Assessment*, *26*(4), 1205–1211. <https://doi.org/10.1037/pas0000017>
- Guetta, R. E., Wilcox, E. S., Stoop, T. B., Maniates, H., Ryabchenko, K. A., Miller, M. W., & Wolf, E. J. (2019). Psychometric properties of the Dissociative Subtype of PTSD Scale: Replication and extension in a clinical sample of trauma-exposed veterans. *Behavior Therapy*, *50*(5), 952–966. <https://doi.org/10.1016/j.beth.2019.02.003>
- Haber, J. C., & Baum, L. J. (2014). Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF) Scales as predictors of psychiatric diagnoses. *South African Journal of Psychology*, *44*(4), 439–453. <https://doi.org/10.1177/0081246314532788>
- Hale, A. C., Nelson, S. M., Reckow, J., & Spencer, R. J. (2020). Validation and extension of personality disorder spectra scales from MMPI-2-RF items. *Journal of Clinical Psychology*, *76*(9), 1754–1774. <https://doi.org/10.1002/jclp.22953>

- Handel, R. W., & Archer, R. P. (2008). An investigation of the psychometric properties of the MMPI-2 Restructured Clinical (RC) Scales with mental health inpatients. *Journal of Personality Assessment, 90*(3), 239–249. <https://doi.org/10.1080/00223890701884954>
- Ingram, P. B., Tarescavage, A. M., Ben-Porath, Y. S., & Oehlert, M. E. (2020). Patterns of MMPI-2-Restructured Form (MMPI-2-RF) validity scale scores observed across Veteran Affairs settings. *Psychological Services, 17*(3), 355–362. <https://doi.org/10.1037/ser0000339>
- Ingram, P. B., Tarescavage, A. M., Ben-Porath, Y. S., Oehlert, M. E., & Bergquist, B. K. (2021). External correlates of the MMPI-2-Restructured Form across a national sample of veterans. *Journal of Personality Assessment, 103*(1), 19–26. <https://doi.org/10.1080/00223891.2020.1732995>
- Kamphuis, J. H., Arbisi, P. A., Ben-Porath, Y. S., & McNulty, J. L. (2008). Detecting comorbid Axis-II status among inpatients using the MMPI-2 Restructured Clinical Scales. *European Journal of Psychological Assessment, 24*(3), 157–164. <https://doi.org/10.1027/1015-5759.24.3.157>
- Khazem, L. R., Anestis, J. C., Erbes, C. R., Ferrier-Auerbach, A. G., Schumacher, M. M., & Arbisi, P. A. (2021). Assessing the clinical utility of the MMPI-2-RF in detecting suicidal ideation in a high acuity, partially-hospitalized veteran sample. *Journal of Personality Assessment, 103*(1), 10–18. <https://doi.org/10.1080/00223891.2020.1739057>
- Khazem, L. R., Rufino, K. A., Rogers, M. L., Gallyer, A. J., Joiner, T. E., & Anestis, J. C. (2021). Underreporting on the MMPI-2-RF extends to extra-test measures of suicide risk. *Psychological Assessment, 33*(8), 789–794. <http://doi.org/10.1037/pas0001034>
- Kim, S., Lee, H.-K., & Lee, K. (2021). Can the MMPI predict adult ADHD? An approach using machine learning methods. *Diagnostics, 11*(6), 976. <https://doi.org/10.3390/diagnostics11060976>
- Koffel, E., Kramer, M. D., Arbisi, P. A., Erbes, C. R., Kaler, M., & Polusny, M. A. (2016). Personality traits and combat exposure as predictors of psychopathology over time. *Psychological Medicine, 46*(1), 209–220. <https://doi.org/10.1017/S0033291715001798>
- Koffel, E., Polusny, M. A., Arbisi, P. A., & Erbes, C. R. (2012). A preliminary investigation of the new and revised symptoms of posttraumatic stress disorder in DSM-5. *Depression and Anxiety, 29*(8), 731–738. <https://doi.org/10.1002/da.21965>
- Kotelnikova, Y., Weaver, C. A., & Clark, L. A. (2019). The joint structure of maladaptive personality traits and psychopathology. *Journal of Research in Personality, 81*, 64–71. <https://doi.org/10.1016/j.jrp.2019.05.007>
- Lee, T. T. C., Graham, J. R., & Arbisi, P. A. (2018). The utility of MMPI-2-RF scale scores in differential diagnosis of schizophrenia and major depressive disorder. *Journal of Personality Assessment, 100*(3), 305–312. <https://doi.org/10.1080/00223891.2017.1300906>
- Leib, S. I., Schieszler-Ockrassa, C., White, D. J., Gallagher, V. T., Carter, D. A., Basurto, K. S., Ovsiew, G. P., Resch, Z. J., Jennette, K. J., & Soble, J. R. (2021). Concordance between the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) and Clinical Assessment of Attention Deficit-Adult (CAT-A) over-reporting validity scales for detecting invalid ADHD symptom reporting. *Applied Neuropsychology: Adult*. Advance online publication. <https://doi.org/10.1080/23279095.2021.1894150>
- Leone, C., Mosticoni, S., Iannella, F., Biondi, M., & Butcher, J. N. (2018). Comparability of MMPI-2-RF with MMPI-2 in assessing psychiatric patients: A shortfall. *Archives of Assessment Psychology, 8*(1), 7–22.
- Lippa, S. M., French, L. M., Brickell, T. A., Driscoll, A. E., Glazer, M. E., Tippet, C. E., Sullivan, J. K., & Lange, R. T. (2021). Post-traumatic stress disorder symptoms are related to cognition after complicated mild and moderate traumatic brain injury but not severe and penetrating traumatic brain injury. *Journal of Neurotrauma, 38*(22), 3137–3145. <https://doi.org/10.1089/neu.2021.0120>
- McDevitt-Murphy, M. E., Weathers, F. W., Flood, A. M., Eakin, D. E., & Benson, T. A. (2007). The utility of the PAI and the MMPI-2 for discriminating PTSD, depression, and social phobia in trauma-exposed college students. *Assessment, 14*(2), 181–195. <https://doi.org/10.1177/1073191106295914>

- McManus, E. S., Cuccurullo, L. J., Uddo, M., & Franklin, C. L. (2018). MMPI-2-RF characteristics of veterans seeking treatment for military sexual trauma. *Psychological Assessment, 30*(4), 561–566. <https://doi.org/10.1037/pas0000527>
- Menton, W. H. (2020). Development and initial validation of differential diagnostic indices for the MMPI-2-RF. *Assessment, 27*(1), 1–10. <https://doi.org/10.1177/1073191120978797>
- Meyers, J. E., Grills, C. E., Zellinger, M. M., & Miller, R. M. (2014). Emotional distress affects attention and concentration: The difference between mountains and valleys. *Applied Neuropsychology: Adult, 21*(1), 28–35. <https://doi.org/10.1080/09084282.2012.721148>
- Meyers, J. E., Miller, R. M., & Tuita, A. R. R. (2014). Using pattern analysis matching to differentiate TBI and PTSD in a military sample. *Applied Neuropsychology: Adult, 21*(1), 60–68. <https://doi.org/10.1080/09084282.2012.737881>
- Miller, S. N., Bozzay, M. L., Ben-Porath, Y. S., & Arbisi, P. A. (2019). Distinguishing levels of suicide risk in depressed male veterans: The role of internalizing and externalizing psychopathology as measured by the MMPI-2-RF. *Assessment, 26*(1), 85–98. <https://doi.org/10.1177/1073191117743787>
- Miller, M. W., Wolf, E. J., Harrington, K. M., Brown, T. A., Kaloupek, D. G., & Keane, T. M. (2010). An evaluation of competing models for the structure of PTSD symptoms using external measures of comorbidity. *Journal of Traumatic Stress, 23*(5), 631–638. <https://doi.org/10.1002/jts.20559>
- Moultrie, J. K., & Engel, R. R. (2017). Empirical correlates for the Minnesota Multiphasic Personality Inventory-2-Restructured Form in a German inpatient sample. *Psychological Assessment, 29*(10), 1273–1289. <https://doi.org/10.1037/pas0000415>
- Noordhof, A., Sellbom, M., Eigenhuis, A., & Kamphuis, J. H. (2015). Distinguishing between demoralization and specific personality traits in clinical assessment with the NEO-PI-R. *Psychological Assessment, 27*(2), 645–656. <https://doi.org/10.1037/pas0000067>
- Ozonoff, S., Garcia, N., Clark, E., & Lainhart, J. E. (2005). MMPI-2 personality profiles of high-functioning adults with autism spectrum disorders. *Assessment, 12*(1), 86–95. <https://doi.org/10.1177/1073191104273132>
- Park, C., Kim, E., & Choi, J. (2020). Psychological characteristics of patients in depression with high suicide risk: Using MMPI-2-RF. *Journal of Korean Neuropsychiatric Association, 59*(3), 268–276. <http://doi.org/10.4306/jknpa.2020.59.3.268>
- Patel, K. D., & Suhr, J. A. (2019). The relationship of MMP-2-RF scales to treatment engagement and alliance. *Journal of Personality Assessment, 102*(5), 594–603. <https://doi.org/10.1080/00223891.2019.1635488>
- Puente, A. E., Sekely, A., Chen, C., Wang, Y., & Steed, A. (2020). Development of a large outpatient psychological dataset of marines and navy personnel. *Archives of Scientific Psychology, 8*(1), 15–33. <https://doi.org/10.1037/arc0000074>
- Purdon, S. E., Purser, S. M., & Goddard, K. M. (2011). MMPI-2 Restructured Form over-reporting scales in first-episode psychosis. *The Clinical Neuropsychologist, 25*(5), 829–842. <https://doi.org/10.1080/13854046.2011.585141>
- Quilty, L. C., Sellbom, M., Tackett, J. L., & Bagby, R. M. (2009). Personality trait predictors of bipolar disorder symptoms. *Psychiatry Research, 169*(2), 159–163. <https://doi.org/10.1016/j.psychres.2008.07.004>
- Reid, R. C., & Carpenter, B. N. (2009). Demoralization, hypomanic activation, and disconstraint scores on MMPI-2 scales as significant predictors of hypersexual behavior. *Sexual Addiction and Compulsivity, 16*(3), 173–189. <https://doi.org/10.1080/10720160903202448>
- Reid, R. C., & Carpenter, B. N. (2009). Exploring relationships of psychopathology in hypersexual patients using the MMPI-2. *Journal of Sex & Marital Therapy, 35*(4), 294–310. <https://doi.org/10.1080/00926230902851298>

- Reid, R. C., Carpenter, B. N., & Draper, E. D. (2011). Disputing the notion of psychopathology among women married to hypersexual men using the MMPI-2-RF. *Journal of Sex & Marital Therapy*, 37(1), 45–55. <https://doi.org/10.1080/0092623X.2011.533585>
- Rogers, M. L., Anestis, J. C., Harrop, T. M., Schneider, M., Bender, T. W., Ringer, F. B., & Joiner, T. E. (2017). Examination of MMPI-2-RF substantive scales as indicators of acute suicidal affective disturbance components. *Journal of Personality Assessment*, 99(4), 424–434. <https://doi.org/10.1080/00223891.2016.1222393>
- Rufino, K. A., Daruwala, S. E., & Anestis, J. C. (2021). Predicting suicide attempt history in a psychiatric inpatient sample: A replication and extension. *Psychological Assessment*, 33(7), 685–690. <https://doi.org/10.1037/pas0001026>
- Ruiz, M. A., & Dorritie, M. T. (2021). Clinical utility of the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) in a residential treatment program for homeless individuals. *Assessment*, 28(2), 353–366. <https://doi.org/10.1177/1073191119899481>
- Scholte, W., Tiemens, B. G., Verheul, R., Meerman, A., Egger, J., & Hutschemaekers, G. (2012). Predictive validity of the MMPI-2 Clinical, PSY-5, and RC Scales for therapy disruptive behavior. *Journal of Psychiatric Practice*, 18(6), 420–429. <https://doi.org/10.1097/01.pra.0000422740.87495.91>
- Scholte, W., Tiemens, B. G., Verheul, R., Meerman, A., Egger, J., & Hutschemaekers, G. (2012). The RC Scales predict psychotherapy outcomes: The predictive validity of the MMPI-2's Restructured Clinical Scales for psychotherapeutic outcomes. *Personality and Mental Health*, 6(4), 292–302. <https://doi.org/10.1002/pmh.1190>
- Sellbom, M., Bagby, R. M., Kushner, S., Quilty, L. C., & Ayeart, L. E. (2012). Diagnostic construct validity of the MMPI-2 Restructured Form (MMPI-2-RF) scale scores. *Assessment*, 19(2), 176–186. <https://doi.org/10.1177/1073191111428763>
- Sellbom, M., Ben-Porath, Y. S., & Bagby, R. M. (2008). Personality and psychopathology: Mapping the MMPI-2 Restructured Clinical (RC) Scales onto the Five Factor Model of Personality. *Journal of Personality Disorders*, 22(3), 291–312. <https://doi.org/10.1521/pedi.2008.22.3.291>
- Sellbom, M., Ben-Porath, Y. S., & Graham, J. R. (2006). Correlates of the MMPI-2 Restructured Clinical (RC) Scales in a college counseling setting. *Journal of Personality Assessment*, 86(1), 89–99. [https://doi.org/10.1207/s15327752jpa8601\\_10](https://doi.org/10.1207/s15327752jpa8601_10)
- Sellbom, M., Ben-Porath, Y. S., McNulty, J. L., Arbisi, P. A., & Graham, J. R. (2006). Elevation differences between MMPI-2 Clinical and Restructured Clinical (RC) Scales: Frequency, origins, and interpretative implications. *Assessment*, 13(4), 430–441. <https://doi.org/10.1177/1073191106293349>
- Sellbom, M., Brown, T. A., & Bagby, R. M. (2020). Validation of MMPI-2-RF Personality Disorder Spectra scales in a psychiatric sample. *Psychological Assessment*, 32(3), 314–320. <https://doi.org/10.1037/pas0000790>
- Sellbom, M., Graham, J. R., & Schenk, P. W. (2006). Incremental validity of the MMPI-2 Restructured Clinical (RC) Scales in a private practice sample. *Journal of Personality Assessment*, 86(2), 196–205. [https://doi.org/10.1207/s15327752jpa8602\\_09](https://doi.org/10.1207/s15327752jpa8602_09)
- Sellbom, M., Waugh, M. H., & Hopwood, C. J. (2018). Development and validation of Personality Disorder Spectra scales for the MMPI-2-RF. *Journal of Personality Assessment*, 100(4), 406–420. <https://doi.org/10.1080/00223891.2017.1407327>
- Shim, S., Choi, J., & Kim, E. (2020). Differences in cognitive and psychological characteristics of psychiatric patients with military service issues versus general psychiatric outpatients. *Korean Journal of Psychosomatic Medicine*, 28(2), 143–154. <http://doi.org/10.22722/KJPM.2020.28.2.143>
- Shkalim, E. (2015). Psychometric evaluation of the MMPI-2/MMPI-2-RF Restructured Clinical Scales in an Israeli sample. *Assessment*, 22(5), 607–618. <https://doi.org/10.1177/1073191114555884>

- Shkalim, E., Almagor, M., & Ben-Porath, Y. S. (2017). Examining current conceptualizations of psychopathology with the MMPI-2/MMPI-2-RF Restructured Clinical Scales: Preliminary findings from a cross-cultural study. *Journal of Personality Assessment, 99*(4), 375–383. <https://doi.org/10.1080/00223891.2016.1189429>
- Shkalim, E., Ben-Porath, Y. S., & Almagor, M. (2016). Mapping the MMPI-2/MMPI-2-RF Restructured Clinical Scales onto mood markers in an Israeli sample. *Journal of Personality Assessment, 98*(4), 430–434. <https://doi.org/10.1080/00223891.2016.1146291>
- Simms, L. J., Casillas, A., Clark, L. A., Watson, D., & Doebbeling, B. N. (2005). Psychometric evaluation of the Restructured Clinical Scales of the MMPI-2. *Psychological Assessment, 17*(3), 345–358. <https://doi.org/10.1037/1040-3590.17.3.345>
- Stanley, I. H., Yancey, J. R., Patrick, C. J., & Joiner, T. E. (2018). A distinct configuration of MMPI-2-RF scales RCd and RC9/ACT is associated with suicide attempt risk among suicide ideators in a psychiatric outpatient sample. *Psychological Assessment, 30*(9), 1249–1254. <https://doi.org/10.1037/pas0000588>
- Suhr, J. A., Cook, C., & Morgan, B. (2017). Assessing functional impairment in ADHD: Concerns for validity of self-report. *Psychological Injury and Law, 10*, 151–160. <https://doi.org/10.1007/s12207-017-9292-8>
- Sun, M., Marquardt, C. A., Disner, S. G., Burton, P. C., Davenport, N. D., Lissek, S., & Sponheim, S. R. (2020). Posttraumatic stress symptomatology and abnormal neural responding during emotion regulation under cognitive demands: Mediating effects of personality. *Personality Neuroscience, 3*, Article e9. <https://doi.org/10.1017/pen.2020.10>
- Tarescavage, A. M., Finn, J. A., Marek, R. J., Ben-Porath, Y. S., & van Dulmen, M. H. M. (2015). Premature termination from psychotherapy and internalizing psychopathology: The role of demoralization. *Journal of Affective Disorders, 174*, 549–555. <https://doi.org/10.1016/j.jad.2014.12.018>
- Tylicki, J. L., Martin-Fernandez, K. W., & Ben-Porath, Y. S. (2019). Predicting therapist ratings of treatment progress and outcomes with the MMPI-2-RF. *Journal of Clinical Psychology, 75*(9), 1673–1683. <https://doi.org/10.1002/jclp.22795>
- Vachon, D. D., Sellbom, M., Ryder, A. G., Miller, J. D., & Bagby, R. M. (2009). A Five-Factor Model description of depressive personality disorder. *Journal of Personality Disorders, 23*(5), 447–465. <https://doi.org/10.1521/pedi.2009.23.5.447>
- van der Heijden, P. T., Egger, J. I. M., Rossi, G. M. P., & Derksen, J. J. L. (2012). Integrating psychopathology and personality disorders conceptualized by the MMPI-2-RF and the MCMI-III: A structural validity study. *Journal of Personality Assessment, 94*(4), 345–347. <https://doi.org/10.1080/00223891.2012.656861>
- van der Heijden, P. T., Egger, J. I. M., Rossi, G. M. P., Grundel, G., & Derksen, J. J. L. (2013). The MMPI-2-Restructured Form and the standard MMPI-2 Clinical Scales in relation to DSM-IV. *European Journal of Psychological Assessment, 29*(3), 182–188. <https://doi.org/10.1027/1015-5759/a000140>
- van der Sterren-Kusters, W. J. C., van der Heijden, P. T., & Egger, J. I. M. (2017). Psychometric properties of the Dutch Anxiety Change Expectancy Scale (ACES-NL). *International Journal of Psychology and Psychological Therapy, 17*(2), 189–198.
- Venables, N. C., Sellbom, M., Sourander, A., Kendler, K. S., Joiner, T. E., Drislane, L. E., Sillanmäki, L., Elonheimo, H., Parkkola, K., Multimaki, P., & Patrick, C. J. (2015). Separate and interactive contributions of weak inhibitory control and threat sensitivity to prediction of suicide risk. *Psychiatry Research, 226*(2–3), 461–466. <https://doi.org/10.1016/j.psychres.2015.01.018>
- Wallace, A., & Liljequist, L. (2005). A comparison of the correlational structures and elevation patterns of the MMPI-2 Restructured Clinical (RC) and Clinical Scales. *Assessment, 12*(3), 290–294. <https://doi.org/10.1177/1073191105276250>



- Watson, C., Quilty, L. C., & Bagby, R. M. (2011). Differentiating bipolar disorder from major depressive disorder using the MMPI-2-RF: A receiver operating characteristics (ROC) analysis. *Journal of Psychopathology and Behavioral Assessment, 33*(3), 368–374. <https://doi.org/10.1007/s10862-010-9212-7>
- Wolf, E. J., Ellicksen-Larew, S., Guetta, R. E., Escarfulleri, S., Ryabchenko, K., & Miller, M. W. (2020). Psychometric performance of the Miller Forensic Assessment of Symptoms Test (M-FAST) in veteran PTSD assessment. *Psychological Injury and Law, 13*, 284–302. <https://doi.org/10.1007/s12207-020-09373-y>
- Wolf, E. J., Miller, M. W., Orazem, R. J., Weierich, M. R., Castillo, D. T., Milford, J., Kaloupek, D. G., & Keane, T. M. (2008). The MMPI-2 Restructured Clinical Scales in the assessment of posttraumatic stress disorder and comorbid disorders. *Psychological Assessment, 20*(4), 327–340. <https://doi.org/10.1037/a0012948>
- Wygant, D. B., & Fleming, K. P. (2008). Clinical utility of the MMPI-2 Restructured Clinical (RC) Scales in therapeutic assessment: A case study. *Journal of Personality Assessment, 90*(2), 110–118. <https://doi.org/10.1080/00223890701845112>
- Zahn, N., Sellbom, M., Pymont, C., & Schenk, P. W. (2017). Associations between MMPI-2-RF scale scores and self-reported personality disorder criteria in a private practice sample. *Journal of Psychopathology and Behavioral Assessment, 39*(4), 723–741. <https://doi.org/10.1007/s10862-017-9616-8>
- Addiction and Substance Abuse Treatment Settings**
- Forbey, J. D., & Ben-Porath, Y. S. (2007). A comparison of the MMPI-2 Restructured Clinical (RC) and Clinical Scales in a substance abuse treatment sample. *Psychological Services, 4*(1), 46–58. <https://doi.org/10.1037/1541-1559.4.1.46>
- Hopkins, T. A., Brawner, C. A., Meyer, M., Zawilinski, L., Carnes, P. J., & Green, B. A. (2016). MMPI-2 correlates of sadomasochism in a sexual addiction sample: Contrasting men and women. *Sexual Addiction & Compulsivity, 23*(1), 114–140. <https://doi.org/10.1080/10720162.2015.1095137>
- Monnot, M. J., Quirk, S. W., Hoerger, M., & Brewer, L. (2009). Racial bias in personality assessment: Using the MMPI-2 to predict psychiatric diagnoses of African American and Caucasian chemical dependency patients. *Psychological Assessment, 21*(2), 137–151. <https://doi.org/10.1037/a0015316>
- Thornton, V. A., Dodd, C. G., & Weed, N. C. (2020). Assessment of prescription stimulant misuse among college students using the MMPI-2-RF. *Addictive Behaviors, 110*. <https://doi.org/10.1016/j.addbeh.2020.106511>
- Police and Public Safety Settings**
- Corey, D. M., Sellbom, M., & Ben-Porath, Y. S. (2018). Risks associated with overcontrolled behavior in police officer recruits. *Psychological Assessment, 30*(12), 1691–1702. <https://doi.org/10.1037/pas0000607>
- Detrick, P., Ben-Porath, Y. S., & Sellbom, M. (2016). Associations between MMPI-2-RF (Restructured Form) and Inwald Personality Inventory (IPI) scale scores in a law enforcement preemployment screening sample. *Journal of Police and Criminal Psychology, 31*, 81–95. <https://doi.org/10.1007/s11896-015-9172-7>
- Detrick, P., & Chibnall, J. T. (2014). Underreporting on the MMPI-2-RF in a high-demand police officer selection context: An illustration. *Psychological Assessment, 26*(3), 1044–1049. <https://doi.org/10.1037/pas0000013>
- Roberts, R. M., Tarescavage, A. M., Ben-Porath, Y. S., & Roberts, M. D. (2019). Predicting postprobationary job performance of police officers using CPI and MMPI-2-RF test data obtained during preemployment psychological screening. *Journal of Personality Assessment, 101*(5), 544–555. <https://doi.org/10.1080/00223891.2018.1423990>

- Sellbom, M., Corey, D. M., & Ben-Porath, Y. S. (2021). Incremental validity of the Multidimensional Personality Questionnaire in the preemployment assessment of police officer candidates. *Criminal Justice and Behavior*. Advance online publication. <https://doi.org/10.1177/00938548211033630>
- Sellbom, M., Fischler, G. L., & Ben-Porath, Y. S. (2007). Identifying MMPI-2 predictors of police officer integrity and misconduct. *Criminal Justice and Behavior*, 34(8), 985–1004. <https://doi.org/10.1177/0093854807301224>
- Tarescavage, A. M., Brewster, J., Corey, D. M., & Ben-Porath, Y. S. (2015). Use of prehire Minnesota Multiphasic Personality Inventory-2–Restructured Form (MMPI-2-RF) police candidate scores to predict supervisor ratings of posthire performance. *Assessment*, 22(4), 411–428. <https://doi.org/10.1177/1073191114548445>
- Tarescavage, A. M., Corey, D. M., & Ben-Porath, Y. S. (2015). Minnesota Multiphasic Personality Inventory-2–Restructured Form (MMPI-2-RF) predictors of police officer problem behavior. *Assessment*, 22(1), 116–132. <https://doi.org/10.1177/1073191114534885>
- Tarescavage, A. M., Corey, D. M., & Ben-Porath, Y. S. (2016). A prorating method for estimating MMPI-2-RF scores from MMPI responses: Examination of score fidelity and illustration of empirical utility in the PERSEREC Police Integrity Study sample. *Assessment*, 23(2), 173–190. <https://doi.org/10.1177/1073191115575070>
- Tarescavage, A. M., Corey, D. M., Gupton, H. M., & Ben-Porath, Y. S. (2015). Criterion validity and clinical utility of the Minnesota Multiphasic Personality Inventory-2–Restructured Form (MMPI-2-RF) in assessments of police officer candidates. *Journal of Personality Assessment*, 97(4), 382–394. <https://doi.org/10.1080/00223891.2014.995800>
- Tarescavage, A. M., Fischler, G. L., Cappo, B. M., Hill, D. O., Corey, D. M., & Ben-Porath, Y. S. (2015). Minnesota Multiphasic Personality Inventory-2–Restructured Form (MMPI-2-RF) predictors of police officer problem behavior and collateral self-report test scores. *Psychological Assessment*, 27(1), 125–137. <https://doi.org/10.1037/pas0000041>
- Other Non-Clinical Settings**
- Adhiatma, W., & Hendrianti, J. (2018). The convergent validity of Indonesian version of Personality Inventory for DSM-5 (PID-5). *Jurnal Psikologi*, 17, 97–106. <https://doi.org/10.14710/jp.17.2.97-106>
- Anderson, J. L., & Sellbom, M. (2021). Assessing ICD-11 personality trait domain qualifiers with the MMPI-2-RF. *Journal of Clinical Psychology*, 77(4), 1090–1105. Advance online publication. <https://doi.org/10.1002/jclp.23099>
- Anderson, J. L., Sellbom, M., & Salekin, R. T. (2018). Utility of the Personality Inventory for DSM-5–Brief Form (PID-5-BF) in the measurement of maladaptive and psychopathology. *Assessment*, 25(5), 596–607. <https://doi.org/10.1177/1073191116676889>
- Anderson, J. L., Sellbom, M., Sansone, R. A., & Songer, D. A. (2016). Comparing external correlates of DSM-5 Section II and Section III dimensional trait operationalizations of borderline personality disorder. *Journal of Personality Disorders*, 30(2), 193–210. [https://doi.org/10.1521/pedi\\_2015\\_29\\_189](https://doi.org/10.1521/pedi_2015_29_189)
- Anestis, J. C., Harrop, T. M., Preston, O. C., Bulla, B. A., & Rodriguez, T. R. (2021). Assessing physical pain perception and psychological distress tolerance through the MMPI-2-RF: A comparison of multimethod measures. *Journal of Personality Assessment*. Advance online publication. <https://doi.org/10.1080/00223891.2021.1905653>
- Avdeyeva, T. V., Tellegen, A., & Ben-Porath, Y. S. (2011). Empirical correlates of low scores on MMPI-2/MMPI-2-RF Restructured Clinical Scales in a sample of university students. *Assessment*, 19(3), 388–393. <https://doi.org/10.1177/1073191111411675>
- Ayearst, L. E., Sellbom, M., Trobst, K. K., & Bagby, R. M. (2013). Evaluating the interpersonal content of the MMPI-2-RF Interpersonal Scales. *Journal of Personality Assessment*, 95(2), 187–196. <https://doi.org/10.1080/00223891.2012.730085>

- Baker, C. N., & Hoerger, M. (2012). Parental child-rearing strategies influence self-regulation, socio-emotional adjustment, and psychopathology in early adulthood: Evidence from a retrospective cohort study. *Personality and Individual Differences, 52*(7), 800–805. <https://doi.org/10.1016/j.paid.2011.12.034>
- Benitez, A., & Gunstad, J. (2012). Poor sleep quality diminishes cognitive functioning independent of depression and anxiety in healthy young adults. *The Clinical Neuropsychologist, 26*(2), 214–223. <https://doi.org/10.1080/13854046.2012.658439>
- Bolinsky, P. K., Guidi, J. P., Myers, K. R., Cooper-Bolinsky, D., Schuder, K. M., James, A. V., Hudak, D. V., Gonzales, Y., McTiernan, E., & Smith, E. A. (2016). The MMPI-2-RF and college students: Do we remain stuck in a normative no-man's land? *Archives of Assessment Psychology, 6*(1), 81–95.
- Brinker, J. K., Chin, Z. H., & Wilkinson, R. (2014). Ruminative thinking style and the MMPI-2-RF. *Personality and Individual Differences, 66*, 102–105. <https://doi.org/10.1016/j.paid.2014.03.001>
- Brown, T. A., & Sellbom, M. (2020). Further validation of the MMPI-2-RF Personality Disorder Spectra scales. *Journal of Psychopathology and Behavioral Assessment, 42*, 259–270. <https://doi.org/10.1007/s10862-020-09789-5>
- Carnovale, M., Sellbom, M., & Bagby, R. M. (2020). The Personality Inventory for ICD-11: Investigating reliability, structural and concurrent validity, and method variance. *Psychological Assessment, 32*(1), 8–17. <https://doi.org/10.1037/pas0000776>
- Fard, M. R., Ahi, Q., & Dastjerdi, R. (2019). The role of Emotional/Internalizing Dysfunction and Behavioral/Externalizing Dysfunction based on the Minnesota Multiphasic Personality Inventory-2-Restructured Form in self-transcendence and self-directiveness nurses. *Iranian Journal of Psychiatric Nursing, 7*(5), 19–27.
- Fard, Z. G., Pourshahbaz, A., Anderson, J., Shakiba, S., & Mirabzadeh, A. (2021). Assessing DSM-5 Section II Personality Disorders using the MMPI-2-RF in an Iranian community sample. *Assessment*. Advance online publication. <https://doi.org/10.1177/1073191121991225>
- Forbey, J. D., & Ben-Porath, Y. S. (2008). Empirical correlates of the MMPI-2 Restructured Clinical (RC) Scales in a nonclinical setting. *Journal of Personality Assessment, 90*(2), 136–141. <https://doi.org/10.1080/00223890701845161>
- Forbey, J. D., & Lee, T. T. C. (2011). An exploration of the impact of invalid MMPI-2 protocols on collateral self-report measure scores. *Journal of Personality Assessment, 93*(6), 556–565. <https://doi.org/10.1080/00223891.2011.608757>
- Forbey, J. D., Lee, T. T. C., & Handel, R. W. (2010). Correlates of the MMPI-2-RF in a college setting. *Psychological Assessment, 22*(4), 737–744. <https://doi.org/10.1037/a0020645>
- Franz, A. O., Harrop, T. M., & McCord, D. M. (2017). Examining the construct validity of the MMPI-2-RF Interpersonal Functioning Scales using the Computerized Adaptive Test of Personality Disorder as a comparative framework. *Journal of Personality Assessment, 99*(4), 416–423. <https://doi.org/10.1080/00223891.2016.1222394>
- Goodwin, B. E., Sellbom, M., & Salekin, R. T. (2015). Elucidating the construct validity of the Antisocial Process Screening Device (APSD) in a sample of young adults. *Journal of Psychopathology and Behavioral Assessment, 37*, 1–11. <https://doi.org/10.1007/s10862-014-9444-z>
- Gregory, S. D., Newmeyer, M., Baum, L. J., & Lichi, D. A. (2020). Marital distress in missionaries as measured by the MMPI-2-RF Interpersonal Scales. *Journal of Psychology and Theology. https://doi.org/10.1177/0091647120968312*
- Hoerger, M., Quirk, S. W., & Weed, N. C. (2011). Development and validation of the Delaying Gratification Inventory. *Psychological Assessment, 23*(3), 725–738. <https://doi.org/10.1037/a0023286>
- Hunter, H. K., Bolinsky, P. K., Novi, J. H., Hudak, D. V., James, A. V., Myers, K. R., & Schuder, K. M. (2014). Using the MMPI-2-RF to discriminate psychometrically identified schizotypic college students from a matched comparison sample. *Journal of Personality Assessment, 96*(6), 596–603. <https://doi.org/10.1080/00223891.2014.922093>

- Ingram, P. B., Isacco, A., & Borgogna, N. C. (2021). Examining admission and formation outcomes for Catholic clergy applicants with the MMPI-2-RF: A prospective study. *Psychological Assessment, 33*(9), 871–879. <http://doi.org/10.1037/pas0001028>
- Ingram, P. B., Kelso, K. M., & McCord, D. M. (2011). Empirical correlates and expanded interpretation of the MMPI-2-RF Restructured Clinical Scale 3 (Cynicism). *Assessment, 18*(1), 95–101. <https://doi.org/10.1177/10731911110388147>
- Isacco, A., Finn, K., Tirabassi, D., Meade, K. A., & Plante, T. G. (2020). An examination of the psychological health of applicants to the Catholic priesthood and diaconate. *Spirituality in Clinical Practice, 7*(4), 230–245. <https://doi.org/10.1037/scp0000229>
- Isacco, A., Ingram, P. B., Finn, K., Dimoff, J. D., & Gebler, B. (2020). A novel approach to examining personality risk factors of sexual offending in clergy applicants. *Spirituality in Clinical Practice, 7*(4), 246–261. <https://doi.org/10.1037/scp0000224>
- Johnson, A. K., Sellbom, M., & Glenn, A. L. (2018). Dimensional personality traits broadly and selectively associated with normative externalizing behavior. *Journal of Psychopathology and Behavioral Assessment, 40*, 419–430. <https://doi.org/10.1007/s10862-018-9665-7>
- Kastner, R. M., & Sellbom, M. (2012). Hypersexuality in college students: The role of psychopathy. *Personality and Individual Differences, 53*(5), 644–649. <https://doi.org/10.1016/j.paid.2012.05.005>
- Kasula, K., Tarescavage, A. M., Ben-Porath, Y. S., Burchett, D., Menton, W., & Sellbom, M. (2020). The TriPM and MMPI-2-RF Tri-Scales: A direct construct validity comparison. *Journal of Psychopathology and Behavioral Assessment, 42*, 666–676. <https://doi.org/10.1007/s10862-020-09825-4>
- Kim, S., Goodman, G. M., Toruno, J. A., Sherry, A. R., & Kim, H. K. (2014). The cross-cultural validity of the MMPI-2-RF Higher-Order Scales in a sample of North Korean female refugees. *Assessment, 22*(5), 640–649. <https://doi.org/10.1177/1073191114548444>
- Kim, S., Kim, H. K., & Lee, N. (2013). Psychological features of North Korean female refugees on the MMPI-2: A latent profile analysis. *Psychological Assessment, 25*(4), 1091–1102. <https://doi.org/10.1037/a0033097>
- Kim, S., Lee, H., & Lee, K. (2020). Assessment of suicidal risk using Minnesota Multiphasic Personality Inventory-2 Restructured Form. *BMC Psychiatry, 20*, 81. <https://doi.org/10.1186/s12888-020-02495-2>
- Kim, S., Lee, H.-K., & Lee, K. (2021). Detecting suicidal risk using MMPI-2 based on machine learning algorithm. *Scientific Reports, 11*, Article 15310. <https://doi.org/10.1038/s41598-021-94839-5>
- Kim, S., Lee, H.-K., & Lee, K. (2021). Screening of mood symptoms using MMPI-2-RF Scales: An application of machine learning techniques. *Journal of Personalized Medicine, 11*(8), 812. <https://doi.org/10.3390/jpm11080812>
- Kremyar, A. J., & Ben-Porath, Y. S. (2020). Further examining the construct validity of the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) Personality Disorder Spectra Scales. *Journal of Personality Assessment, 103*(4), 443–454. <https://doi.org/10.1080/00223891.2020.1828434>
- Kremyar, A. J., Lee, T. T. C., Ajayi, W., Friedhoff, L. A., & Graham, J. R. (2020). Measuring positive health behaviors and outcomes with low scores on the MMPI-2-RF Somatic Scales. *Journal of Personality Assessment, 102*(1), 36–44. <https://doi.org/10.1080/00223891.2018.1514311>
- Kremyar, A. J., Tarescavage, A. M., & Ben-Porath, Y. S. (2020). The construct validity of distress intolerance: Is it distinct from demoralization and negative emotionality? *Journal of Psychopathology and Behavioral Assessment, 42*, 340–353. <https://doi.org/10.1007/s10862-019-09764-9>
- Lange, R. T., Edmed, S. L., Sullivan, K. A., French, L. M., & Cooper, D. B. (2013). Utility of the Mild Brain Injury Atypical Symptoms Scale to detect symptom exaggeration: An analogue simulation study. *Journal of Clinical and Experimental Neuropsychology, 35*(2), 192–209. <https://doi.org/10.1080/13803395.2012.761677>

- Lee, T. T. C., & Forbey, J. D. (2010). MMPI-2 correlates of sexual preoccupation as measured by the Sexuality Scale in a college setting. *Sexual Addiction and Compulsivity, 17*(3), 219–235. <https://doi.org/10.1080/10720162.2010.500500>
- Lee, T. T. C., Taylor, A. M., Holbert, A. M., & Graham, J. R. (2019). MMPI-2-RF predictors of interpersonal relationship characteristics in committed couples. *Psychological Assessment, 31*(9), 1118–1124. <https://doi.org/10.1037/pas0000735>
- Leonelli, B. R., Kuhn, T., Sanborn, V., & Gunstad, J. (2020). Feasibility of predicting in-season mental health problems in college student-athletes from pre-season assessment. *Clinical Journal of Sport Medicine: Official Journal of the Canadian Academy of Sport Medicine*. Advance online publication. <https://doi.org/10.1097/jsm.0000000000000899>
- Lijewski, A., MacDonald, D. A., Paynard, C. M. (2013). Examination of the psychometric properties of the MMPI-2 Restructured Clinical (RC) Scales with a sample of public safety officer candidates. *The International Journal of Educational and Psychological Assessment, 13*(2), 1–12.
- Martin-Fernandez, K. W., & Ben-Porath, Y. S. (2019). Associations among eating disorder symptoms and the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) in college students. *Eating and Weight Disorders - Studies on Anorexia, Bulimia and Obesity, 25*, 1311–1320. <https://doi.org/10.1007/s40519-019-00764-y>
- Mattson, E. K., Nelson, N. W., Sponheim, S. R., & Disner, S. G. (2019). The impact of PTSD and mTBI on the relationship between subjective and objective cognitive deficits in combat-exposed veterans. *Neuropsychology, 33*(7), 913–921. <https://doi.org/10.1037/neu0000560>
- McCord, D. M., Achee, M. C., Cannon, E. M., Harrop, T. M., & Poynter, W. D. (2017). Using the Research Domain Criteria framework to explore associations between MMPI-2-RF constructs and physiological variables assessed by eye-tracker technology. *Journal of Personality Assessment, 99*(4), 363–374. <https://doi.org/10.1080/00223891.2016.1228067>
- McCord, D. M., & Provost, R. P. (2019). Construct validity of the PHQ-9 depression screen: Correlations with Substantive Scales of the MMPI-2-RF. *Journal of Clinical Psychology in Medical Settings, 27*, 150–157. <https://doi.org/10.1007/s10880-019-09629-z>
- McDermut, W., Pantoja, G., & Amrami, Y. (2019). Dysfunctional beliefs and personality traits. *Journal of Rational-Emotive and Cognitive-Behavior Therapy, 37*, 338–357. <https://doi.org/10.1007/s10942-019-00315-5>
- Miller, K. E., Koffel, E., Kramer, M. D., Erbes, C. R., Arbisi, P. A., & Polusny, M. A. (2018). At-home partner sleep functioning over the course of military deployment. *Journal of Family Psychology, 32*(1), 114–122. <https://doi.org/10.1037/fam0000262>
- Mendez, D. M., & MacDonald, D. A. (2012). Spirituality and the MMPI-2 Restructured Clinical Scales. *International Journal of Transpersonal Studies, 31*(1), 1–10. <https://doi.org/10.24972/ijts.2012.31.1.1>
- Monaghan, C., Bizumic, B., & Sellbom, M. (2016). The role of Machiavellian views and tactics in psychopathology. *Personality and Individual Differences, 94*, 72–81. <https://doi.org/10.1016/j.paid.2016.01.002>
- Neal, T. M. S., & Sellbom, M. (2012). Examining the factor structure of the Hare Self-Report Psychopathy Scale. *Journal of Personality Assessment, 94*(3), 244–253. <https://doi.org/10.1080/00223891.2011.648294>
- Nyquist, A. C., & Forbey, J. D. (2018). An investigation of a computerized sequential depression module of the MMPI-2. *Assessment, 25*(8), 1084–1097. <https://doi.org/10.1177/1073191116682297>
- Osberg, T. M., Haseley, E. N., & Kamas, M. M. (2008). The MMPI-2 Clinical Scales and Restructured Clinical (RC) Scales: Comparative psychometric properties and relative diagnostic efficiency in young adults. *Journal of Personality Assessment, 90*(1), 81–92. <https://doi.org/10.1080/00223890701693801>

- Polusny, M. A., Hintz, S., Mallen, M., Thuras, P., Krebs, E. E., Erbes, C. R., & Arbisi, P. A. (2021). Pre-deployment personality traits predict prescription opioid receipt over 2-year post-deployment period in a longitudinal cohort of deployed National Guard soldiers. *Addictive Behaviors, 119*, Article 106919. <https://doi.org/10.1016/j.addbeh.2021.106919>
- Rinaldi, L., Locati, F., Parolin, L., & Girelli, L. (2017). Distancing the present self from the past and the future: Psychological distance in anxiety and depression. *The Quarterly Journal of Experimental Psychology, 70*(7), 1106–1113. <https://doi.org/10.1080/17470218.2016.1271443>
- Roeh, A., Engel, R. R., Lembeck, M., Pross, B., Papazova, I., Schoenfeld, J., Halle, M., Falkai, P., Scherr, J., & Hasan, A. (2020). Personality traits in marathon runners and sedentary controls with MMPI-2-RF. *Frontiers in Psychology: Movement Science and Sport Psychology, 11*, 886. <https://doi.org/10.3389/fpsyg.2020.00886>
- Schuder, K. M., Gooding, D. C., Matts, C. W., & Bolinsky, P. K. (2016). Further evidence of the MMPI-2-RF's ability to discriminate psychometrically identified schizotypic college students from a matched comparison sample. *Personality and Individual Differences, 94*, 107–112. <https://doi.org/10.1016/j.paid.2016.01.014>
- Sellbom, M. (2015). Elucidating the complex associations between psychopathy and post-traumatic stress disorder from the perspective of trait negative affectivity. *International Journal of Forensic Mental Health, 14*(2), 85–92. <https://doi.org/10.1080/14999013.2015.1048392>
- Sellbom, M., & Ben-Porath, Y. S. (2005). Mapping the MMPI-2 Restructured Clinical Scales onto normal personality traits: Evidence of construct validity. *Journal of Personality Assessment, 85*(2), 179–187. [https://doi.org/10.1207/s15327752jpa8502\\_10](https://doi.org/10.1207/s15327752jpa8502_10)
- Sellbom, M., Ben-Porath, Y. S., Lilienfeld, S. O., Patrick, C. J., & Graham, J. R. (2005). Assessing psychopathic personality traits with the MMPI-2. *Journal of Personality Assessment, 85*(3), 334–343. [https://doi.org/10.1207/s15327752jpa8503\\_10](https://doi.org/10.1207/s15327752jpa8503_10)
- Sellbom, M., & Smith, A. (2017). Assessment of DSM-5 Section II personality disorders with the MMPI-2-RF in a nonclinical sample. *Journal of Personality Assessment, 99*(4), 384–397. <https://doi.org/10.1080/00223891.2016.1242074>
- Steenhaut, P., Demeyer, I., De Raedt, R., & Rossi, G. (2018). The role of personality in the assessment of subjective wellbeing and physiological emotional reactivity: A comparison between younger and older adults. *Assessment, 25*(3), 285–301. <https://doi.org/10.1177/1073191117719510>
- Tarescavage, A. M., Forner, E. H., & Ben-Porath, Y. S. (2021). Construct validity of DSM-5 Level 2 Assessments (PROMIS Depression, Anxiety, and Anger): Evidence from the MMPI-2-RF. *Assessment, 28*(3), 788–795. <https://doi.org/10.1177/1073191120911092>
- Tarescavage, A. M., & Menton, W. H. (2020). Construct validity of the Personality Inventory for ICD-11 (PiCD): Evidence from the MMPI-2-RF and CAT-PD-SF. *Psychological Assessment, 32*(9), 889–895. <https://doi.org/10.1037/pas0000914>
- Whitman, M. R., Kremyar, A. J., & Ben-Porath, Y. S. (2020). Using the MMPI-2-RF to assess risk of nonsuicidal self-injury among college students. *Journal of Personality Assessment, 103*(4), 455–464. <https://doi.org/10.1080/00223891.2020.1801701>

\*MMPI-2-RF research can be used as a guide for MMPI-3 interpretation. For additional information, refer to the MMPI-3 Technical Manual, Appendix E.

For more information please visit [PearsonAssessments.com/MMPI3](https://PearsonAssessments.com/MMPI3)

800-627-7271 | [PearsonAssessments.com](https://PearsonAssessments.com)

Copyright © 2021 Pearson Education. All rights reserved. CLINA15775-25413 EL 4/21



Pearson